

Protecting Globally, Envisioning The Future...



CanaSafe – Protecting Globally, Envisioning The Future

CanaSafe is a manufacturer of Personal Protective Equipment featuring a portfolio of high performance products. The Canasafe brand is synonymous with top-quality and innovative products that provide specialist protection for all walks of industry.

Our manufacturing expertise is built on decades of experience and consistent application of new technologies. In-house knowledge and know-how ensure our products are of the highest quality and adhere to the most stringent international safety standards.

Many of our innovations are a direct result of our ability to interact with the actual end-user. Their on-site experience and professional ability, combined with our manufacturing and design expertise, make an unbeatable combination in delivering products that really protect when they're required to perform.


CanaSafe strives for excellence in manufacturing, operations, sales and service. Our intensive coverage of multiple distribution channels and our commitment to providing a high level of customer service has enabled us to achieve leading positions in market segments in which we compete. Our customer is "King", and all possible support is rendered to ensure this core belief is upheld.

Maintaining an integral customer relationship and building on this trust is key to cementing CanaSafe's future growth objectives. Our people, our dedication to service, and our desire to improve, will enable us to achieve and deliver these levels of commitment.

As the saying goes –

"There Is No Compromise When It Comes To Safety"

Eye Protection



Designer



AspheriC™ ■ I/O



Soft adjustable nosebridge for custom fit

- Gunmetal sport grip temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Spring hinges
- Soft adjustable nosebridge for custom fit
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 2.6 lbs. / 1.2 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 28.4 lbs. / 12.9 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20022	AspheriC, Gunmetal Frame, Bronze A/F Lens	7 16328 20022 9
#20024	AspheriC, Gunmetal Frame, I/O Hard Coat Lens	7 16328 20024 3

SlideR™ ■ □ ■



99.9% UV Protection Lens

- Tapered sport grip temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Hi-gloss polished frame
- Adjustable "Soft Point" Nosebridge
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 2.5 lbs. / 1.15 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 27.5 lbs. / 12.5 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20340	SlideR, Black/Silver Frame, Clear A/F Lens	7 16328 20340 4
#20342	SlideR, Black/Silver Frame, Bronze A/F Lens	7 16328 20342 8

iSec™ ■ I/O




Sturdy metal frame with spring hinges

- Adjustable "Flexi-Metal" soft tip temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Sturdy metal frame with spring hinges
- Adjustable nosepiece
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.38 lbs. / 0.63 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 16.1 lbs. / 7.32 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20382	iSeC, Gunmetal Frame, Bronze A/F Lens	7 16328 20382 4
#20384	iSeC, Gunmetal Frame, I/O Hard Coat Lens	7 16328 20384 8



iBan™   

Alloy frame with spring hinges



- Adjustable "Flexi-Alloy" soft grip temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Alloy Frame with spring hinges
- Adjustable "Soft-Point" nosebridge
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.34 lbs. / 0.61 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 15.7 lbs. / 7.12 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20442	iBan, Gunmetal Frame, Bronze A/F Lens	7 16328 20442 5
#20444	iBan, Gunmetal Frame, I/O Hard Coat Lens	7 16328 20444 9
#20447	iBan, Gunmetal Frame, Polarized Lens	7 16328 20447 0

Sivor™   

Adjustable nosebridge



- Adjustable "Flexi-Alloy" soft grip temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Lightweight alloy frame with spring hinges
- Adjustable Nosebridge
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.14 lbs. / 0.52 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 13.7 lbs. / 6.22 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20422	Sivor, Silver Frame, Bronze A/F Lens	7 16328 20422 7
#20424	Sivor, Gunmetal Frame, I/O Hard Coat Lens	7 16328 20424 1
#20427	Sivor, Black Frame, Polarized Lens	7 16328 20427 2

Zesta™  

UV 400 Indoor/
Outdoor hardcoat lens



- Universal sport temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- New graphite finish design
- Comfort Nosebridge
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 2.4 lbs. / 1.1 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 26.7 lbs. / 12.1 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20462	Zesta, Bronze A/F Lens	7 16328 20462 3
#20464	Zesta, UV400 Indoor/Outdoor Hardcoat Lens	7 16328 20464 7

Professional



Curv-i™



Adjustable temple length and pantoscopic movement

- Adjustable Temple length & Pantoscopic movement
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Molded-in Nosepiece
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 0.7 lbs. / 0.3 kg
 Box dimensions: 390x165x75 mm / 15.35x6.5x3 inch
 Box/case: 10
 Case weight: 9.1 lbs. / 4.1 kg
 Case dimensions: 750x391x167 mm / 29.5x15.4x6.6 inch

Code	Description	UPC
#20100	Curv-i, Blue/Black Frame, Clear A/F Lens	7 16328 20100 4
#20101	Curv-i, Blue/Black Frame, Gray A/F Lens	7 16328 20101 1
#20103	Curv-i, Black/Yellow Frame, Amber A/F Lens	7 16328 20103 5
#20105	Curv-i, Red/Black Frame, IR3 A/F Lens	7 16328 20105 9

CoverX™



Light weight design

- Over The Glass (OTG) Spectacle-Accommodates Rx Eyewear
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Length & Pantoscopic Adjustment
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 2.2 lbs. / 1 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 24.2 lbs. / 11 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20400	CoverX, Black/Yellow Frame, Clear A/F Lens	7 16328 20400 5
#20401	CoverX, Black/Yellow Frame, Gray A/F Lens	7 16328 20401 2

StruT™




Big Ventilation nosebridge

- Additional Ventilation
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Soft Rubber Nosebridge
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.2 lbs. / 0.54 kg
 Box dimensions: 390x165x75 mm / 15.35x6.5x3 inch
 Box/case: 10
 Case weight: 11.9 lbs. / 5.4 kg
 Case dimensions: 780x410x200 mm / 30.7x16.1x7.9 inch

Code	Description	UPC
#20140	StruT, Black/Yellow Frame, Clear A/F Lens	7 16328 20140 0
#20141	StruT, Black/Yellow Frame, Gray A/F Lens	7 16328 20141 7



SpoGGles™



It comes with an adjustable strap

- Energy Absorbing Elastometric Cushion for an enhanced Fit & Impact Absorption
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Pantoscopic movement provides lens angle options
- Eyeglass Cord & Microfiber Storage Bag
- It comes with an adjustable strap
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.06 lbs. / 2.3 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 25.6 lbs. / 11.6kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20360	SpoGGles, Black Frame, Clear A/F Lens	7 16328 20360 2
#20361	SpoGGles, Black Frame, Gray A/F Lens	7 16328 20361 9

Cracker™



Pantoscopic and length adjustment

- Pantoscopic & length adjustment
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Universal Nosebridge
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.9 lbs. / 0.88 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 21.6 lbs. / 9.8 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20200	Cracker, Black/Gray Frame, Clear A/F Lens	7 16328 20200 1
#20201	Cracker, Black/Gray Frame, Gray A/F Lens	7 16328 20201 8

OreX™



Anti-fog lens

- Additional ventilation for hot humid environment
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Pantoscopic movement
- Soft universal fit nosebridge
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.4 lbs. / 0.64 kg
 Box dimensions: 390x165x75 mm / 15.35x6.5x3 inch
 Box/case: 10
 Case weight: 11.4 lbs. / 5.17 kg
 Case dimensions: 750x391x167 mm / 29.5x15.4x6.6 inch

Code	Description	UPC
#20240	OreX, Black Frame, Clear A/F Lens	7 16328 20240 7
#20241	OreX, Black Frame, Gray A/F Lens	7 16328 20241 4
#20248	OreX, Black Frame, Blue Mirror Lens	7 16328 20248 3
#20249	OreX Black Frame, Indoor/Outdoor Clear Lens	7 16328 20244 5

Premium



FulcrumXS™

Soft rubber "grip pad" temples



- Soft Rubber "Grip-Pad" Temple
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™ Anti-Fog*/ Anti-Scratch Coating
- Three Position Length Adjustment-Soft Nosebridge
- Pantoscopic Movement Enables Temples To Be Worn "OVER" Earmuffs.
- Incredibly Lightweight At 24 Grams
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 2.1 lbs. / 0.95 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 23.1 lbs. / 10.5 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20180	FulcrumXS, Black/Blue/Gray Frame, Clear A/F Lens	7 16328 20180 6
#20182	FulcrumXS, Black/Blue/Gray Frame, Bronze A/F Lens	7 16328 20182 0
#20184	FulcrumXS, Black/Blue/Gray Frame, I/O UV 400 Lens	7 16328 20184 4

Fulcrum Sport™

Soft Universal Fit nosebridge



- Soft-Tip Sport Grip Temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Lightweight
- Soft Universal Fit Nosebridge
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 2.1 lbs. / 0.94 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 22.93 lbs. / 10.4 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20160	Fulcrum Sport, Black/Yellow Frame, Clear A/F Lens	7 16328 20220 9
#20162	Fulcrum Sport, Black/Yellow Frame, Bronze A/F Lens	7 16328 20221 6

HaliTac™


Cool Camo frame



- Rugged Touch Point Temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Cool Camo Frame
- Touch Point Nosebridge
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 2.5 lbs. / 1.15 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 27.5 lbs. / 12.5 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20320	HaliTac, Camo Frame, Clear A/F Lens	7 16328 20320 6
#20322	HaliTac, Camo Frame, Bronze A/F Lens	7 16328 20322 0



HaliFax™



Energy absorbing elastomeric cushion for an enhanced fit & impact absorption

- Dual-Mold Temples
- High Impact Polycarbonate & Impact Lens With 99% UV Protection
- i-Cote™ Anti-Fog/Anti-Scratch Coating
- Energy Absorbing Elastomeric Cushion For An Enhanced Fit & Impact Absorption
- Soft Nosebridge
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 2.5 lbs. / 1.15 kg
 Box dimensions: 575x175x75 mm / 22.6x6.9x3 inch
 Box/case: 10
 Case weight: 27.5 lbs. / 12.5 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20300	HaliFax, Black/Gray Frame, Clear A/F Lens	7 16328 20300 8
#20302	HaliFax, Black/Gray Frame, Bronze A/F Lens	7 16328 20302 2

Reflect™



Protects against Infrared Radiation

- Optically Correct Polycarbonate Lens
- i-Cote™ Anti Fog/ Anti Scratch Coating
- Protects Against UV & Infrared Radiation
- Cutting, Brazing, Gas Welding & Plasma Welding
- Eyeglass Cord & Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 2 lbs. / 0.9 kg
 Box dimensions: 575x175x75 mm / 22.5x6.9x3 inch
 Box/case: 10
 Case weight: 22 lbs. / 10 kg
 Case dimensions: 785x600x210 mm / 30.9x23.6x8.3 inch

Code	Description	UPC
#20046	Reflect, Black Temp Frame, IR5 A/F Lens	7 16328 20046 5

Xvisio™



Wide adjustable comfort strap

- Durable Lightweight Soft-Mold Chassis
- Wide Angle Polycarbonate Lens With 99.9% UV Protection
- i-Cote™ Anti-Fog/Anti-Scratch Coating
- Adjustable "Comfort" Strap
- Overlaid Venting Reduces Fogging & Keeps Particulates Out
- Microfiber Storage Bag
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 0.31 lbs. / 0.14 kg
 Box dimensions: 183x94x75 mm / 7.2x3.7x3 inch
 Box/case: 10
 Case weight: 19 lbs. / 8.6 kg
 Case dimensions: 765x185x490 mm / 30.1x7.3x19.3 inch

Code	Description	UPC
#20120	Xvisio, Black/Gray Frame, Clear A/F Lens	7 16328 20120 2
#20122	Xvisio, Black/Gray Frame, Bronze A/F Lens	7 16328 20122 6

Value



Classic™

Protective Brow bar to enhance the orbital area seal



- Soft tip temples with length adjustment
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Pantoscopic movement
- Universal Nosebridge
- Enclosed brow bar to enhance orbital area seal
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.2 lbs. / 0.56 kg
 Box dimensions: 390x165x75 mm / 15.3x6.5x3 inch
 Box/case: 10
 Case weight: 14.5 lbs. / 6.6 kg
 Case dimensions: 780x410x200 mm / 30.7x16.1x7.9 inch

Code	Description	UPC
#20220	Classic, Blue Frame, Clear A/F Lens	7 16328 20220 9
#20221	Classic, Black Frame, Gray A/F Lens	7 16328 20221 6

Seel™

Energy absorbing elastomeric seal for enhanced fit & impact absorption



- Flexible nosebridge molds & fits virtually all faces
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Sleek sculpted lens blends to facial contour
- Energy absorbing elastomeric seal for enhanced fit & impact absorption
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.2 lbs. / 0.53 kg
 Box dimensions: 390x165x75 mm / 15.3x6.5x3 inch
 Box/case: 10
 Case weight: 13.9 lbs. / 6.3 kg
 Case dimensions: 780x410x200 mm / 30.7x16.1x7.9 inch

Code	Description	UPC
#20260	Seel, Translucent Frame, Clear A/F Lens	7 16328 20260 5
#20261	Seel, Translucent Frame, Gray A/F Lens	7 16328 20261 2

Curv-i Sport™


Lens design eliminates irritating eyelash contact whilst offering uninterrupted sight range and optically correct spherical vision



- Universal sport grip temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Curved lens design eliminates irritating eyelash contact
- Molded-in Nosepiece
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.17 lbs. / 0.53 kg
 Box dimensions: 390x165x75 mm / 15.35x6.5x3 inch
 Box/case: 10
 Case weight: 14.13 lbs. / 6.41 kg
 Case dimensions: 750x391x167 mm / 29.5x15.4x6.6 inch

Code	Description	UPC
#20080	Curv-i Sport, Black/yellow Frame, Clear A/F Lens	7 16328 20080 9
#20081	Curv-i Sport, Black/yellow Frame, Gray A/F Lens	7 16328 20081 6



SamaRay™ R/W/B  



- Angle & length adjustment
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Molded-in universal nosebridge
- Integral sideshield
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.3 lbs. / 0.59 kg
 Box dimensions: 390x165x75 mm / 15.35x6.5x3 inch
 Box/case: 10
 Case weight: 15.2 lbs. / 6.9 kg
 Case dimensions: 780x410x200 mm / 30.7x16.1x7.9 inch

Code	Description	UPC
#20062	SamaRay, Red/White/Blue Frame, Clear A/F Lens	7 16328 20062 5
#20063	SamaRay, Red/White/Blue Frame, Gray A/F Lens	7 16328 20063 2

SamaRay™  



- Angle & length adjustment
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Molded-in universal nosebridge
- Integral sideshield
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.3 lbs. / 0.59 kg
 Box dimensions: 390x165x75 mm / 15.35x6.5x3 inch
 Box/case: 10
 Case weight: 15.2 lbs. / 6.9 kg
 Case dimensions: 780x410x200 mm / 30.7x16.14x7.9 inch

Code	Description	UPC
#20060	SamaRay, Black/Yellow Frame, Clear A/F Lens	7 16328 20060 1
#20061	SamaRay, Black/Yellow Frame, Gray A/F Lens	7 16328 20061 8

LiTe™    



- Soft non-slip dual-mold rubber temples
- High Impact Polycarbonate Lens With 99.9% UV Protection
- i-Cote™-Anti-Fog/Anti-Scratch Coating
- Lightweight design
- Eyeglass Cord
- Meets ANSI Z87.1-2003 & EN 166:2001 Standards

Unit/box: 10
 Box weight: 1.1 lbs. / 0.5 kg
 Box dimensions: 390x165x75 mm / 15.35x6.5x3 inch
 Box/case: 10
 Case weight: 13.2 lbs. / 6 kg
 Case dimensions: 780x410x200 mm / 30.7x16.14x7.9 inch

Code	Description	UPC
#20280	LiTe, Translucent Frame, Clear A/F Lens	7 16328 20280 3
#20281	LiTe, Translucent Frame, Gray A/F Lens	7 16328 20283 4
#20283	LiTe, Black Temp, Amber A/F Lens	7 16328 20184 4
#20284	LiTe, Translucent Frame, I/O UV 400 Lens	7 16328 20284 7

e-co™



- Soft non-slip dual-mold rubber temples
- Lightweight design
- Two lens options
- Hi-impact polycarbonate lens absorbs 99.9% UV
- Meets ANSI Z87.1-2003 Standard

Unit/box: 10
 Box weight: 1.1 lbs. / 0.5 kg
 Box dimensions: 390x165x75 mm / 15.35x6.5x3 inch
 Box/case: 10
 Case weight: 13.2 lbs. / 6 kg
 Case dimensions: 780x410x200 mm / 30.7x16.14x7.9 inch

Code	Description	UPC
#20480	e-co Translucent Gray Temple-Clear Lens	716328204807
#20481	e-co Opaque Black Temple-Gray Lens	716328204814

Orillia™



- Indirect ventilation for heat deception
- Wide Angle polycarbonate lens with 99.9% UV protection
- 24mm adjustable "Comfort" elastic headband prevents slippery while worn
- Durable and lightweight 58 grams
- I-Cote™ Anti-fog/Scratch Resistance Coating
- Meets EN166, Z87.1, CSA, AS/NZS standards

Unit/box: 10
 Box/case: 10
 Case weight: 9 kg
 Case dimensions: 790x 400x 190/ 31.1x15.7x7.5 inch

Code	Description	UPC
#20130	Orillia, Clear Lens	716328201301
#20132	Orillia, Bronze Lens	716328201325

Innovative Ideas....

At CanaSafe, we believe education is one of the fundamental ingredients to any successful eyewear program. Based on our experiences over the past two decades, it has become apparent that it is the simple things which often make the biggest difference.

One of the most common questions we are asked is what the lifespan of the product is? Our response is typically how long do you want it to last?

Generally, the lifespan of eyewear is subject to how well it is looked after. When eyewear is worn correctly in front of the face, it does not really get damaged, except for pitting. When an object hits the lens, it causes "pitting", a small indentation in the lens where the item strikes. Over time and repeated impacts, this will cause distortion at which time the spectacle will need replacing. However, what will have an adverse affect on the acuity of the lens is scratching. Contrary to normal belief, most scratching occurs during the cleaning process or when eyewear is stored.

Scratching?

How do you prevent this. If you clean the spectacle less frequently, it stands to reason you will scratch it less. So, part of the the solution lies in educating users on proper cleaning methods. In reality, most spectacles are "cleaned" on the users coveralls or shirt. Not the best cleaning practice! The simplest way to clean a spectacle is to use regular soap and water and the magic tool of your fingers! No cloth required. By using your fingers, you will feel if there is a small particle trapped between the lens and your finger. If you feel it, you should rinse it away before you move your finger and drag it across the lens. This will minimize the potential of scratching and therefore increase the lifespan of the spectacle.

Storage?

Correct storage? Unfortunately, in the real world, spectacles are not worn 100% of the time. When they are not worn, they are usually left on a work-top or dropped in a toolbox. This is where they get dirty and scratched. And guess what? You need to clean them again! Solution: An eyeglass cord goes a long way in addressing this problem. This is why all CanaSafe eyewear is delivered with an eyeglass cord free of charge! This solution also solves another issue: the parked eyewear is always on hand when you need it. Not sitting on the work-top looking pretty! On all CanaSafe premium & designer models, a micro-fiber storage bag is also included to further protect the eyewear.

Fogging?

Fogging up of the lens? If you cannot see through the lens, the user will remove the eyewear, thereby exposing oneself to the original risk. Why waste money and buy safety eyewear if it is continually taken off? Solution: Anti-fog coating. All CanaSafe eyewear, Value range through to Designer range, is coated where possible with our propriety i-Cote™ Anti-Fog/Anti-Scratch coating. Makes you think, doesn't it.

Safety education is everyone's responsibility. A core belief at CanaSafe is passing on experiences and knowledge to make the workplace a safer environment. We trust this lateral thinking will assist you with developing your eyewear program. That's why we say, "Simple Ideas, Big Solutions". It's the little things we often forget that count.

Face Protection



ONGARD BULLET

For proper eye protection, always wear safety goggles or safety glasses under visors and faceshields



The CanaSafe ONGARD™ face shield system provides that much sought after “wrap-around” design that offers form fitting security, robust construction and flexible adjustment. The ongard crown protector has full tilt function Twizloc™ sizing and Swivel™ comfort zone whilst the molded BULLET™ windows offer low profile fit with uncompromising coverage.

Code	Description	UPC
#40020	BULLET, Clear Window	7 16328 40020 9
#40021	BULLET, Gray Window	7 16328 40021 6
#40026	BULLET, IR5 Window	7 16328 40026 1
#40028	BULLET, Gold IR5 Window	7 16328 40028 5
#40029	BULLET, Grad Gold IR5 Window	7 16328 40029 2

ONGARD Head Gear

The Ongard Headgear is designed for full-shift comfort, performance and versatility. The easy snap-on attachment system allows for quick replacement of the window without having to replace the whole unit, saving precious dollars. Snug fitting comfort is obtained with Twizloc™ adjustment and correct nape placement with the Swivel™ cam.



Code	Description	UPC
#40000	ONGARD Head Gear, Black/Gray	7 16328 40000 1

ALUTATCH

The regular design ALUTATCH accessory accommodates most manufacturers cap-style hard-hats. It utilizes the full range of BULLET™ windows, allowing for easy replacement in seconds.


- Mounts Quickly and Firmly
- Dual Pivot Friction Design For Custom
- Exceptional Performance In High Heat Areas
- Tilt Adjustment



Code	Description	UPC
#40001	ONGARD ALUTATCH	7 16328 40001 8

Meets and exceeds ANSI Z87.1-2003 and EN166:2001
Product Ordering Information

Code	Description	UPC	Unit/box	Box wt.(lbs./kgs.)	Box Dimension	Box/case	Case wt.	Case dimensions.
#40000	ONGARD Head Gear, Black/Gray	7 16328 40000 1	1	0.79 lbs. / 0.36 kg	227x129x250 mm / 89.4x50.8x98.4 inch	10	10.25 lbs. / 4.65 kg	670x247x520 mm / 263.8x97.2x204.7 inch
#40001	ONGARD ALUTATCH	7 16328 40001 8	1	0.38 lbs. / 0.17 kg	245x27x205 mm / 96.5x10.6x80.7 inch	10	4.32 lbs. / 1.96 kg	280x255x210 mm / 110.2x88.6x82.7 inch
#40020	BULLET, Clear Window	7 16328 40000 1	10	4.69 lbs. / 2.13 kg	270x240x250 mm / 106.3x94.5x98.4 inch	2	10.71 lbs. / 4.86 kg	510x280x270 mm / 200.8x110.2x106.3 inch
#40021	BULLET, Gray Window	7 16328 40001 8	10	4.69 lbs. / 2.13 kg	270x240x250 mm / 106.3x94.5x98.4 inch	2	10.71 lbs. / 4.86 kg	510x280x270 mm / 200.8x110.2x106.3 inch
#40026	BULLET, IRS Window	7 16328 40000 1	10	4.69 lbs. / 2.13 kg	270x240x250 mm / 106.3x94.5x98.4 inch	2	10.71 lbs. / 4.86 kg	510x280x270 mm / 200.8x110.2x106.3 inch
#40028	BULLET, Gold IRS Window	7 16328 40001 8	10	4.69 lbs. / 2.13 kg	270x240x250 mm / 106.3x94.5x98.4 inch	2	10.71 lbs. / 4.86 kg	510x280x270 mm / 200.8x110.2x106.3 inch
#40029	BULLET, Grad Gold IRS Window	7 16328 40000 1	10	4.69 lbs. / 2.13 kg	270x240x250 mm / 106.3x94.5x98.4 inch	2	10.71 lbs. / 4.86 kg	510x280x270 mm / 200.8x110.2x106.3 inch



iShadow



iShadow™ is compatible to all the hard hats on the market.

Code	Description
#40002	iShadow Head Gear, Black

Made of poly-cotton for softness and moisture absorption with the no-iron crispness of polyester.



Enough length to protect you from the sun's harmful ray.




CanaSafe Sunshield

The CanaSafe Sunshield fits ALL CanaSafe's head protection products (hard hats only), most cap style hard hats, but do not fit a full brim hard hat.


- Blocks sun and most UV rays.
- Facilitates perspiration evaporation.
- Helps keep workers comfortable.

Easy steps for correct fit and maximum sun protection



1. Put helmet beak into front pocket.
2. Pull rear end down over helmet edge.
3. Bring rear end back up over edge of helmet.

Fall Protection



LaTCH 101

Features:

- Fall Arrest Indicator
- Chest Strap Adjustment / Connector Clip
- Quick-Connect Shoulder Strap Adjustment Buckle
- Quick-Connect Thigh Strap Adjustment Buckle
- Sliding Back D-Ring for Attaching Fall Arrest Component
- Made in EU

Lightweight Full Body Safety Harness

#50010

Code	Description	UPC
#50010	LaTCH 101, Harness	7 16328 5001 0



CS Identity System



Back D-Ring



Fall Indicator

LaTCH 201


Features:

- Fall Arrest Indicator
- Work Positioning Belt
- 3 Accessory Attachment Loops
- Chest Strap Adjustment / Connector Clip
- Quick-Connect Positioning Belt Adjustment Buckle
- 2 Side D-Rings for Attaching Work Positioning System
- Sliding Back D-Ring For Attaching Fall Arrest Component
- Made in EU

Lightweight Full Body Work Positioning Harness

#50020

Code	Description	UPC
#50020	LaTCH 201 Harness, back D-Ring	7 16328 5002 0



CS Identity System



3 Accessory Attachment Loops



2 Side D-Rings



Fall Indicator

LaTCH PRO

Features:

- 2 Ideally Positioned Chest attachment textile loops
- A Dorsal attachment D-Ring for Fall Arrest & 2 lateral D-Rings for Work Positioning.
- Adjustable shoulder, thigh-straps and waist belt
- Shoulder straps have combination buckles and thigh straps & waist strap are provided with automatic buckles for easy adjustment.
- 2 Tool holder loops & an extra bigger handle at the back for keeping extra karabiners & accessories.
- Lanyard Keepers on shoulder straps have been provided for easy placement of free lanyards.


Lightweight Full Body Work Positioning Harness

#50030

Code	Description
#50030	LaTCH PRO



Fall Indicator



LaTCH PRO HV

Features:

- Rear attachment point
- Front attachment point
- Belt for work positioning with side clamps fittings
- Shoulder straps elastic
- Adjustable thigh straps
- Adjustable shoulder belts and chest strap
- 3 Accessory attachment loops

Lightweight Full Body Work Positioning Harness
#50040

Code	Description
#50040	LaTCH 401



Fall Indicator



Elastic shoulder strap



3 Accessory Attachment Loops



LaTCH 301

Features:

- Braces with pads on the shoulders and thighs
- With the rear latch buckle
- Adjustable thigh straps, shoulder straps and chest strap.
- The linker automatically clamp regulators

Lightweight Full Body Safety Harness
#50050

Code	Description
#50050	LaTCH 301



Thick & comfy shoulder pads



Fall Indicator



LaTCH EL

Features:

- ELASTIC WEBBING
- Harness with front and dorsal anchorage point
- Work positioning belt
- Lateral positioning attaching point

Lightweight Full Body Work Positioning Harness
#50060

Code	Description
#50060	LaTCH EL

LaTCH DO



DORSAL ANCHORAGE POINT



2 Side D-Rings

Features:

- Harness with front and dorsal anchorage point.
- Separate regulation for legs and shoulders straps.
- Work positioning belt
- Adjustable thigh straps, shoulder straps and chest strap
- Belt work, "positioning" with side buckles
- 2 Side D-Rings

Lightweight Full Body Work Positioning Harness
#50070

Code	Description
#50070	LaTCH DO

LaTCH Coverall



Features:

- Comfortable overalls with safety harness inside
- It has sizes from medium to double XL
- Dorsal attaching point up

Cover-all suit
#50080

Code	Description
#50080	LaTCH CA cover-all

LaTCH Horizontal Lifeline 10 and 20



Adjustable Webbing Type
#52510
#52520

Features:

- Three Man System
- 50mm Wide Connecting Webbing
- 35mm Wide Working Webbing
- 10 Meter Length & 20 Meter Length
- Ratchet Type Tensioner
- 2 Large Steel Autolock Carabiner hooks with 25mm opening
- Complete with Attached Shoulder Storage Bag
- Made in EU

Code	Description	UPC
#52510	LaTCH Horizontal Lifeline 10 for 10 meters	7 16328 525100
#52520	LaTCH Horizontal LifeLine 20 for 20 meters	7 16328 5252 0




LaTCHLAN EL1

Features:

- Elastic lanyard with shock absorber
- Equipped with a safety hook on both sides
- With an integrated shock absorber
- elastic band material

Code	Description
#51011	LaTCHLAN EL1

LaTCHLAN EL1




LaTCHLAN H1 to H5

LaTCHLAN 2L2

Features:

- 30mm Lightweight Double Polyamide Webbing
- All ends are loop
- Choice of Steel, Nickel hooks
- LaTCH Shock Absorber
- Made in EU

Code	Description
#51030	LaTCHLAN 2L2




LaTCHLAN 2L2

LaTCHLAN H1, H2, H3 & H4

Features:

- H1:** -Steel Snap Hook
-Silver/Golden Yellow Galvanized
- H2:** -Steel Scaffold Hook
-Nickel Plated/ Silver Or Golden Yellow Galvanized
- H3:** -Steel Snap Hook
-Silver/Golden Yellow Galvanized.
- H4:** -Steel Swivel Snap Hook with Load Indicator.
-Silver/Golden Yellow Galvanized
- H5:** -Carabiner Stainless Steel




LaTCHLAN R1

LaTCHLAN R1

Features:

- Safety rope
- Both ends are loop
- Can be used as work positioning lanyard
- Choice of Steel, Nickel hooks
- Made in EU

Code	Description
#51040	LaTCHLAN R1




LaTCHLAN L1

Features:

- 30mm Lightweight Polyamide Webbing
- Bothe ends are loop
- LaTCH Shock Absorber
- Made in EU

Code	Description
#51010	LaTCHLAN L1



LaTCHLAN L1 LaTCHLAN R1

LaTCH RETRACT



Outer case made of metal
(also available in Plastic outer case)

Distinct colored product label
Stated precautions and
how-to-use instruction

Hickback Shock Absorber
Reduces Impact on Housing

Fall Indicator

Silver Galvanized
Swivel Snap hook
(see LaTCHLAN H1 to H5)

Retractable Lifelines


1. LaTCH RETRACT M06- Metal Outer Case
2. LaTCH RETRACT M10- Metal Outer Case
3. LaTCH RETRACT M12- Metal Outer Case
4. LaTCH RETRACT M15- Metal Outer Case
5. LaTCH RETRACT P20- Plastic Outer Case
6. LaTCH RETRACT P28- Plastic Outer Case
7. LaTCH RETRACT W06- Metal Outer Case, Hevlar Type Webbing

Code	Description	UPC
#52000	LaTCH RETRACT M06, 6 Meter Length	7 16328 5200 0
#52010	LaTCH RETRACT M10, 10 Meter Length	7 16328 5201 0
#52020	LaTCH RETRACT M12, 12 Meter Length	7 16328 5202 0
#52030	LaTCH RETRACT M15, 15 Meter Length	7 16328 5203 0
#52040	LaTCH RETRACT P20, 20 Meter Length	7 16328 5204 0
#52050	LaTCH RETRACT P28, 20 Meter Length	7 16328 5205 0
#52060	LaTCH RETRACT W06, 6 Meter Length	7 16328 5206 0


LaTCH Tripod



four attaching points
made of aluminum alloy



*LaTCH Rescue
lifting device*



**LaTCH CS
Tent**



*Rubber
pad*

Code	Description	UPC
#53000	LaTCH CS Tripod	7 16328 5300 0
#53010	LaTCH CS Rescue Lifting Device	7 16328 5301 0
#53020	Latch CS Tent	7 16328 5302 0

Fall Protection Kits

LaTCH 201



LaTCH 101



LaTCHLAN L1 H2 H3



Fall Arrest Kit 1



Fall Arrest Kit 1 Includes:

- **LaTCH 201**
Lightweight Full Body
Work Positioning Harness
#50020
- **LaTCHLAN L1**
Shock Absorbing Webbing
Lanyard with Snap hooks
#51010



LaTCHLAN L1 H2 H3



Fall Arrest Kit 2






Fall Arrest Kit 2 Includes:

- **LaTCH 101**
Lightweight Full Body
Safety Harness
#50010
- **LaTCHLAN L1**
Shock Absorbing Webbing
Lanyard with Snap hooks
#51010


ALMA

Horizontal anchorage system PRIM. The system is an anchorage device for personal protective equipment against a fall from a height. It is intended to be used by 1, 2 or 3 persons at the same time.




CAPILANO

The horizontal anchorage system DUO is an anchorage device for personal protective equipment against a fall from a height. The system is intended to be used by 1, 2 or 3 persons at the same time. Optimally the system can be reconfigured for up to 5 users. The system is composed of a horizontal guide which is made of stainless steel rope of diameter 8 mm and equipped with an absorber and a rope stretcher.




KENORA

The line anchorage system PROLINER is an anchorage device of the class C in compliance with the standard EN 795. The system is intended to be used by maximum 3 persons at the same time.



Rail connector



LADDLINE

The rail anchorage system TRASER is an anchorage device of the class D in compliance with the standard EN 795. The system serves for connecting personal protective equipment against a fall from a height to a permanent construction. It also ensures the opportunity of moving in the horizontal direction.





CaboTrail

The rail anchorage system MARAN is an anchorage device of the class D in compliance with the standard EN 795. The system serves for connecting personal protective equipment against a fall from a height to permanent constructions. It also ensures safe moving. The system is intended to be used by maximum 2 persons at the same time, whereby each person is connected to an individual trolley. The rail system is designed so that the same two people, each with the runner, may respond to it and offers it on the entire rail length total flexibility. The complete crash system includes stationary attachment system MARAN and personal fall protection equipment that is connected to MARAN.

The MARAN system consists of several parts:

- the runner
- a runner who is considered to be mobile anchor point for personal fall protection equipment
- connected elements of the track sections together
- anchoring elements of MARAN to the carrier or the building

The track structure is made of aluminum. The remaining elements of the system MARAN are either made of aluminum, stainless steel or plastic.

WINDSOR

Facade ladder with rail safety system- SYSTEM AC 510

Self- locking device with rigid guide- AC 510 is designed to prevent fall from high structures. System is integrated to the aluminum ladder with double rail and is dedicated to set on fixed structures such as chimneys, towers, masts or buildings. Fundamental part of the system is self blocking mechanism that can be fastend on rigid guide. It allows user to move vertically in a safe way.



Details of the product:

Ladder material: aluminum, stainless steel

Trolley material: aluminum, brass, stainless steel

Ladder width: 0.5 m

Ladder length: 3m

ANCHOR POST



CS
POST
1



CS
POST
2



CS
POST
3



CS
POST
4



CS
POST
5



HL
720



First-Aid Kits

Available in STEEL and PLASTIC box



**50 Persons
First Aid Kit
(196 Pieces)**

- 1 Medi-First Eye Wash, 1 oz Bottle
- 10 Antiseptic Towelettes
- 5 Alcohol Prep Pads
- 5 Ammonia Inhalant
(Respiratory Stimulant)
- 5 Insect Sting Relief
(Antiseptic & Pain)
- 6 Burn Cream
(Antiseptic & Pain Cream)
- 100 Medi-Plastic Strips 1" x 3"
- 10 Sterile Gauze Pad 3" x 3"
- 4 Sterile Gauze Pad 4" x 4"
- 4 Sterile Oval Eye Pad 1 5/8" x 2 5/8"
- 1 Triangular Bandage
- 2 Certi-Tape 1/2" x 2 1/2 yd
- 1 Stretch Roller Gauze 2"
- 4 Latex Gloves
- 2 Cold Compress Instant Cold Pack
- 1 Wire Scissors
- 1 Tweezers
- 12 Non-Aspirin 325 mg
- 12 Aspirin 325 mg
- 1 Sterile Combine Pad 5"x 9"
- 6 Triple Antibiotic Ointment Applications
- 2 Safety Pins
- 1 First Aid Handbook

Meets ANSI Z308.1-2003
Made in U.S.A.



**25 Persons
First Aid Kit
(144 Pieces)**

- 1 Medi-First Eye Wash, 1 oz Bottle
- 10 Antiseptic Towelettes
- 6 Triple Antibiotic Ointment
Applications
- 3 Ammonia Inhalant
(Respiratory Stimulant)
- 3 Insect Sting Relief
(Antiseptic & Pain)
- 6 Burn Cream (Antiseptic & Pain Cream)
- 50 Adhesive Plastic Bandages
- 1 Waterproof Adhesive Tape 1/2" x 5 yd
- 4 Sterile Gauze Pad 3" x 3"
- 2 Sterile Gauze Pad 4" x 4"
- 4 Sterile Oval Eye Pad 1 5/8" x 2 5/8"
- 8 Adhesive Fabric Fingertip Bandage
- 8 Adhesive Fabric Knuckle Bandage
- 1 Triangular Bandage
- 2 Stretch Roller Gauze 2"
- 4 Latex Gloves
- 1 Cold Compress Instant Cold Pack
- 1 Wire Scissors
- 1 Tweezers
- 24 Aspirin 325 mg
- 1 Sterile Combine Pad 5"x 9"
- 2 Safety Pins
- 1 First Aid Handbook

Meets ANSI Z308.1-2003
Made in U.S.A.



**10 Persons
First Aid Kit
(89 Pieces)**

- 1 Medi-First Eye Wash, 1 oz Bottle
- 10 Antiseptic Towelettes
- 3 Ammonia Inhalant (Respiratory Stimulant)
- 3 Insect Sting Relief (Antiseptic & Pain)
- 6 Burn Cream (Antiseptic & Pain Cream)
- 16 Adhesive Plastic Bandages
- 4 Sterile Oval Eye Pad 1 5/8" x 2 5/8"
- 1 Sterile Gauze Pad 4"x4"
- 1 Triangular Bandage
- 2 Certi-Tape 1/2" x 2 1/2 yd
- 1 Stretch Roller Gauze 2"
- 4 Latex Gloves
- 1 Cold Compress Instant Cold Pack
- 1 Wire Scissors

Unique "Find Me in
the Dark" Luminous
Label -makes for easy
locating in emergency
no light situations.



- 1 Tweezers
- 24 Aspirin 325 mg
- 1 Sterile Combine Pad 5"x 9"
- 6 Triple Antibiotic Ointment
Applications
- 2 Safety Pins
- 1 First Aid Handbook

Meets ANSI Z308.1-2003
Made in U.S.A.

IMPORTANT INFORMATION

TO PROTECT YOUR LIFE AND HEALTH, IT IS IMPORTANT TO READ, UNDERSTAND AND FOLLOW THE DIRECTIONS FOR USE ON THE INDIVIDUAL PACKAGES IN THIS KIT BEFORE ANY OF THE CONTENTS ARE USED.

THE ITEMS IN THIS KIT ARE FOR TREATING MINOR CUTS, BRUISES AND BURNS.

MORE SERIOUS INJURIES SHOULD BE TREATED BY A MEDICAL PROFESSIONAL OR A PERSON WITH FIRST AID TRAINING.

THIS KIT CONTAINS DATED ITEMS. THIS INFORMATION IS VALID FOR THE INITIAL PURCHASE ONLY, AND DOES NOT APPLY ONCE THE SHRINK WRAP IS BROKEN.



Product Ordering Information

Code	Description	UPC	Dimensions
#90000	10 Persons 89 pieces - Plastic	716328 90000 6	215 x 80 x 135 mm / 8.5 x 3.1 x 5.3 inch
#90002	25 Persons 144 pieces - Plastic	716328 90002 0	245 x 75 x 175 mm / 9.6 x 3 x 6 inch
#90004	50 Persons 196 pieces - Plastic	716328 90004 4	365 x 80 x 255 mm / 14.8 x 3.1 x 10 inch
#90003	25 Persons 144 pieces - Metal	716328 90003 7	275 x 65 x 190 mm / 10.8 x 2.6 x 7.5 inch
#90005	50 Persons 196 pieces - Metal	716328 90005 1	355 x 65 x 240 mm / 14x 2.6 x 9.4 inch



Head Protection

iMPactor I



HDPE Shell
Provides Excellent
Impact Properties

iMPactor™ 1 delivers you robust construction packed with features, all at an even more affordable price - setting standards beyond the norm. iMPactor™ I uses a high density polyethylene (HDPE) shell impregnated with UV stabilizers. On the inside is the industry's most wearer friendly suspension - six textile bands interlocked with EAP™ technology ensures the best impact absorption capability possible, with the option of Pushloc™ or Twizloc™ adjustment systems. Replaceable sweatband is standard.

Features:

- ~ Replaceable Sweatband
- ~ HDPE shell provides excellent impact properties
- ~ Textile suspension as standard
- ~ Pushloc™ & Twizloc™ suspension options.
Twizloc™ utilizes SWivEL design -maintains correct nape placement"
- ~ Incorporates CanaSafe™ EAP™ technology (Energy Absorbing Points)

Replacement Sweatband individual bag (45200)

Pushloc

Spare Pushloc Suspension(45201)

Case: 20

Case weight: 18.5 lbs. / 8.4 kg

Case dimensions: 456 x 306 x 690 mm / 18 x 12 x 27.2 inch


Twizloc

Spare Twizloc Suspension (45202)

Box/case: 20







Case weight: 19.84 lbs. / 9 kg

Case dimensions: 648 x 463 x 456 mm / 25.5 x 18.2 x 18 inch



IT COMES WITH:
Round suspension guide & Sweat band



					
Pushloc #45000	Pushloc #45001	Pushloc #45003	Pushloc #45004	Pushloc #45005	Pushloc #45006
Twizloc #45020	Twizloc #45021	Twizloc #45023	Twizloc #45024	Twizloc #45025	Twizloc #45026

iMPactor II



iMPactor™ II utilizes an extremely high impact lightweight ABS shell, blended with UV inhibitors. Reinforced side and back channeling provides added strength whilst accommodating a “recessed” gutter. On the inside is the industry’s most wearer friendly harness - six textile bands interlocked with EAP™ technology, along with Pushloc™ or Twizloc™ adjustment systems. Replaceable sweatband is standard.

Features:

- ~ Air flow between shell & harness eliminates heat build-up. Ventilation ports are positioned on top of the shell.
- ~ “Grip Pads” for safe donning
- ~ Optional “Twizloc™” harness features Canasafe’s unique SWivEL™ design - ensures correct nape placement
- ~ Incorporates CanaSafe™ EAP™ Technology (Energy Absorbing Points)
- ~ Slot attachments are located on the balance point of the helmet ensuring maximum wearer comfort.
- ~ ABS Shell offers extremely high impact performance.

Replacement Sweatband individual bag (45200)

Pushloc

Spare Pushloc Harness (45203)

Case: 20

Case weight: 21.2 lbs. / 9.6 kg

Case dimensions: 456 x 306 x 706 mm / 18 x 12 x 27.8 inch

Twizloc

Spare Twizloc Harness (45204)

Box/case: 20

Case weight: 22 lbs. / 10 kg

Case dimensions: 648 x 463 x 530 mm / 25.5 x 18.2 x 20.9 inch

“Grip pads”
For safe donning



Twizloc



Pushloc

IT COMES WITH:

Round suspension guide & Sweat band



Pushloc
#45040



Pushloc
#45041



Pushloc
#45042



Pushloc
#45043



Pushloc
#45044



Pushloc
#45045

Twizloc
#45060

Twizloc
#45061

Twizloc
#45062

Twizloc
#45063

Twizloc
#45064

Twizloc
#45065



iMPactor III

iMPactor™ III is designed to channel air along the top of the shell, eliminating air pockets being “trapped” and causing heat build-up. Positioned slots on top of the shell provide additional ventilation.

Features:

- ~ Twizloc™ featuring SWivEL™ Design, neckband angle automatically maintains correct nape placement.
- ~ ABS Shell
- ~ Optional Pushloc™ harness available
- ~ Standard accessory slots located on the balance point ensure maximum wearer comfort
- ~ Incorporates CanaSafe™ EAP™ (Energy Absorbing Points)

Replacement Sweatband individual bag (45200)

Pushloc

Spare Pushloc Harness (45205)

Case: 20

Case weight: 19.84 lbs. / 9 kg

Case dimensions: 456 x 306 x 706 mm / 18 x 12 x 27.8 inch

Twizloc

Spare Twizloc Harness (45206)

Box/case: 20

Case weight: 21.2 lbs. / 9.6 kg

Case dimensions: 648 x 463 x 530 mm / 648 x 463 x 530 inch

Air Ventilation Slots



Pushloc



SWivEL™ Design



Twizloc

IT COMES WITH:

Round suspension guide & Sweat band



Pushloc #45080	Pushloc #45081	Pushloc #45082	Pushloc #45083	Pushloc #45084	Pushloc #45085	Pushloc #45086	Pushloc #45087
Twizloc #45100	Twizloc #45100	Twizloc #45102	Twizloc #45103	Twizloc #45104	Twizloc #45105	Twizloc #45106	Twizloc #45107

DuoTop

DuoTop Safety Hard Hat sports a low profile shell design and upgraded features and benefits. It is available in Full-Brim or Cap style, with either a 4-point or 6-point suspension system and pin lock or upgraded ratchet suspension with a moisture-wicking polyester brow pad. Made of durable high density polyethylene, DuoTop Safety Hard Hat is ideal for construction and everyday work environments.

Two distinct Styles: ~ Full- Brim and Cap Style
Features:


- ~ Made of high- density polyethylene (HDPE)
- ~ Meets ANSI/ISEA Z89.1-2009, Type I, Class E&G requirements.
- ~ Choose either self-sizing 4-point or 6-point pin lock suspension or 4-point or 6-point dielectric ratchet suspension. The upgraded suspension system provides a more comfortable, secure fit.
- ~ Pin lock suspension- Incremental sizing of 1/16" hat size (5mm) makes a secure fit easy
- ~ Ratchet suspension- Ratchet suspension can be adjusted between hat sizes 6 1/2 " - 8"
- ~ Cap Style features accessory slots for attaching a variety of accessories such as earmuffs & face protection.
- ~ Compatible with 2 or 3 point chinstrap
- ~ One of the lightest helmets in its class



Ratchet



Pinlock



























































Textile Web

Made in U.S.A.




IT COMES WITH:
Round suspension guide

 Pinloc #45300	 Pinloc #45301	 Pinloc #45302	 Pinloc #45303	 Pinloc #45304	 Pinloc #45305	 Pinloc #45306	Cap Style
 Ratchet #45310	 Ratchet #45311	 Ratchet #45312	 Ratchet #45313	 Ratchet #45314	 Ratchet #45315	 Ratchet #45316	
 Pinloc #45400	 Pinloc #45401	 Pinloc #45402	 Pinloc #45403	 Pinloc #45404	 Pinloc #45405	 Pinloc #45406	Full Brim
 Ratchet #45410	 Ratchet #45411	 Ratchet #45412	 Ratchet #45413	 Ratchet #45414	 Ratchet #45415	 Ratchet #45416	
 Pinloc #45500	 Pinloc #45501	 Pinloc #45502	 Pinloc #45503	 Pinloc #45504	 Pinloc #45505	 Pinloc #45506	Cap Style
 Ratchet #45510	 Ratchet #45511	 Ratchet #45512	 Ratchet #45513	 Ratchet #45514	 Ratchet #45515	 Ratchet #45516	
 Pinloc #45600	 Pinloc #45601	 Pinloc #45602	 Pinloc #45603	 Pinloc #45604	 Pinloc #45605	 Pinloc #45606	Full Brim
 Ratchet #45610	 Ratchet #45611	 Ratchet #45612	 Ratchet #45613	 Ratchet #45614	 Ratchet #45615	 Ratchet #45616	

4-point

6-point



Hearing Protection



XPand Uncorded

XPand Corded

XPand Dispenser

XPand Refill (uncorded)



Xpand-uncorded

Xpand-corded

SOFT & TAPERED = Comfort

You just can't get any better when it comes to comfort. XPand™ earplugs fit the ear canal more effectively and snugly to provide an extremely impressive 32dB of sound blasting protection. And being manufactured from PU material, value is paramount. Not bad for this little guy! Big on Performance. Small on Price.

Shaped for Comfort

This innovative tapered design has proven to fit a wide range of ear canal sizes and shapes. Once rolled down, the foam core can be inserted deeply within the canal to form an effective low-pressure seal. The traditional shape, combined with the ultra-softness of XPand foam, helps provide all day comfort.

Tested to comply - NRR 32 dB.

XPand are not just another choice of roll-down earplugs.

They are the best choice for high attenuation environments.

In fact, the combination of tapered design and slow recovery XPand foam provides a performance popping 32db of NRR. None are Simpler. None are better. Buy XPand.

Features

ANSI S3.19 - 1974

Soft Polyurethane Foam Tapered Type

Attenuation Data

Freq.Hz	125	250	500	1000	2000	3150	4000	6300	8000	SNR
Mean	37.3	40.8	43.1	41.6	40.7	45.6	46.2	49.4	48.3	32 dB
Std. Dev.	5.9	5.3	5.0	4.8	2.8	4.2	4.2	4.4	4.5	32 dB

Code	Description	UPC	Unit/Box	Box wt. (lbs./kgs.)	Box Dimensions (WxLxH - mm/inch)	Box/case	Case wt. (lbs./kg)	Case dimensions (WxLxH - mm/inch)
#15000	XPand UnCorded	7 16328 15000 5	200	1.1 lbs. / 0.50 kg	140x140x240 mm / 5.5x5.5x9.4 inch	10	13.2 lbs. / 6 kg	730x297x 67 mm / 28.7x11.7x10.5 inch
#15001	XPand Corded	7 16328 15001 2	100	1 lbs. / 0.42 kg	130x130x180 mm / 5.1 x 5.1 x 7 inch	100	11.5 lbs. / 5.2 kg	680x280x387 mm / 26.7x11.1x15.2 inch
#15020	XPand Dispenser	7 16328 15020 3	1	3.6 lbs. / 1.6 kg	340x230x330 mm / 13.3x9x12.9 inch	4	17.6 lbs. / 8 kg	695x480x360 mm / 27.4x18.9x14.2 inch
#15021	XPand Refill	7 16328 15021 0	1(500)	1.1 lbs. / 0.5 kg	0	0	12.8 lbs. / 5.8 kg	425x385x325 mm / 16.7x15x12.7 inch

quadBlock



Hearing protection users demand a high level of comfort, excellent noise reduction properties as well as ease of insertion. quadBlock is a universal size ear plug, designed to be used repeatedly, with maximum comfort and effectiveness. Safety and health professionals demand an ear plug which is easy to administer and offers a high level of hygiene. **quadBlock** acquires excellent attenuation, high visibility color that is easy to monitor and a sturdy, stylish handle that every user would like it.

Features:

- A four flange design that allows this ear plug to fit almost all forms of ear canals.
- An ultra-soft polymer provides a comfortable and effective seal.
- A sturdy and stylish handle that allows an easy grip for insertion and removal.
- Material is resistant to ear wax and will outlast PVC ear plugs.
- Polymer is non-allergenic/irritating for sensitive skin.
- High visibility color makes it easy to monitor and enforce proper ear plug usage.

Made in U.S.A.



Ordering Information for quadBlock

with carrying case

Unit/box: 50 pairs

Box dimensions: 8 x 5 x 9.30 inch

Box/case: 8 boxes per case

without carrying case

Unit/box: 100 pairs

Box dimensions: 8 x 5 x 9.30 inch

Box/case: 8 boxes per case



quadBlock-uncorded with case



quadBlock-corded with case

Attenuation Data

Freq. HZ	125	250	500	1000	2000	3150	4000	6300	8000	NRR
Mean	29.4	30.8	31.8	32.1	33.1	37.8	36.8	39.5	39.5	25
Std. Dev.	4.3	4.0	3.9	3.3	2.6	3.6	3.3	4.5	2.8	

Code	Description	UPC
#15100	quadBlock-uncorded	716328151002
#15110	quadBlock-uncorded with case	716328151101
#15101	quadBlock-corded	716328151019
#15111	quadBlock-corded with case	716328151118

Blocka I H



Helmet Attachment



**Blocka I,
Hygiene kit**

Blocka I M



Helmet Attachment



**Blocka I,
Hygiene kit**

Blocka I L



Helmet Attachment



**Blocka I,
Hygiene kit**



3 Proper ways to use Blocka I

1. Under the chin
2. Over the head
3. Behind the neck

Attenuation data of Blocka I

Blocka I H Headband

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	17.8	17.1	25.0	34.8	38.3	38.2	35.9	6				
1 Std. Dev.	2.6	3.7	2.5	2.1	1.7	4.4	2.2	2.7	35	31	22	33
APV	15.2	13.4	22.5	32.7	36.6	33.8	33.7	37.9				

Code	Description	UPC
#10040	Blocka I H, Headband	7 16328 10040 6

Blocka I H Helmet Attachment

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	14.3	16.0	25.5	34.0	37.0	37.1	35.4	39.0				
1 Std. Dev. 3,6	2,9	2,6	2,8	2,6	2,9	3,1	4,2	34	30	21	32	
APV	10.7	13.1	22.9	31.2	34.4	34.2	32.3	34.8				

Code	Description	UPC
#10041	Blocka I H, Helmet Attachment	7 16328 10041 3

Blocka I M Headband

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	14.6	13.9	19.0	30.1	35.8	35.4	36.2	39.6				
1 Std. Dev.	3.3	2.5	1.8	2.8	2.9	3.1	2.7	3.6	34	27	18	30
APV	11.3	11.4	17.2	27.3	32,9	32.3	33.5	36,0				

Code	Description	UPC
#10020	Blocka I M, Headband	7 16328 10020 8

Blocka I M Helmet Attachment

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	13.4	13.6	19,0	29.5	33.2	36.3	36.4	39.6				
1 Std. Dev.	4.3	2.1	1.9	3,3	2.4	3.8	3.5	3.1	33	27	18	29
APV	9.1	11.5	17,1	26.2	30.8	32.5	32.9	36.5				

Code	Description	UPC
#10021	Blocka I M, Helmet Attachment	7 16328 10021 5

Blocka I L Headband

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	12.1	10.8	17.7	27.1	32.8	34.0	32.1	36.9				
1 Std. Dev.	3.6	3.3	2.7	2.0	2.1	3.5	1.8	3.9	32	25	15	27
APV	8.5	7.5	15.0	25.1	30.7	30.5	30.3	33.0				

Code	Description	UPC
#10000	Blocka I L, Headband	7 16328 10000 0

Blocka I L Helmet Attachment

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	13.4	12.1	16.1	27.5	32.0	34.5	30.7	36.5				
1 Std. Dev.	2.5	2.9	2.6	3.1	3.4	4.2	3.0	1.5	30	24	16	26
APV	10.9	9.2	13.5	24.4	28.6	30.3	27.7	35.0				

Code	Description	UPC
#10001	Blocka I L, Helmet Attachment	7 16328 10001 7



Headband



Neckband



Helmet Attachment

It comes with



Blocka II, Hygiene kit

Blocka II H Headband

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	20.5	17.5	24.8	32.7	43.8	36.4	35.9	38.1				
1 Std. Dev.	5.4	3.0	2.4	2.6	3.7	3.5	3.1	4.1	34	31	22	33
APV	15.1	14.5	22.4	30.1	40.1	32.9	32.8	34.0				

Code	Description	UPC
#10100	Blocka II H, Headband	7 16328 10100 7

Blocka II H Helmet Attachment

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	16.4	17.7	23.5	31.8	41.6	36.4	34.2	35.2				
1 Std. Dev.	4.3	3.3	4.2	3.5	3.4	3.8	3.9	5.7	32	29	21	31
APV	12.1	14.4	19.3	28.3	38.2	32.6	30.3	29.5				

Code	Description	UPC
#10101	Blocka II H, Helmet Attachment	7 16328 10101 4

Blocka II H Neckband

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	18.1	18.7	25.2	32.2	42.6	36.1	38.9	38.0				
1 Std. Dev.	5.8	4.3	2.7	3.1	4.1	2.7	3.4	4.5	35	31	22	33
APV	12.3	14.4	22.5	29.1	38.5	33.4	35.5	33.5				

Code	Description	UPC
#10102	Blocka II H, Neckband	7 16328 10102 1



Headband



Neckband



Helmet Attachment

It comes with



**Blocka II,
Hygiene Kit**

Blocka II M Headband

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	18.2	13.6	21.8	30.7	39.4	35.8	37.6	40.0				
1 Std. Dev.	5.4	3.4	2.7	3.1	3.0	2.9	2.8	4.8	35	28	18	30
APV	12.8	10.2	19.1	27.6	36.4	32.9	34.8	35.2				

Code	Description	UPC
#10080	Blocka II M, Headband	7 16328 10080 2

Blocka II M Helmet Attachment

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	15.0	15.0	21.0	28.1	35.3	34.0	34.0	37.3				
1 Std. Dev.	4.1	2.6	3.1	3.5	4.0	3.8	4.5	4.4	31	27	19	29
APV	10.9	12.4	17.9	24.6	31.3	30.2	29.5	32.9				

Code	Description	UPC
#10081	Blocka II M, Helmet Attachment	7 16328 10081 9

Blocka II M Neckband

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	17.9	16.4	21.9	29.0	40.2	35.9	36.2	39.0				
1 Std. Dev.	5.4	4.1	3.8	4.0	4.9	3.3	5.8	6.1	33	27	19	30
APV	12.5	12.3	18.1	25.0	35.3	32.6	30.4	32.9				

Code	Description	UPC
#10082	Blocka II M, Neckband	7 16328 10082 6

Made in Sweden



Blocka II L



Headband



Neckband



Helmet Attachment

It comes with



Blocka II,
Hygiene Kit

Blocka II L Headband

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	13.8	10.9	15.6	25.4	31.1	30.8	33.8	33.5				
1 Std. Dev.	4.7	2.3	2.2	3.4	3.0	2.3	3.1	2.6	30	23	15	26
APV	9.1	8.6	13.4	22.0	28.1	28.5	30.7	30.9				

Code	Description	UPC
#10060	Blocka II L, Headband	7 16328 10060 4

Blocka II L Helmet Attachment

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	15.0	15.0	14.7	24.7	33.1	26.8	32.2	34.6				
1 Std. Dev.	4.2	3.1	2.9	2.9	3.2	2.7	2.8	3.7	27	23	16	25
APV	10.8	11.9	11.8	21.8	29.9	24.1	29.4	30.9				

Code	Description	UPC
#10061	Blocka II L, Helmet Attachment	7 16328 10061 1

Blocka II L Neckband

Freq.Hz	63	125	250	500	1k	2k	4k	8k	H	M	L	SNR
Mean Value	12.6	11.7	15.9	22.5	30.5	31.2	34.5	33.8				
1 Std. Dev.	4.1	2.7	1.9	2.7	2.8	3.5	3.2	4.7	29	23	16	26
APV	8.5	9.0	14.0	19.8	27.7	27.7	31.3	29.1				

Code	Description	UPC
#10062	Blocka II L, Neckband	7 16328 10062 8

Blocka I and II Hygiene kit

Code	Description	UPC
#10120	Blocka I, Hygiene kit for L & M series	716328101205
#10121	Blocka I, Hygiene kit for H series	716328101212
#10140	Blocka II , Hygiene kit for L & M series	716328101403
#10141	Blocka II, Hygiene kit for H series	716328101410

Product Ordering Information

Blocka I

Code	Description	UPC	Unit/ Box	Box wt. (lbs./kgs.)	Box Dimensions (WxLxH - mm/inch)	Box/ case	Case wt. (lbs./kg)	Case dimensions (WxLxH - mm/inch)
#10040	Blocka I H, Headband	7 16328 10040 6	1	0.72 lbs. / 0.33 kg	195x95x190 mm / 7.6x3.7x7.5 inch	20	15.8 lbs. / 7.2 kg	420x495x400 mm / 16.5x19.5x15.7 inch
#10041	Blocka I H, Helmet Attachment	7 16328 10041 3	1	0.66 lbs. / 0.30 kg	145x95x160 mm / 5.7x3.7x6.3 inch	20	14.3 lbs. / 6.5 kg	310x490x340 mm / 12.2x19.3x13.4 inch
#10020	Blocka I M, Headband	7 16328 10020 8	1	0.65 lbs. / 0.29 kg	195x95x190 mm / 7.6x3.7x7.5 inch	20	13.6 lbs. / 6.2 kg	420x495x400 mm / 16.5x19.5x15.7 inch
#10021	Blocka I M, Helmet Attachment	7 16328 10021 5	1	0.57 lbs. / 0.26 kg	145x95x160 mm / 5.7x3.7x6.3 inch	20	12.5 lbs. / 5.7 kg	310x490x340 mm / 12.2x19.3x13.4 inch
#10000	Blocka I L, Headband	7 16328 10000 0	1	0.59 lbs. / 0.27 kg	195x95x190 mm / 7.6x3.7x7.5 inch	20	13.2 lbs. / 6.0 kg	420x495x400 mm / 16.5x19.5x15.7 inch
#10001	Blocka I L, Helmet Attachment	7 16328 10001 7	1	0.53 lbs. / 0.24 kg	145x95x160 mm / 5.7x3.7x6.3 inch	20	11.9 lbs. / 5.4 kg	310x490x340 mm / 12.2x19.3x13.4 inch

Blocka II

Code	Description	UPC	Unit/ Box	Box wt. (lbs./kgs.)	Box Dimensions (WxLxH - mm/inch)	Box/ case	Case wt. (lbs./kg)	Case dimensions (WxLxH - mm/inch)
#10100	Blocka II H, Headband	7 16328 10100 7	1	0.85 lbs. / 0.39 kg	172x106x199 mm / 6.7x4.2x7.8 inch	20	17.6 lbs. / 8.0 kg	370x560x420 mm / 14.5x22x16.5 inch
#10101	Blocka II H, Helmet Attachment	7 16328 10101 4	1	0.85 lbs. / 0.39 kg	142x106x156 mm / 5.6x4.2x6.1 inch	20	17.6 lbs. / 8.0 kg	300x560x300 mm / 11.8x22x11.8 inch
#10102	Blocka II H, Neckband	7 16328 10102 1	1	0.77 lbs. / 0.35 kg	172x106x161 mm / 6.7x4.2x6.3 inch	20	16.5 lbs. / 7.5 kg	360x560x350 mm / 14.2x22x13.8 inch
#10080	Blocka II M, Headband	7 16328 10080 2	1	0.79 lbs. / 0.36 kg	172x106x199 mm / 6.7x4.2x7.8 inch	20	17.6 lbs. / 8.0 kg	370x560x420 mm / 14.5x22x16.5 inch
#10081	Blocka II M, Helmet Attachment	7 16328 10081 9	1	0.77 lbs. / 0.35 kg	142x106x156 mm / 5.6x4.2x6.1 inch	20	17.6 lbs. / 8.0 kg	300x560x300 mm / 11.8x22x11.8 inch
#10082	Blocka II M, Neckband	7 16328 10082 6	1	0.32 lbs. / 0.32 kg	172x106x161 mm / 6.7x4.2x6.3 inch	20	15.4 lbs. / 7.0 kg	360x560x350 mm / 14.2x22x13.8 inch
#10060	Blocka II L, Headband	7 16328 10060 4	1	0.75 lbs. / 0.34 kg	172x106x199 mm / 6.7x4.2x7.8 inch	20	15.4 lbs. / 7.0 kg	370x560x420 mm / 14.5x22x16.5 inch
#10061	Blocka II L, Helmet Attachment	7 16328 10061 1	1	0.72 lbs. / 0.33 kg	300x560x300 mm / 5.6x4.2x6.1 inch	20	16.5 lbs. / 7.5 kg	420x495x400 mm / 11.8x22x11.8 inch
#10062	Blocka II L, Neckband	7 16328 10062 8	1	0.66 lbs. / 0.30 kg	172x106x161 mm / 6.7x4.2x6.3 inch	20	14.3 lbs. / 6.5 kg	360x560x350 mm / 14.2x22x13.8 inc

dBDrop

Easy steps for correct fit and maximum hearing protection



1. Smooth hair away from ears



2. Pull ear cups down to lowest position



3. Place ear cups securely over ears.



4. Adjust side arms on each side for a comfortable fit.



5. Headband should be centered on the head



6. For maximum protection contact pressure points should be equal.



- Lightest earmuffs in the market
- Use in low noise level environment such as; DIY projects lawn mowing and any other activities like wood/metal working
- Equipped with a headband of thermoplastic & foam plastic filled cushion.
- Extra soft foam in cushion rings for improved comfort.
- Replaceable hygiene kit available
- EN 352 - ANSI S3.19 1974
- Weight 148 g



3 Proper ways to use dBDrop

1. Behind the neck
2. Over the head
3. Under the chin

Designed in Sweden



Attenuation Data

Freq.Hz	125	250	500	1K	2K	4K	8K	H	M	L	SNR
Mean Value	10.4	13.5	23.1	33.2	32.7	29	29.3				24dB
1 Std. Dev.	3.5	3.4	3.1	3.6	3.4	2.9	3.2	28	21	13	
APV	6.9	10.1	20	29.6	26.1	26.1					

Freq.Hz	125	250	500	1K	2K	3.1K	4K	6.3K	8K	CSA	NNR
Mean Value	16.4	17.5	25.6	32.5	37.6	39.0	35.6	34.7	35.3		23dB
1 Std. Dev.	1.6	1.7	2.4	2.3	2.1	2.4	2.3	2.1	2.8	A	

Code	Description	UPC
#10160	dBDrop Earmuff Headband-High Visibility Green	7 16328 10160 1




Respiratory Protection

iNNovAir™

the latest innovation in respiratory protection

QUALITY meets **VALUE**



82105 Particulate Respirator VALVED

- NIOSH N95 Certified filter
- Exhalation Valve for quick release of humidity and heat
- Low breathing resistance with high filtration efficiency
- Adjustable buckle strap for extra comfort
- Anti-collapse plastic mesh for extra durability



72105 Replacement Filter

- Used for 82105 Mask
- NIOSH N95 Certified filter
- Seamlessly welded cut
- 20 pieces per box
- 12 boxes per case




82115 Particulate Respirator VALVED

- NIOSH N95 Certified filter
- Activated Carbon Layer
- Exhalation Valve for quick release of humidity and heat
- Low breathing resistance with high filtration efficiency
- Adjustable buckle strap for extra comfort
- Anti-collapse plastic mesh for extra durability



72115 Replacement Filter

- Used for 82115 Mask
- NIOSH N95 Certified filter
- Activated Carbon Layer
- Seamlessly welded cut
- 20 pieces per box
- 12 boxes per case



Filter Replacement Instructions:



1. Hold the mask with inside facing upwards
2. Unwind the valve lock to filter
3. Remove the used N95 filter and replace it with a new one

Fitting Instructions:



1. Hold the respirator in your hand as shown, with the nosepiece at your fingertips & the headbands hanging freely below your hand.
2. Place respirator under your chin with the nosepiece up.
3. Pull the top head-band to top back of head above the ears.
4. Pull the bottom headband hook and lock behind the neck, below the ears. Adjust the strap length to optimum comfort.

Suggested Applications

- Groundwork
- Demolition
- Tunneling
- Cement handling
- Concrete dust
- Woodworking
- Plastering
- Grinding
- Sanding
- Sweeping & other dusty operations
- Bagging
- Buffing
- Tiling
- Oxy-Acetylene cutting
- Metal pouring
- Soldering
- Welding – MIG, TIG
- Handling infected animals
- Cleaning animal sheds
- Composting
- Infection Control
- Agricultural works
- Foundry operations
- Undercoating
- Laboratory settings
- Petrochemical Processing
- Torch cutting
- Brazing

Product Ordering Information

Code	Description	Unit/box	Box/Case	Qty/Case
82105	NIOSH N95 Particulate Respirator VALVED	10 sets/box	12 boxes/case	120 pcs./case
72105	Replacement Filter for 82105	20 pcs./box	12 boxes/case	240 pcs./case
82115	NIOSH N95 Particulate Respirator VALVED with Activated Carbon Layer	10 sets/box	12 boxes/case	120 pcs./case
72115	Replacement Filter for 82115	20 pcs./box	12 boxes/case	240 pcs./case

eliXair™


*Pre-molded
nose piece*



*Adjustable
length strap*

Exhalation Valve

*Unique TPR
face seal design*




*FFP3 with TPR face seal
MODEL: 72104
EN149:2001+A1:2009FFP3NR
VALVED*



**“Know safety
NO injury**


**NO safety
Know injury”**



Catalogue 2012
© Copyright CanaSafe™ Industries Inc. 2012



CanaSafe™



CanaSafe™ Industries Inc.
1803 - 23 Lorraine Dr.M2N 6Z6,
Toronto ONTARIO, Canada

CanaSafe™ Middle East, FZCO
Jebel Ali Free Zone
Dubai-United Arab Emirates

www.canasafe.com
info@canasafe.com

© Copyright CanaSafe™ Industries Inc. 2012

