

K15



KSTOOLS

SOCKETS AND OPERATING TOOLS



KSTOOLS

*Innovation is
our mission!*

	PAGE
1/4" SOCKETS	68 - 70
1/4" BIT SOCKETS	70 - 73
1/4" ADAPTERS	74
1/4" UNIVERSAL JOINTS	74 - 75
1/4" T-HANDLES	75
1/4" EXTENSIONS	75 - 77
1/4" MANUAL DRIVE TOOLS	77
1/4" RATCHETS	77 - 78
1/4" SET ASSORTMENTS	78 - 80
1/4" SET ASSORTMENTS	80 - 88
1/4" POINT OF SALE DISPLAYS	88
3/8" SOCKETS	88 - 92
3/8" BIT SOCKETS	92 - 96
3/8" ADAPTERS	96 - 97
3/8" UNIVERSAL JOINTS	97
3/8" T-HANDLES	98
3/8" EXTENSIONS	98 - 99
3/8" MANUAL DRIVE TOOLS	99
3/8" RATCHETS	99 - 100
3/8" SET ASSORTMENTS	100 - 101
3/8" SET ASSORTMENTS	101 - 104
3/8" POINT OF SALE DISPLAYS	104 - 105
1/2" SOCKETS	105 - 109
1/2" BIT SOCKETS	109 - 115
GO THROUGH SOCKETS	115 - 116
1/2" ADAPTERS	116 - 117
1/2" UNIVERSAL JOINTS	117 - 118
1/2" T-HANDLES	118
1/2" EXTENSIONS	118 - 119
1/2" MANUAL DRIVE TOOLS	119
1/2" RATCHETS	119 - 120
1/2" SET ASSORTMENTS	120 - 121
1/2" SET ASSORTMENTS	121 - 126
1/2" POINT OF SALE DISPLAYS	126
3/4" SOCKETS	127
3/4" BIT SOCKETS	127
3/4" ADAPTERS	127 - 128
3/4" T-HANDLES	128
3/4" EXTENSIONS	128
3/4" MANUAL DRIVE TOOLS	128
3/4" RATCHETS	128 - 129
3/4" SOCKETS	129
1" SOCKETS	130
1" BIT SOCKETS	130
1" T-HANDLES	130
1" EXTENSIONS	131
1/4" MANUAL DRIVE TOOLS	131
1" RATCHETS	131
1" SET ASSORTMENTS	131
1/4" POWER SOCKETS	132
1/4" POWER EXTENSIONS	132
1/4" POWER ADAPTERS	132
1/4" POWER SECURING ELEMENTS	132
3/8" POWER SOCKETS	133 - 134
3/8" POWER EXTENSIONS	134
3/8" POWER BALL JOINTS	134
3/8" POWER ADAPTERS	134
3/8" POWER SECURING ELEMENTS	134 - 135
1/2" POWER SOCKETS	135 - 137
1/2" WHEEL ASSEMBLY SOCKETS	137 - 138
1/2" POWER BIT SOCKETS	139 - 140
1/2" POWER EXTENSIONS	140
1/2" POWER BALL JOINTS	140
1/2" POWER ADAPTERS	141
1/2" POWER SECURING ELEMENTS	141
3/4" POWER SOCKETS	141 - 142
3/4" POWER BIT SOCKETS	142 - 143
3/4" POWER EXTENSIONS	143
3/4" POWER BALL JOINTS	143
3/4" POWER ADAPTERS	143
3/4" POWER SECURING ELEMENTS	143
1" POWER SOCKETS	144
1" POWER BIT SOCKETS	145
1/4" POWER EXTENSIONS	145
1" POWER BALL JOINTS	145
1" POWER ADAPTERS	145
1" POWER SECURING ELEMENTS	145

SOCKETS AND OPERATING TOOLS

Manufacturing and fabrication steps



Drive profile



Profile

FlankTraction 6 point



- Perfect grip even on screws and nuts which are not true to size or damaged
- Larger contact area for better pressure distribution
- Avoids damage of head of screws
- Perfect torque transfer to the flanks of nuts and bolts

FlankTraction 12 point



- The recessed corners typical for this profile ensure that the corners are protected and the power is transmitted onto the flat area
- Also does not need to be 100% the exact size so is suitable for damaged screws and/or nuts
- Good pressure distribution
- Screw head is protected
- Ideal for corroded screws and high power expenditure

E-TX



- This profile is considered as a further development of Phillips and hexagonal heads
- The six notched star form with rounded tip is typical
- No cam distortion effect due to vertical driving force
- Optimal power transmission
- T = Internal profile
- E = Outer profile (external)

Socket profile

CLASSIC

- For manual operation
- Matt finish
- Chrome vanadium
- FlankTraction Profile



CHROME^{plus}

- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- FlankTraction Profile



KRAFT

- For machinery usage
- Phosphate
- Chrome molybdenum



1/4" SOCKETS

CLASSIC Hexagonal socket

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



	mm		L mm	D1 mm	D2 mm	T mm	g
917.1404	4.0		25.0	7.0	12.0	2.0	9
917.14045	4.5		25.0	8.0	12.0	2.0	10
917.1405	5.0		25.0	8.0	12.0	3.0	10
917.14055	5.5		25.0	9.0	12.0	3.0	10
917.1406	6.0		25.0	9.0	12.0	4.0	10
917.1407	7.0		25.0	11.0	12.0	4.0	12
917.1408	8.0		25.0	12.0	12.0	5.0	14
917.1409	9.0		25.0	13.0	13.0	5.0	16
917.1410	10.0		25.0	14.0	14.0	6.0	20
917.1411	11.0		25.0	16.0	16.0	7.0	25
917.1412	12.0		25.0	17.0	17.0	8.0	30
917.1413	13.0		25.0	18.0	18.0	8.0	35
917.1414	14.0		25.0	20.0	20.0	10.0	40
917.1499		5/32"	25.0	5.6	10.7	2.0	9
917.1516		3/16"	25.0	8.0	12.0	3.0	10
917.1517		7/32"	25.0	9.0	12.0	3.0	10
917.1518		1/4"	25.0	10.0	12.0	4.0	10
917.1519		9/32"	25.0	11.0	12.0	4.0	12
917.1520		5/16"	25.0	12.0	12.0	5.0	14
917.1521		11/32"	25.0	13.0	13.0	5.0	16
917.1522		3/8"	25.0	14.0	14.0	6.0	20
917.1523		7/16"	25.0	16.0	16.0	7.0	25
917.1524		1/2"	25.0	18.0	18.0	8.0	35
917.1601		9/16"	25.0	20.0	20.0	10.0	40

CLASSIC Hexagonal socket set

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Includes storage rail



	mm		g
917.0620	10 pcs	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	0.35

CLASSIC Hexagonal socket, deep

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium



	mm		L mm	D1 mm	D2 mm	T mm	g
917.1525	4.0		50.0	7.0	11.0	3.0	15
917.1526	4.5		50.0	8.0	11.0	3.0	15
917.1527	5.0		50.0	8.0	11.0	4.0	15

	mm		L mm	D1 mm	D2 mm	T mm	g
917.1528	5,5		50.0	9.0	11.0	5.0	20
917.1426	6.0		50.0	9.0	11.0	5.0	20
917.1427	7.0		50.0	11.0	11.0	6.0	20
917.1428	8.0		50.0	12.0	12.0	8.0	30
917.1429	9.0		50.0	13.0	13.0	8.0	30
917.1430	10.0		50.0	14.0	14.0	9.0	40
917.1431	11.0		50.0	16.0	16.0	11.0	50
917.1432	12.0		50.0	17.0	17.0	12.0	50
917.1433	13.0		50.0	18.0	18.0	12.0	50
917.1515		5/32"	50.0	6.7	10.7	3.0	13
917.1531		3/16"	50.0	8.0	11.0	4.0	15
917.1532		7/32"	50.0	9.0	11.0	5.0	20
917.1533		1/4"	50.0	10.0	11.0	5.0	20
917.1534		9/32"	50.0	11.0	11.0	6.0	20
917.1535		5/16"	50.0	12.0	12.0	8.0	30
917.1536		11/32"	50.0	13.0	13.0	8.0	30
917.1537		3/8"	50.0	14.0	14.0	9.0	40
917.1538		7/16"	50.0	16.0	16.0	11.0	50
917.1539		1/2"	50.0	18.0	18.0	12.0	70

CLASSIC Hexagonal socket set, deep


- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Includes storage rail



	mm		g
917.0610	10 pcs	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	0.36

CHROMEplus® Hexagonal socket

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm		D1 mm	D2 mm	L mm	T mm	g
918.1404	4.0		7.0	12.0	25.0	2.0	10
918.14045	4,5		7.0	12.0	25.0	2.0	40
918.1405	5.0		8.0	12.0	25.0	3.0	40
918.14055	5,5		9.0	12.0	25.0	3.0	40
918.1406	6.0		9.0	12.0	25.0	4.0	40
918.1407	7.0		11.0	12.0	25.0	4.0	40
918.1408	8.0		12.0	12.0	25.0	5.0	40
918.1409	9.0		13.0	13.0	25.0	5.0	40
918.1410	10.0		14.0	14.0	25.0	6.0	40
918.1411	11.0		16.0	16.0	25.0	7.0	40
918.1412	12.0		17.0	17.0	25.0	8.0	40
918.1413	13.0		18.0	18.0	25.0	8.0	40
918.1414	14.0		20.0	20.0	25.0	10.0	40
918.1511		5/32"	5.6	10.7	25.0	2.0	9
918.1512		3/16"	8.0	12.0	25.0	3.0	10
918.1513		7/32"	9.0	12.0	25.0	3.0	10
918.1514		1/4"	10.0	12.0	25.0	4.0	10
918.1515		9/32"	11.0	12.0	25.0	4.0	12
918.1516		5/16"	12.0	12.0	25.0	5.0	14
918.1517		11/32"	13.0	13.0	25.0	5.0	16
918.1518		3/8"	14.0	14.0	25.0	6.0	20
918.1519		7/16"	16.0	16.0	25.0	7.0	25
918.1520		1/2"	18.0	18.0	25.0	8.0	35
918.15205		9/16"	20.0	20.0	25.0	10.0	40

CHROMEplus® Hexagonal socket set

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Includes storage rail



	mm		g
918.0620	10 pcs	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	0.35

CHROMEplus® Hexagonal socket, deep

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm		D1 mm	D2 mm	L mm	T mm	g
918.1424	4.0		7.0	11.0	50.0	3.0	15
918.14245	4,5		8.0	11.0	50.0	3.0	15
918.1425	5.0		8.0	11.0	50.0	4.0	15
918.14255	5,5		9.0	11.0	50.0	5.0	20
918.1426	6.0		9.0	11.0	50.0	5.0	20
918.1427	7.0		11.0	11.0	50.0	6.0	20
918.1428	8.0		12.0	12.0	50.0	8.0	25
918.1429	9.0		13.0	13.0	50.0	8.0	30
918.1430	10.0		14.0	14.0	50.0	9.0	35
918.1431	11.0		16.0	16.0	50.0	11.0	45
918.1432	12.0		17.0	17.0	50.0	12.0	50
918.1433	13.0		18.0	18.0	50.0	12.0	65
918.1521		5/32"	6.7	10.7	50.0	3.0	13
918.1522		3/16"	8.0	11.0	50.0	4.0	15
918.1523		7/32"	9.0	11.0	50.0	5.0	20
918.1524		1/4"	10.0	11.0	50.0	5.0	20
918.1525		9/32"	11.0	11.0	50.0	6.0	20
918.1526		5/16"	12.0	12.0	50.0	8.0	25
918.1527		11/32"	13.0	13.0	50.0	8.0	30
918.1528		3/8"	14.0	14.0	50.0	9.0	35
918.1529		7/16"	16.0	16.0	50.0	11.0	50
918.1530		1/2"	18.0	18.0	50.0	12.0	65

CHROMEplus® hexagonal socket set, deep

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	mm		g
918.0610	10 pcs	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	0.36

12 Point socket

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



	mm		D1 mm	D2 mm	L mm	g
917.1461	4,0		7,0	12,0	25,0	11
917.1462	4,5		8,0	12,0	25,0	11
917.1463	5,0		8,0	12,0	25,0	11
917.1464	5,5		9,0	12,0	25,0	12
917.1465	6,0		10,0	12,0	25,0	13
917.1466	7,0		11,0	12,0	25,0	14
917.1467	8,0		12,0	12,0	25,0	15
917.1468	9,0		13,0	13,0	25,0	15
917.1469	10,0		15,0	15,0	25,0	20
917.1470	11,0		16,0	16,0	25,0	25
917.1471	12,0		17,0	17,0	25,0	25
917.1472	13,0		18,0	18,0	25,0	30
917.1473	14,0		20,0	20,0	25,0	40
917.1474		3/16"	8,0	12,0	25,0	11
917.1475		7/32"	9,0	12,0	25,0	12
917.1476		1/4"	10,0	12,0	25,0	13
917.1477		9/32"	11,0	12,0	25,0	14
917.1478		5/16"	12,0	12,0	25,0	15
917.1479		11/32"	13,0	13,0	25,0	15
917.1480		3/8"	14,0	14,0	25,0	15
917.1481		7/16"	16,0	16,0	25,0	25
917.1482		1/2"	18,0	18,0	25,0	30
917.1483		9/16"	20,0	20,0	25,0	40

12 point socket set


- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Includes storage rail



	mm		D1 mm	D2 mm	L mm	g
917.0625	10 pcs	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm				0.35

12 Point socket, deep

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finished
- Chrome vanadium



	mm		D1 mm	D2 mm	L mm	g
917.1604	4,0		7,0	11,0	50,0	15
917.16045	4,5		8,0	11,0	50,0	15
917.1605	5,0		8,0	11,0	50,0	15
917.16055	5,5		9,0	11,0	50,0	20
917.1606	6,0		9,0	11,0	50,0	20

	mm		D1 mm	D2 mm	L mm	g
917.1607	7,0		11,0	11,0	50,0	20
917.1608	8,0		12,0	12,0	50,0	25
917.1609	9,0		13,0	13,0	50,0	30
917.1610	10,0		14,0	14,0	50,0	35
917.1611	11,0		16,0	16,0	50,0	45
917.1612	12,0		17,0	17,0	50,0	50
917.1613	13,0		18,0	18,0	50,0	65
917.1565		3/16"	8,0	12,0	50,0	11
917.1566		7/32"	9,0	12,0	50,0	12
917.1567		1/4"	10,0	12,0	50,0	13
917.1568		9/32"	11,0	12,0	50,0	14
917.1569		5/16"	12,0	12,0	50,0	15
917.1570		11/32"	13,0	13,0	50,0	15
917.1571		3/8"	14,0	14,0	50,0	15
917.1572		7/16"	16,0	16,0	50,0	25
917.1573		1/2"	18,0	18,0	50,0	30
917.1574		9/16"	20,0	20,0	50,0	40

12 Point socket set, deep


- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Includes storage rail



	mm		D1 mm	D2 mm	L mm	g
917.0630	10 pcs	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm				0.35

CHROMEplus® 12 point socket

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm		D1 mm	D2 mm	L mm	g
918.1502	4,0		7,0	12,0	25,0	11
918.1503	4,5		7,0	12,0	25,0	11
918.1504	5,0		8,0	12,0	25,0	11
918.1506	5,5		9,0	12,0	25,0	12
918.1507	6,0		9,0	12,0	25,0	13
918.1508	7,0		11,0	12,0	25,0	14
918.1509	8,0		12,0	12,0	25,0	15
918.1541	9,0		13,0	13,0	25,0	15
918.1542	10,0		14,0	14,0	25,0	20
918.1543	11,0		16,0	16,0	25,0	25
918.1544	12,0		17,0	17,0	25,0	25
918.1546	13,0		18,0	18,0	25,0	30
918.1547	14,0		20,0	20,0	25,0	40
918.1548		3/16"	8,0	12,0	25,0	11
918.1549		7/32"	9,0	12,0	25,0	12
918.1551		1/4"	10,0	12,0	25,0	13
918.1552		9/32"	11,0	12,0	25,0	14
918.1553		5/16"	12,0	12,0	25,0	15
918.1554		11/32"	13,0	13,0	25,0	15
918.1555		3/8"	14,0	14,0	25,0	15
918.1556		7/16"	16,0	16,0	25,0	25
918.1557		1/2"	18,0	18,0	25,0	30
918.1559		9/16"	20,0	20,0	25,0	40

CHROMEplus® 12 Point socket set

- 12-point
- FlankTraction-Profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Includes storage rail



	mm		D1 mm	D2 mm	L mm	g
918.0615	10 pcs	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm				0.35

CHROMEplus® 12 Point socket, deep

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm		D1 mm	D2 mm	L mm	g
918.1561	4,0		7,0	11,0	50,0	15
918.1562	4,5		8,0	11,0	50,0	15
918.1563	5,0		8,0	11,0	50,0	15
918.1589	5,5		9,0	11,0	50,0	20
918.1591	6,0		9,0	11,0	50,0	20
918.1592	7,0		11,0	11,0	50,0	20
918.1596	8,0		12,0	12,0	50,0	25
918.1597	9,0		13,0	13,0	50,0	30
918.1598	10,0		14,0	14,0	50,0	35
918.1599	11,0		16,0	16,0	50,0	45
918.1418	12,0		17,0	17,0	50,0	50
918.1419	13,0		18,0	18,0	50,0	65
918.1423		3/16"	8,0	11,0	50,0	15
918.1601		7/32"	9,0	11,0	50,0	20
918.1602		1/4"	10,0	11,0	50,0	20
918.1603		9/32"	11,0	11,0	50,0	20
918.1611		5/16"	12,0	12,0	50,0	25
918.1613		11/32"	13,0	13,0	50,0	30
918.1615		3/8"	14,0	14,0	50,0	35
918.1616		7/16"	16,0	16,0	50,0	50
918.1618		1/2"	18,0	18,0	50,0	65

CHROMEplus® 12-point socket-set, deep

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Includes storage rail



	mm		D1 mm	D2 mm	L mm	g
918.0630	10 pcs	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm				0.35

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
i

TX E Socket

- TX E
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



		D1 mm	D2 mm	L mm	T mm	g
911.4313	E4	6.0	11.0	25.0	5.0	10
911.4314	E5	7.0	11.0	25.0	5.0	10
911.4315	E6	8.0	11.0	25.0	5.0	10
911.4316	E7	10.0	11.0	25.0	6.0	10
911.4317	E8	11.0	12.0	25.0	7.0	15
911.4332	E10	13.0	13.0	25.0	7.0	15
911.4350	E11	14.0	15.0	25.0	8.0	15

TX E Socket set

- TX E
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



		D1 mm	D2 mm	L mm	T mm	g
911.4355	7 pcs	E4 - E5 - E6 - E7 - E8 - E10 - E11				0.10

CHROMEplus® TX E Socket

- TX E
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D1 mm	D2 mm	L mm	T mm	g
918.1582	E4	6.0	11.0	25.0	5.0	10
918.1583	E5	7.0	11.0	25.0	5.0	10
918.1584	E6	8.0	11.0	25.0	5.0	10
918.1585	E7	10.0	11.0	25.0	6.0	10
918.1586	E8	11.0	12.0	25.0	7.0	15
918.1587	E10	13.0	13.0	25.0	7.0	15
918.1588	E11	13.0	15.0	25.0	8.0	15

CHROMEplus® TX E Socket set

- TX E
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



		D1 mm	D2 mm	L mm	T mm	g
918.4355	7 pcs	E4 - E5 - E6 - E7 - E8 - E10 - E11				100



1/4" BIT SOCKETS

Bit socket for slotted screws

- Slotted
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D mm	L mm	T mm	g
911.1418	4.0	12.0	37.0	18.0	20
911.1419	5.5	12.0	37.0	18.0	20
917.1421	6.5	12.0	37.0	18.0	20
911.1420	7.0	12.0	37.0	18.0	20
917.1422	8.0	12.0	37.0	18.0	20

CHROMEplus® Bit socket for slotted screws

- Slotted
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D mm	L mm	T mm	g
918.1487	4.0	12.0	37.0	18.0	20
918.1488	5.0	12.0	37.0	18.0	20
918.1489	6.5	12.0	37.0	18.0	20
918.1491	7.0	12.0	37.0	18.0	20
918.1486	8.0	12.0	37.0	18.0	20

Bit socket for phillips head screws PH

- PH
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- With press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
911.1482	PH0	12.0	37.0	18.0	15
911.1415	PH1	12.0	37.0	18.0	20
911.1416	PH2	12.0	37.0	18.0	20
911.1417	PH3	12.0	37.0	18.0	20
911.1421	PH4	12.0	37.0	18.0	20

CHROMEplus® Bit socket for phillips screws PH

- PH
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	g
918.1416	PH0	12.0	37.0	18.0	20
918.1468	PH1	12.0	37.0	18.0	20
918.1469	PH2	12.0	37.0	18.0	20
918.1436	PH3	12.0	37.0	18.0	20
918.1440	PH4	12.0	37.0	18.0	20



Bit socket for phillips head screws PZ

- PZ
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- With press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
911.1483	PZ 0	12.0	37.0	18.0	15
911.1401	PZ 1	12.0	37.0	18.0	15
911.1402	PZ 2	12.0	37.0	18.0	15
911.1403	PZ 3	12.0	37.0	18.0	15
917.1415	PZ 4	12.0	37.0	18.0	20

CHROMEplus® Bit socket for phillips screws PZ

- PZ
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium




1/4"

		D mm	L mm	T mm	g
918.1417	PZ0	12.0	37.0	18.0	15
918.1477	PZ1	12.0	37.0	18.0	15
918.1478	PZ2	12.0	37.0	18.0	15
918.1437	PZ3	12.0	37.0	18.0	15
918.1448	PZ4	12.0	37.0	18.0	20

Bit socket for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



1/4"

		D mm	L mm	T mm	g
917.1434	2.0	12.0	37.0	18.0	12
917.1435	2.5	12.0	37.0	18.0	13
911.1436	3.0	12.0	37.0	18.0	20
911.1437	4.0	12.0	37.0	18.0	20
911.1438	5.0	12.0	37.0	18.0	20
911.1439	6.0	12.0	37.0	18.0	25
911.1440	7.0	12.0	37.0	18.0	25
911.1441	8.0	12.0	37.0	18.0	25
917.1440	1/8"	12.0	37.0	18.0	25
917.1441	5/32"	12.0	37.0	18.0	25
917.1442	3/16"	12.0	37.0	18.0	25
917.1443	7/32"	12.0	37.0	18.0	25
917.1444	1/4"	12.0	37.0	18.0	25

CHROMEplus® Bit socket set for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	g
911.1544	7 pcs	2,5 - 3 - 4 - 5 - 6 - 7 - 8 mm			0.17

CHROMEplus® Bit socket for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/4"

		D mm	L mm	T mm	g
918.1438	2.0	12.0	37.0	18.0	12
918.1439	2.5	12.0	37.0	18.0	13
918.1461	3.0	12.0	37.0	18.0	20
918.1462	4.0	12.0	37.0	18.0	20
918.1463	5.0	12.0	37.0	18.0	20
918.1464	6.0	12.0	37.0	18.0	25
918.1465	7.0	12.0	37.0	18.0	25
918.1466	8.0	12.0	37.0	18.0	25
918.1531	1/8"	12.0	37.0	18.0	25
918.1532	5/32"	12.0	37.0	18.0	25
918.1533	3/16"	12.0	37.0	18.0	25
918.1534	7/32"	12.0	37.0	18.0	25
918.1535	1/4"	12.0	37.0	18.0	25

CHROMEplus® Bit socket set for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	g
918.1670	7 pcs	2,5 - 3 - 4 - 5 - 6 - 7 - 8 mm			0.17

Bit socket for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



1/4"

		D mm	L mm	T mm	g
911.1448	T8	12.0	37.0	18.0	10
911.1478	T9	12.0	37.0	18.0	10
911.1442	T10	12.0	37.0	18.0	10
911.1443	T15	12.0	37.0	18.0	10
911.1444	T20	12.0	37.0	18.0	10
911.1445	T25	12.0	37.0	18.0	10
911.1449	T27	12.0	37.0	18.0	10
911.1446	T30	12.0	37.0	18.0	15
911.1447	T40	12.0	37.0	18.0	20

Bit socket set for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	g
911.1458	7 pcs	T10 - T15 - T20 - T25 - T27 - T30 - T40			0.16

CHROMEplus® Bit socket for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/4"

		D mm	L mm	T mm	g
918.1492	T8	12.0	37.0	18.0	20
918.1494	T9	12.0	37.0	18.0	20
918.1479	T10	12.0	37.0	18.0	20
918.1480	T15	12.0	37.0	18.0	20
918.1481	T20	12.0	37.0	18.0	20
918.1482	T25	12.0	37.0	18.0	20
918.1483	T27	12.0	37.0	18.0	20
918.1484	T30	12.0	37.0	18.0	20
918.1485	T40	12.0	37.0	18.0	20

CHROMEplus® Bit socket set for TX screws

- TX
- Internal square drive adaptor to DIN 3120 / ISO 1174
- With press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	g
918.1558	7 pcs	T10 - T15 - T20 - T25 - T27 - T30 - T40			0.16

CHROMEplus® bit socket with joint for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- With press fitted nickel plated insert bit
- For manual operation
- Ideal for difficult to access areas
- Screwed joints
- Especially short execution
- Chrome plated and mirror polished
- Chrome vanadium



1/4"

		D mm	L mm	T mm	g
917.1491	T8	15.0	40.0	10.0	25
917.1492	T10	15.0	40.0	10.0	25
917.1493	T15	15.0	40.0	10.0	25
917.1494	T20	15.0	40.0	10.0	25
917.1495	T25	15.0	40.0	10.0	25
917.1496	T27	15.0	40.0	10.0	25
917.1497	T30	15.0	40.0	10.0	25
917.1498	T40	15.0	40.0	10.0	25

CHROMEplus® bit socket set with joint for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- With press fitted nickel plated insert bit
- For manual operation
- Ideal for difficult to access areas
- Screwed joints
- Especially short execution
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic storage case



1/4"

		D mm	L mm	T mm	g
917.1490	8 pcs T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40				350



Bit socket for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- With press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



1/4"

		D mm	L mm	T mm	g
911.1461	TB8	12.0	37.0	20.0	20
911.1485	TB9	12.0	37.0	18.0	20
911.1462	TB10	12.0	37.0	20.0	20
911.1463	TB15	12.0	37.0	20.0	20
911.1464	TB20	12.0	37.0	20.0	20
911.1465	TB25	12.0	37.0	20.0	20
911.1466	TB27	12.0	37.0	20.0	20
911.1467	TB30	12.0	37.0	20.0	20
911.1468	TB40	12.0	37.0	20.0	20

Bit socket set for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated stud
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	g
911.1460	7 pcs TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40				0.16

CHROMEplus® Bit socket for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/4"

		D mm	L mm	T mm	g
918.1467	TB8	12.0	37.0	18.0	20
918.1415	TB9	12.0	37.0	18.0	20
918.1470	TB10	12.0	37.0	18.0	20
918.1471	TB15	12.0	37.0	18.0	20
918.1472	TB20	12.0	37.0	18.0	20
918.1473	TB25	12.0	37.0	18.0	20
918.1474	TB27	12.0	37.0	18.0	20
918.1475	TB30	12.0	37.0	18.0	20
918.1476	TB40	12.0	37.0	18.0	20

CHROMEplus® Bit socket set for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated stud
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	g
918.1460	7 pcs TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40				0.16

Bit socket for spline (XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



1/4"

		D mm	L mm	T mm	g
917.1541	M4	12.0	37.0	18.0	20
917.1542	M5	12.0	37.0	18.0	20
917.1543	M6	12.0	37.0	18.0	20
917.1544	M7	12.0	37.0	18.0	20
917.1545	M8	12.0	37.0	18.0	20
917.1546	M10	12.0	37.0	18.0	20

Bit socket set for spline (XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	g
911.1547	6 pcs M4 - M5 - M6 - M7 - M8 - M10				0.16

CHROMEplus® Bit socket for spline (XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/4"

		D mm	L mm	T mm	Ⓜ
918.1441	M4	12.0	37.0	18.0	20
918.1442	M5	12.0	37.0	18.0	20
918.1443	M6	12.0	37.0	18.0	20
918.1444	M7	12.0	37.0	18.0	20
918.1445	M8	12.0	37.0	18.0	20
918.1446	M10	12.0	37.0	18.0	20

CHROMEplus bit socket set for spline (XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	Ⓜ
918.0645	6 pcs M4 - M5 - M6 - M7 - M8 - M10				0.16

Bit socket for five star tamperproof screws

- Five star bit, tamperproof
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



1/4"

	D	D mm	L mm	T mm	Ⓜ
911.1471	TS10	12.0	25.0	6.0	10
911.1472	TS15	12.0	25.0	6.0	10
911.1473	TS20	12.0	25.0	7.0	10
911.1474	TS25	12.0	25.0	7.0	10
911.1475	TS27	12.0	25.0	8.0	10
911.1476	TS30	12.0	25.0	8.0	10
911.1477	TS40	12.0	25.0	9.0	10

Bit socket set for tamperproof five star screws

- Five star bit, tamperproof
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	Ⓜ
911.1470	7 pcs TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40				0.16

CLASSIC Bit set for tamperproof five star screws

- Five star bit, tamperproof
- External hexagon drive to DIN 3126 / ISO 1173 - E 6,3
- Can be used by hand or with and electric screwdriver
- 1/4" Bit adaptor socket
- Ideally suited for fittings in trade and industry
- Nickel plated
- Special steel



1/4"

		D mm	L mm	T mm	Ⓜ
911.1480	8 pcs TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40				50



CHROMEplus® Bit socket for five star tamperproof screws

- Five star bit, tamperproof
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/4"

	D	D mm	L mm	T mm	Ⓜ
918.1575	TS10	12.0	25.0	6.0	10
918.1576	TS15	12.0	25.0	6.0	10
918.1577	TS20	12.0	25.0	7.0	10
918.1578	TS25	12.0	25.0	7.0	10
918.1579	TS27	12.0	25.0	8.0	10
918.1580	TS30	12.0	25.0	8.0	10
918.1581	TS40	12.0	25.0	9.0	10

CHROMEplus® Bit socket set for five star tamperproof screws

- Five star bit, tamperproof
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



1/4"

		D mm	L mm	T mm	Ⓜ
918.1545	7 pcs TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40				0.16

Automotive bit socket set

- Problem solver for many automotive applications
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" 1/2"

		D mm	L mm	T mm	Ⓜ
911.4500	38 pcs Automotive bit socket set				6.50
9 x	1/4": 37 mm, TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50				
5 x	1/2": 55 mm, 14 - 17 - 19 - 22 - 24 mm				
1 x	1/2": 55 mm, M16				
1 x	1/2": 75 mm, M18				
1 x	1/2": 100 mm, M9				
2 x	1/2": 110 mm, M9 - M16				
1 x	1/2": 110 mm, TB80				
3 x	1/2": 140 mm, 10 - 11 - 13 mm				
6 x	1/2": 140 mm, T40 - T45 - T50 - T55 - T60 - T70				
3 x	1/2": 140 mm, M10 - M12 - M14				
1 x	1/2": 140 mm, M10				
1 x	1/2": 160 mm, 5 mm				
1 x	1/2": 240 mm, 7 mm				
2 x	1/2": 240 mm, M7 - M8				
1 x	1/2": 300 mm, TB30				

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
i

1/4" ADAPTERS

Bit adaptor socket

- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 1/4" bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Matt finish
- Chrome vanadium



	D1 mm	D2 mm	L mm	T mm	g
911.4337	10.0	12.0	25.0	8.0	10

CHROMEplus® Bit adaptor socket

- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 1/4" bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	D1 mm	D2 mm	L mm	T mm	g
918.1421	10.0	12.0	25.0	8.0	10

Bit adaptor socket

- With clamping ring
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 1/4" bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Matt finish
- Chrome vanadium



	D1 mm	D2 mm	L mm	T mm	g
911.4327	10.0	12.0	25.0	8.0	10

CHROMEplus® Bit adaptor socket

- Clamping ring
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 1/4" bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	D1 mm	D2 mm	L mm	T mm	g
918.1422	10.0	12.0	25.0	8.0	10

Adaptor

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



	□	■	L mm	g
911.1494	1/4"	3/8"	25.0	30

Adaptor and reducing adaptor set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- In durable plastic case



	□	■	L mm	g
911.0106	6 pcs	1/4" x 3/8" - 3/8" x 1/4" - 3/8" x 1/2" - 1/2" x 3/8" - 1/2" x 3/4" - 3/4" x 1/2"		0.66

CHROMEplus® Adaptor

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	□	■	L mm	g
918.1501	1/4"	3/8"	25.0	30

CHROMEplus® adaptor and reducing adaptor set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic storage case



	□	■	L mm	g
918.0106	6 pcs	1/4" x 3/8" - 3/8" x 1/4" - 3/8" x 1/2" - 1/2" x 3/8" - 1/2" x 3/4" - 3/4" x 1/2"		0.66

1/4" UNIVERSAL JOINTS

Universal joint

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- With flexible joint
- For manual operation
- Matt finish
- Chrome vanadium



	□	■	L mm	g
911.1450	1/4"	1/4"	38.0	20

CHROMEplus® Universal joint

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- With flexible joint
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/4"	□	■	L mm	g
918.1450	1/4"	1/4"	38.0	20

Power universal ball joint

- Ideal for use with electric screwdriver
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Very low running rotation
- New joint construction
- Outstanding use of angles up to 45°
- Very resistant to breakage
- Can be used by hand or with and electric screwdriver
- Matt finish
- Chrome vanadium



1/4"	□	■	L mm	g
917.1450	1/4"	1/4"	35.0	30

CHROMEplus® Power universal ball joint

- Ideal for use with electric screwdriver
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Very low running rotation
- New joint construction
- Outstanding use of angles up to 45°
- Very resistant to breakage
- Can be used by hand or with and electric screwdriver
- Chrome plated and mirror polished
- Chrome vanadium




1/4"	□	■	L mm	g
919.1450	1/4"	1/4"	35.0	30

1/4" T-HANDLES

Sliding T-handle


- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Matt finish
- Chrome vanadium



1/4"	■	H mm	L mm	g
911.1425	1/4"	6.0	110.0	50

CHROMEplus® Sliding T-handle

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/4"	■	H mm	L mm	g
918.1451	1/4"	6.0	110.0	50

1/4" EXTENSIONS

Flexible extension

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Limited torque due to a spiral spring
- For difficult to access areas
- For manual operation
- Matt finish
- Chrome vanadium



1/4"	L mm	g
911.1422	150.0	60

CHROMEplus® Flexible extension

- Square drive adaptor to DIN 3123 / ISO 3316 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Limited torque due to a spiral spring
- For difficult to access areas
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/4"	L mm	g
918.1505	150.0	60

Extension with hexagon drive

- Square drive to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- With hexagon drive
- For manual operation
- Matt finish
- Chrome vanadium



1/4"	L mm	g
911.1423	50.0	30
911.1486	75.0	35
911.1424	100.0	40
911.1451	150.0	90
911.1504	250.0	130

Extension set

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- With hexagon drive
- For manual operation
- Matt finish
- Chrome vanadium



1/4"	3/8"	1/2"	g
911.0007	9 pcs	Extension set	1.22
3 x		1/4" : 50 - 100 - 250 mm	
4 x		3/8" : 50 - 75 - 150 - 200 mm	
2 x		1/2" : 125 - 250 mm	



CHROMEplus® Extension

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	⚖ g
918.1452	50.0	20
918.1453	75.0	30
918.1455	100.0	50
918.1454	150.0	60
918.1652	250.0	130

CHROMEplus® Extension set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		⚖ kg
918.0007	9 pcs CHROMEplus® Extension set	1.22
3 x	1/4" : 50 - 100 - 250 mm	
4 x	3/8" : 50 - 75 - 150 - 200 mm	
2 x	1/2" : 125 - 250 mm	

Wobble extension with hexagon drive

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- Hexagon drive
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	⚖ g
911.1506	50.0	20
911.1509	75.0	35
911.1507	100.0	40
911.1508	150.0	60
911.1543	250.0	130



Wobble extension set

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Matt finish
- Chrome vanadium



		⚖ kg
911.0009	9 pcs Wobble extension set	
3 x	1/4" : 50 - 100 - 250 mm	
4 x	3/8" : 50 - 75 - 150 - 200 mm	
2 x	1/2" : 125 - 250 mm	

CHROMEplus® Wobble extension

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	⚖ g
918.1403	50.0	20
918.1653	75.0	35
918.1401	100.0	40
918.1402	150.0	60
918.1458	250.0	100

CHROMEplus® Wobble extension set

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		⚖ kg
918.0009	9 pcs CHROMEplus® Wobble extension set	1.22
3 x	1/4" : 50 - 100 - 250 mm	
4 x	3/8" : 45 - 75 - 150 - 225 mm	
2 x	1/2" : 125 - 250 mm	

CHROMEplus® extension with interlock

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Interlocking mechanism against accidental loosening
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	⚖ g
919.1402	100.0	40
919.1404	150.0	60
919.1406	250.0	100

CHROMEplus® Extension set with interlock

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Interlocking mechanism against accidental loosening
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		⚖ kg
919.0143	3 pcs 100 - 150 - 250 mm	0.33



CHROMEplus® Extension set with interlock

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Interlocking mechanism against accidental loosening
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		⚖ kg
919.0007	7 pcs CHROMEplus® Extension set with interlock	1.24
2 x	1/4" : 100 - 150 mm	
3 x	3/8" : 75 - 150 - 250 mm	
2 x	1/2" : 125 - 250 mm	

1/4" MANUAL DRIVE TOOLS

Square drive screwdriver

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Protective cap on the handle end
- Dual component handle
- Matt finish
- Chrome vanadium



	D mm	L1 mm	L2 mm	L3 mm	g
911.1434	6.0	150.0	60.0	90.0	140

CHROMEplus® Square drive screwdriver

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Dual component handle
- Chrome plated and mirror polished
- Chrome vanadium



	D	L1 mm	L2 mm	L3 mm	g
918.1434	1/4"	150.0	60.0	90.0	60

ERGOTORQUE® Square screwdriver

- Flexible blade with double spiral shaft
- Limited torque
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Plastic protective coating
- One component handle
- With hanging hole



	D mm	L1 mm	L2 mm	L3 mm	g
911.1120	15.0	200.0	150.0	50.0	150

1/4" RATCHETS

ERGOTORQUE®max T-handle ratchet

- DIN 3122 / ISO 3315
- Reversible
- 1/4" square drive adaptor to DIN 3120 / ISO 1174
- With ball lock
- Exact gearing with 45 teeth
- Two component handle
- With hanging hole
- Handy and compact
- Matt finish
- Chrome vanadium



	B mm	L1 mm	L2 mm	g
151.1109	115.0	110.0	55.0	40

Mini reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Matt finish
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
911.1510	10.0	22.0	110.0	911.1599	70

CHROMEplus® Mini reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
918.1510	10.0	22.0	110.0	911.1599	70

Reversible ratchet


- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 45 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle with soft zone
- Matt finish
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
911.1400	12.0	25.0	145.0	911.1499	130

CHROMEplus® Reversible ratchet

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 45 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
918.1400	12.0	25.0	145.0	911.1499	130

Reversible ratchet


- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Matt finish
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
914.1490	12.0	26.0	145.0	914.1497	130

CHROMEplus® Reversible ratchet


- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
918.1490	12.0	26.0	145.0	914.1497	130

CHROMEplus® Reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- With ejection mechanism on the ratchet head
- Recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
918.1593	12.0	25.0	145.0	914.1497	150

SlimPOWER reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 102 N·m maximum load
- Reversible
- Extremely slim head
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle with soft zone
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
920.1490	20.0	20.0	140.0	920.1490-1	80



SlimPOWER reversible ratchet set

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Extremely slim head
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle with soft zone
- Chrome plated and mirror polished
- Chrome vanadium



1/4" 1/2"

920.0002	2 pcs	1/4" + 1/2"	430
----------	-------	-------------	-----

Flexibel head reversible ratchet

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 180° revolving head with locking device
- Reversible
- Exact gearing 45 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Matt finish
- Chrome vanadium



1/4"

	A mm	D mm	L mm	Repair set	g
911.1495	12.0	26.0	140.0	911.1499	160

CHROMEplus® Flexibel head reversible ratchet

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 180° revolving head
- Reversible
- Exact gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



1/4"

	A mm	D mm	L mm	Repair set	g
918.1493	12.0	26.0	140.0	914.1497	130

1/4" SET ASSORTMENTS

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic storage case



1/4"

			kg
918.0613	13 pcs	CHROMEplus® Socket set	0.78
11 x		4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 mm	
1 x		100 mm	
1 x		140 mm	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4"

			kg
911.0623	23 pcs	Socket set	0.45
12 x		4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 mm	
1 x		1/4"	
1 x		100 mm	
1 x		1/4"	
2 x		PH1 - PH2	
2 x		PZ1 - PZ2	
4 x		T15 - T20 - T25 - T30	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4"

			kg
911.0625	25 pcs	Socket set	0.83
13 x		4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm	
2 x		50 - 100 mm	
1 x		150 mm	
1 x		1/4"	
1 x		1/4"	
1 x		1/4"	
1 x		1/4" x 1/4"	
4 x		1,0 - 1,5 - 2,0 - 2,5 mm	
1 x		1/4"	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable metal case



1/4"

			kg
917.4030	30 pcs	Socket set	1.20
11 x		4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 mm	
3 x		4 - 5,5 - 6 mm	
3 x		PH1 - PH2 - PH3	
3 x		PZ1 - PZ2 - PZ3	
4 x		3 - 4 - 5 - 6 mm	
2 x		50 - 100 mm	
1 x		1/4"	
1 x		1/4"	
1 x		1/4"	
1 x		1/4"	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable metal case



1/4"

		kg	
911.0833	33 pcs	Socket set	1.52
13 x		4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm	
6 x		3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		TB10 - TB15 - TB20 - TB25 - TB27 TB30 - TB40	
2 x		50 - 100 mm	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 110 mm	
1 x		1/4" x 1/4"	
1 x		140 mm	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4"

		kg	
918.0640	40 pcs	CHROMEplus® Socket set	0.80
13 x		4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm	
2 x		PH1 - PH2	
6 x		PZ1 - PZ2	
7 x		3 - 4 - 5 - 6 - 7 - 8 mm	
5 x		T10 - T15 - T20 - T25 - T27 - T30 T40	
1 x		M4 - M5 - M6 - M8 - M10	
1 x		1/4"	
1 x		100 mm	
1 x		1/4"	
1 x		1/4"	
1 x		110 mm	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4"

		kg	
911.0646	46 pcs	Socket set	1.10
13 x		4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm	
3 x		4 - 5,5 - 7 mm	
3 x		PH1 - PH2 - PH3	
2 x		PZ1 - PZ2	
6 x		3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		T10 - T15 - T20 - T25 - T27 - T30 T40	
2 x		50 - 100 mm	
1 x		150 mm	
1 x		1/4"	
1 x		1/4"	
1 x		1/4"	
4 x		1 - 1,5 - 2 - 2,5 mm	
1 x		1/4" x 1/4"	
1 x		1/4"	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4"

		kg	
918.0646	46 pcs	CHROMEplus® Socket set	1.13
13 x		4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm	
3 x		4 - 5,5 - 7 mm	

3 x		PH1 - PH2 - PH3
2 x		PZ1 - PZ2
6 x		3 - 4 - 5 - 6 - 7 - 8 mm
7 x		T10 - T15 - T20 - T25 - T27 - T30 T40
2 x		50 - 100 mm
1 x		150 mm
1 x		1/4"
1 x		1/4"
1 x		1/4"
4 x		1 - 1,5 - 2 - 2,5 mm
1 x		1/4" x 1/4"
1 x		145 mm

CHROMEplus® Socket set

- Imperial sizes
- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4"

		kg	
918.0847	47 pcs	CHROMEplus® Socket set	1.13
10 x		5/32" - 3/16" - 7/32" - 1/4" - 9/32" 5/16" - 11/32" - 3/8" - 7/16" - 1/2"	
10 x		5/32" - 3/16" - 7/32" - 1/4" - 9/32" 5/16" - 11/32" - 3/8" - 7/16" - 1/2"	
3 x		4 - 5,5 - 7 mm	
2 x		PH1 - PH2	
5 x		1/8" - 5/32" - 3/16" - 7/32" - 1/4"	
6 x		T10 - T15 - T20 - T25 - T30 - T40	
4 x		M4 - M5 - M6 - M8	
2 x		50 - 100 mm	
1 x		150 mm	
1 x		1/4"	
1 x		1/4"	
1 x		110 mm	
1 x		110 mm	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4"

911.0651	51 pcs	Socket set	1.35
13 x		4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
3 x		4 - 5,5 - 7 mm	
3 x		PH1 - PH2 - PH3	
3 x		PZ1 - PZ2 - PH3	
6 x		3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		T10 - T15 - T20 - T25 - T27 - T30 - T40	
2 x		50 - 100 mm	
1 x		150 mm	
1 x		1/4"	
1 x		1/4"	
1 x		1/4"	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
1 x		145 mm	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4"

911.0653	53 pcs	Socket set	1.55
13 x		4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
7 x		6 - 7 - 8 - 10 - 11 - 12 - 13 mm	
3 x		4 - 5,5 - 7 mm	
3 x		PH1 - PH2 - PH3	

3 x		PZ1 - PZ2 - PZ3
6 x		3 - 4 - 5 - 6 - 7 - 8 mm
6 x		T10 - T15 - T20 - T25 - T30 - T40
2 x		50 - 100 mm
1 x		150 mm
1 x		1/4"
1 x		1/4"
1 x		1/4"
1 x		1 - 1,5 - 2 - 2,5 mm
1 x		1/4" x 1/4"
1 x		145 mm

1/4" SET ASSORTMENTS

TX Socket set

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" - 1/2"

911.4307	21 pcs	TX Socket set	1.15
4 x		1/4": E4 - E5 - E6 - E8	
5 x		1/2": E10 - E12 - E14 - E18 - E20	
7 x		1/4": T8 - T10 - T15 - T20 - T25 - T27 - T30	
5 x		1/2": T40 - T45 - T50 - T55 - T60	



TX Socket set

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

911.4302	31 pcs	TX Socket set	1.40
6 x		1/4": T10 - T15 - T20 - T25 - T27 - T30	
3 x		5/16": T40 - T45 - T50	
3 x		1/4": TB30 x 30 mm - TB25 x 75 mm - TB30 x 75 mm	
2 x		1/2": T55 - T60	
4 x		1/4": E5 - E6 - E7 - E8	
3 x		3/8": E10 - E12 - E14	
3 x		1/2": E16 - E18 - E20	
3 x		1/4" x 1/4" - 3/8" x 5/16" - 1/2" x 5/16"	
4 x		E6 x E8 - E7 x E11 - E10 x E12 - E14 x E18 -	

TX Socket and bit set

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

911.4305	57 pcs	TX Socket and bit set	2.00
2 x		3/8" x 10 mm - 1/2" x 1/4"	
12 x		1/4": E4 - E5 - E6 - E7 - E8; 3/8": E10 - E11 - E12 - E14; 1/2": E16 - E18 - E20	
7 x		4 - 5 - 6 - 7 - 8 - 10 - 12 mm	
9 x		TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60	
5 x		M5 - M6 - M8 - M10 - M12	
2 x		8 - 10 mm	
2 x		PH2 - PH3	
5 x		5 - 6 - 7 - 8 - 10 mm	
9 x		T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60	
4 x		M6 - M8 - M10 - M12	

TX Socket and bit set

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

		kg	
911.4301-1	30 pcs	TX Socket and bit set	1.45
5 x		1/4": E4 - E5 - E6 - E7 - E8	
4 x		3/8": E10 - E11 - E12 - E14	
5 x		1/2": E16 - E18 - E20 - E22 - E24	
2 x		3/8" x 10 mm - 1/2" x 10mm	
7 x		30 mm (T20 - T25 - T30 - T40 - T45 T50 - T55)	
7 x		75 mm (T20 - T25 - T30 - T40 - T45 T50 - T55)	

TX Bit socket set for TX tamperproof screws

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

		kg	
911.4301-2	30 pcs	TX Bit socket set for TX tamperproof screws	1.45
5 x		1/4": E4 - E5 - E6 - E7 - E8	
4 x		3/8": E10 - E11 - E12 - E14	
5 x		1/2": E16 - E18 - E20 - E22 - E24	
2 x		3/8" x 10 mm - 1/2" x 10mm	
7 x		30 mm (TB20 - TB25 - TB30 - TB40 TB45 - TB50 - TB55)	
7 x		75 mm (TB20 - TB25 - TB30 - TB40 TB45 - TB50 - TB55)	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" 1/2"

		kg	
917.4052	52 pcs	Socket set	6.25
11 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 13 mm	
13 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 17 19 - 21 - 24 - 27 - 30 - 32 mm	
3 x		1/4": 4 - 5,5 - 7 mm	
3 x		1/4": PH1 - PH3 - PH4	
4 x		1/4": 3 - 4 - 5 - 6 mm	
2 x		1/2": 8 - 10 mm	
1 x		1/2": PH3	
5 x		1/2": 7 - 8 - 10 - 12 - 14 mm	
2 x		1/4": 50 - 100 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/4"	
1 x		1/4"	
1 x		1/2"	
1 x		1/4"	
1 x		1/4": 145 mm	
1 x		1/2": 250 mm	




Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In a classy aluminium case



1/4" 1/2"

		kg	
911.0670	70 pcs	Socket set	7.30
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	
3 x		1/4": 8 - 10 - 13 mm	
12 x		1/2": 15 - 16 - 17 - 18 - 19 - 20 - 21 22 - 24 - 27 - 30 - 32 mm	
2 x		1/2": 17 - 19 mm	
3 x		1/4": 4 - 5,5 - 7 mm	
2 x		1/4": PH1 - PH2	
2 x		1/4": PZ1 - PZ2	
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm	
6 x		1/4": T10 - T15 - T20 - T25 - T30 - T40	
3 x		1,5 - 2 - 2,5 mm	
2 x		1/4": 50 - 100 mm	
1 x		1/4"	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 145 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/2" x 3/8"	
1 x		1/2"	
1 x		1/2": 250 mm	
7 x		8 - 10 - 12 - 13 - 14 - 17 - 19 mm	



CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4" - 1/2"

		918.0678		78 pcs		CHROMEplus® Socket set		6.30	
13 x		1/4":	4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm						
8 x		1/4":	6-7-8-9-10-11-12-13 mm						
15 x		1/2":	13-14-15-16-17-18-19-20-21-22-24-27-30-32-34 mm						
5 x		1/2":	14-15-17-19-22 mm						
3 x		1/2":	16-18-21 mm						
2 x		1/4":	PH1-PH2						
2 x		1/4":	PZ1-PZ2						
6 x		1/4":	3-4-5-6-7-8 mm						
7 x		1/4":	T10-T15-T20-T25-T27 T30-T40						
6 x		1/4":	M4-M5-M6-M7-M8-M10						
1 x		1/4":							
2 x		1/4":	50-100 mm						
1 x		1/4":							
1 x		1/4":							
1 x		1/4":	145 mm						
1 x		F3/8"	x M1/2"						
2 x		1/2":	125-250 mm						
1 x		1/2":							
1 x		1/2":	250 mm						

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" - 1/2"

		911.0682		82 pcs		Socket set		5.80	
13 x		1/4":	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm						
12 x		1/2":	14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm						
2 x		1/2":	16 - 21 mm						
3 x		1/4":	4 - 5.5 - 7 mm						
2 x		1/4":	PH1 - PH2						
2 x		1/4":	PZ1 - PZ2						
4 x		1/4":	3 - 4 - 5 - 6 mm						
6 x		1/4":	T8 - T10 - T15 - T20 - T25 - T30						
3 x		5/16":	8 - 10 - 12 mm						
2 x		5/16":	PH3 - PH4						
2 x		5/16":	PZ3 - PZ4						
4 x		5/16":	8 - 10 - 12 - 14						
4 x		5/16":	T40 - T45 - T50 - T55						
2 x		1/4":	50 - 100 mm						
1 x		1/4":	150 mm						
1 x		1/4":							
1 x		1/4":							
1 x		1/4":							
1 x		1/4":							
1 x		1/4":	145 mm						
2 x		1/2":	125 + 250 mm						
1 x		1/2":							
1 x		1/2":							
1 x		1/2" x 5/16"							
1 x		1/2":							
9 x		8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm							

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" - 1/2"

		911.0694		94 pcs		Socket set		6.20	
13 x		1/4":	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm						
8 x		1/4":	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm						
18 x		1/2":	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm						
4 x		1/2":	14 - 15 - 17 - 19 mm						
2 x		1/2":	16 - 21 mm						
3 x		1/4":	4 - 5.5 - 7 mm						
2 x		1/4":	PH1 - PH2						
2 x		1/4":	PZ1 - PZ2						
4 x		1/4":	3 - 4 - 5 - 6 mm						
6 x		1/4":	TB8 - TB10 - TB15 - TB20 - TB25 - TB30						
2 x		1/4":	50 - 100 mm						
1 x		1/4":	150 mm						
3 x		5/16":	8 - 10 - 12 mm						
2 x		5/16":	PH3 - PH4						
2 x		5/16":	PZ3 - PZ4						
4 x		5/16":	8 - 10 - 12 - 14 mm						
4 x		5/16":	TB40 - TB45 - TB50 - TB55						
1 x		1/4":							
1 x		1/4":							
1 x		1/4":							
1 x		1/4":	145 mm						
4 x		1 - 1.5 - 2 - 2.5 mm							
1 x		1/4":							
2 x		1/2":	125 - 250 mm						
1 x		1/2":							
1 x		1/2":							
1 x		1/2" x 5/16"							
1 x		1/2":							
1 x		1/2":	250 mm						

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



CHROMEplus® Socket set

- Imperial sizes
- 6 point
- FlankTraction Profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In a classy aluminium case



1/4" - 1/2"

918.0694	94 pcs	CHROMEplus® Socket set	6.38
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	
8 x		1/4": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	
18 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm	
4 x		1/2": 14 - 15 - 17 - 19 mm	
2 x		1/2": 16 - 21 mm	
3 x		1/4": 4 - 5,5 - 7 mm	
2 x		1/4": PH1 - PH2	
2 x		1/4": PZ1 - PZ2	
4 x		1/4": 3 - 4 - 5 - 6 mm	
6 x		1/4": TB8 - TB10 - TB15 - TB20 TB25 - TB30	
2 x		1/4": 50 - 100 mm	
1 x		1/4": 150 mm	
3 x		5/16": 8 - 10 - 12 mm	
2 x		5/16": PH3 - PH4	
2 x		5/16": PZ3 - PZ4	
4 x		5/16": 8 - 10 - 12 - 14 mm	
4 x		5/16": TB40 - TB45 - TB50 - TB55	
1 x		1/4"	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 145 mm	
4 x		1 - 1,5 - 2 - 2,5 mm	
1 x		1/4"	
2 x		1/2": 125 - 250 mm	
1 x		F3/8" x M1/2"	
1 x		1/2"	
1 x		1/2" x 5/16"	
1 x		1/2": 250 mm	



1/4" 3/8"

918.0699	99 pcs	CHROMEplus® Socket set	6.30
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 mm	
10 x		1/4": 5/32" - 3/16" - 7/32" - 1/4" - 9/32" 5/16" - 11/32" - 3/8" - 7/16" - 1/2"	
16 x		3/8": 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 20 - 21 - 22 24 mm	
5 x		3/8": 10 - 12 - 13 - 17 - 19 mm	
11 x		3/8": 1/4" - 5/16" - 3/8" - 7/16" - 1/2" 9/16" - 5/8" - 11/16" - 3/4" - 13/16" 7/8"	
5 x		3/8": 3/8" - 7/16" - 1/2" - 9/16" - 5/8"	
3 x		3/8": 16 - 18 - 21 mm	
3 x		3/8": 5,5 - 6,5 - 8 mm	
2 x		3/8": PH1 - PH2	
2 x		3/8": PZ1 - PZ2	
5 x		3/8": 5 - 6 - 7 - 8 - 10 mm	
5 x		3/8": 5/32" - 3/16" - 1/4" - 5/16" - 3/8"	
8 x		3/8": T10 - T15 - T20 - T25 - T27 - T30 T40 - T45	
5 x		3/8": M4 - M5 - M6 - M8 - M10	
1 x		1/4"	
1 x		1/4": 100 mm	
1 x		1/4"	
2 x		3/8": 75 - 150 mm	
1 x		3/8"	
1 x		3/8": 200 mm	



1/4" - 1/2"

918.0702	102 pcs	CHROMEplus® Socket set	9.70
13 x		1/4": 4 - 4,5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	
3 x		1/4": 8 - 10 - 13 mm	
13 x		1/2": 13 - 15 - 17 - 18 - 19 - 20 - 21 22 - 24 - 27 - 30 - 32 - 34 mm	
5 x		1/2": 14 - 15 - 17 - 19 - 22 mm	
3 x		1/4": PH1 - PH2 - PH3	
2 x		1/4": PZ1 - PZ2	
4 x		1/4": 3 - 4 - 5 - 6 mm	
7 x		1/4": T10 - T15 - T20 - T25 - T27 T30 - T40	
3 x		1/4": M4 - M5 - M6	
3 x		1/4": E6 - E7 - E8	
6 x		1/2": E10 - E12 - E14 - E16 - E18 E20	
2 x		1/2": 16 - 21 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
1 x		5/16": PZ3	
2 x		5/16": 8 - 10 mm	
4 x		5/16": TB45 - TB50 - TB55 - TB60	
3 x		5/16": M8 - M10 - M12	
1 x		1/4"	
1 x		1/4"	
2 x		1/4": 50 - 100 mm	
2 x		1/2": 125 - 250 mm	
1 x		F3/8" x M1/2"	
1 x		1/2"	
1 x		1/2" x 5/16"	
2 x		1/4" - 1/2"	
7 x		7 - 8 - 10 - 12 - 13 - 17 - 19 mm	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" - 1/2"

911.0708	108 pcs	Socket set	7.00
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
8 x		1/4": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	
5 x		1/4": E4 - E5 - E6 - E7 - E8	
3 x		1/4": 4 - 5,5 - 6,5 mm	
2 x		1/4": PH1 - PH2	
2 x		1/4": PZ1 - PZ2	
4 x		1/4": 3 - 4 - 5 - 6 mm	
7 x		1/4": T8 - T10 - T15 - T20 - T25 - T27 - T30	
17 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm	
5 x		1/2": 14 - 15 - 17 - 19 - 22 mm	
8 x		1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E24	
2 x		1/2": 16 - 21 mm	
2 x		1/4": 50 - 100 mm	
3 x		5/16": 8 - 10 - 12 mm	
2 x		5/16": PH3 - PH4	
2 x		5/16": PZ3 - PZ4	
5 x		5/16": 7 - 8 - 10 - 12 - 14 mm	
5 x		5/16": T40 - T45 - T50 - T55 - T60	
1 x		1/4"	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 145 mm	
3 x		1,5 - 2 - 2,5 mm	
1 x		1/2": 125 - 250 mm	
1 x		1/2"	
1 x		1/2"	
1 x		1/2" x 5/16"	
1 x		1/2": 250 mm	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

918.0724	124 pcs	CHROMEplus® Socket set	9.50
10 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	
6 x		1/4": 5 - 6 - 7 - 8 - 9 - 10 mm	
11 x		3/8": 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	
6 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 mm	
8 x		3/8": E8 - E10 - E11 - E12 - E14 - E16 - E18 - E20	
8 x		1/2": 20 - 21 - 22 - 24 - 27 - 30 - 32 - 34 mm	
6 x		1/2": 10 - 12 - 13 - 14 - 17 - 19 mm	
2 x		1/2": E22 - E24	
2 x		1/2": 16 - 21 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
12 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	
2 x		3/8": 4 - 5,5 mm	
3 x		3/8": PH1 - PH2 - PH3	
3 x		3/8": PZ1 - PZ2 - PZ3	
5 x		3/8": 3 - 4 - 5 - 6 - 8 mm	
5 x		3/8": T20 - T30 - T40 - T45 - T50	
4 x		3/8": M4 - M5 - M6 - M8	
7 x		1/4": T10 - T15 - T20 - T25 - T27 - T30 - T40	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 100 mm	
2 x		3/8": 75 - 150 mm	
2 x		1/2": 125 - 250 mm	
3 x		1/4" - 3/8" - 1/2"	
2 x		1/2": F1/2" x M 3/8"	
3 x		1/4" - 3/8" - 1/2"	

Socket set

- 6 point
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" 3/8" 1/2"

917.0779	179 pcs	Socket set	7.40
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
5 x		1/4": 6 - 7 - 8 - 9 - 10 mm	
10 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	
6 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 mm	
17 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm	
5 x		1/2": 16 - 17 - 18 - 19 - 22 mm	
1 x		3/8": 18 mm	
2 x		1/2": 16 - 21 mm	
4 x		1/4": 4 - 5 - 6,5 - 7 mm	
3 x		1/4": PH0 - PH1 - PH2	
3 x		1/4": PZ0 - PZ1 - PZ2	
4 x		1/4": 3 - 4 - 5 - 6 mm	
8 x		1/4": T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30	
8 x		1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30	
5 x		1/4": E4 - E5 - E6 - E7 - E8	
6 x		3/8": E10 - E11 - E12 - E14 - E16 - E18	
2 x		1/2": E20 - E24	
11 x		1/4": T5 - T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30	
1 x		1/4": TB7	
3 x		1/4": M5 - M6 - M8	
5 x		1/4": M5 - M6 - M7 - M8 - M9	
8 x		1/4": TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45	
3 x		5/16": 8 - 10 - 12 mm	
5 x		5/16": 7 - 8 - 10 - 12 - 14 mm	
1 x		5/16": PH3 - PH4	
1 x		5/16": PZ3 - PZ4	
6 x		5/16": T40 - T45 - T50 - T55 - T60 - T70	
6 x		5/16": TB40 - TB45 - TB50 - TB55 - TB60 - TB70	

7 x		1,3 - 1,5 - 2 - 2,5 - 3 - 4 - 5 mm
1 x		1/4": 150 mm
1 x		1/4": 110 mm
2 x		1/4": 50 - 100 mm
1 x		3/8": 150 mm
2 x		1/2": 125 - 250 mm
3 x		1/4" - 3/8" - 1/2
1 x		1/4" x 1/4"
1 x		3/8" x 5/16"
1 x		1/2" x 5/16"
1 x		3/8"Fx1/2"M
3 x		1/4" - 3/8" - 1/2

Tool kit

- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" - 1/2"

911.0688	88 pcs	Tool kit	7,45
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	
17 x		1/2": 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 30 - 32 mm	
1 x		1/4": 911.2060	
2 x		1/4": 50 - 100 mm	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 145 mm	
1 x		1/2": 125 mm	
1 x		1/2": 250 mm	
2 x		6 - 8 mm	
2 x		PH1 - PH2	
1 x		150 - 250 V	
1 x		250 mm	
1 x		180 mm	
1 x		300 g	
12 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm	

Universal tool kit

- Matt finish
- Chrome vanadium
- In a classy aluminium case



1/4" - 1/2"

911.0727	127 pcs	Universal tool kit	15,50
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
13 x		1/2": 10 - 13 - 14 - 16 - 17 - 18 - 19 - 20 - 22 - 24 - 27 - 30 - 32 mm	
2 x		1/2": 16 - 21 mm	
1 x		1/4": 911.2060	
1 x		1/4" x 1/4"	
2 x		1/4": 50 - 100 mm	
1 x		1/4"	
1 x		1/4": 110 mm	
1 x		1/4": 145 mm	
1 x		1/4"	
2 x		1/2": 125 - 250 mm	
1 x		F3/8" x M1/2"	
1 x		1/2"	
1 x		1/2": 250 mm	
1 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
1 x		T10 - T15 - T20 - T25 - T30 - T40 - T45 - T50	
2 x		5,5 - 6,5 mm	
2 x		PH1 - PH2	
1 x		1/4": 150 mm	
8 x		8 - 9 - 10 - 11 - 13 - 14 - 17 - 19 mm	
1 x		160 mm	
1 x		180 mm	
1 x		200 mm	
1 x		250 mm	
1 x		200 mm	
1 x		145 mm	
1 x		300 g	
1 x		150 - 250 V	
1 x		250 mm	

1 x		200 mm
1 x		150 mm
3 x		907.2131
1 x		
1 x		
1 x		0 - 150 mm
1 x		400 mm
1 x		5 m x 19 mm
1 x		
1 x		

Universal tool kit

- Removeable plastic trays
- Matt finish
- Chrome vanadium
- Telescopic carrying handle
- In a classy aluminium trolley



1/4" - 1/2"

911.0735	135 pcs	Universal tool kit	17,60
9 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 11 - 12 - 13 mm	
4 x		1/4": 8 - 9 - 10 - 13 mm	
13 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm	
1 x		1/4": 911.2060	
1 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
1 x		T10 - T15 - T20 - T25 - T30 - T40 - T45 - T45 - T50	
1 x		1/4": 100 mm	
1 x		1/4": 150 mm	
1 x		1/4"	
1 x		1/4": 145 mm	
1 x		1/4"	
2 x		1/2": 125 - 250 mm	
1 x		1/2"	
1 x		1/2": 250 mm	
2 x		4 - 8 mm	
3 x		PH1 - PH2 - PH3	
3 x		PZ1 - PZ2 - PZ3	
11 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 18 - 19 mm	

1 x		150 - 250 V
1 x		2,5 mm
2 x		PH1 - PH2
1 x		max. 2 kg
1 x		160 mm
1 x		160 mm
1 x		240 mm
1 x		250 mm
1 x		250 mm
1 x		10"
1 x		
1 x		250 mm
1 x		300 mm
1 x		8 mm
1 x		300 g
1 x		5 m x 19 mm
1 x		400 mm




CHROMEplus® Tool kit

- 6 point
- FlankTraction profile
- With removeable plastic storage trays
- Chrome plated and mirror polished
- Chrome vanadium
- Telescopic carrying handle
- In a classy aluminium trolley



1/4" - 1/2"

918.0690	90 pcs	CHROMEplus® Tool kit	10.50
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	
10 x		1/2": 15 - 17 - 18 - 19 - 20 - 22 - 24 27 - 30 - 32 mm	
2 x		1/2": 16 - 21 mm	
1 x		1/4"	
2 x		1/4": 50 - 100 mm	
1 x		1/4"	
1 x		1/4" x 1/4"	
1 x		1/4": 185 mm	
1 x		1/4"	
1 x		1/4": 140 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/2"	
1 x		1/2": F3/8" - M1/2"	
1 x		1/2": 250 mm	
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm	
5 x		1/4": PH0 - PH1 - 2 x PH2 - PH3	
5 x		1/4": PZ0 - PZ1 - 2 x PZ2 - PZ3	
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		1/4": T10 - T15 - T20 - T25 - T27 T30 - T40	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
7 x		7 - 8 - 10 - 12 - 13 - 17 - 19 mm	
2 x		5 - 6 mm	
2 x		PH1 - PH2	
1 x		240 mm	
1 x		180 mm	



Universal tool kit

- With 3 drawers and upper insert storage
- Matt finish
- Chrome vanadium
- In durable steel tool chest



1/4" - 1/2"

911.0100	100 pcs	Universal tool kit	19.80
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 mm	
12 x		1/2": 14 - 15 - 16 - 17 - 18 - 19 - 20 22 - 24 - 27 - 30 - 32 mm	
2 x		1/2": 16 - 21 mm	
1 x		1/4": 911.2060	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
4 x		1/4": 50 - 100 mm; 1/2": 125 - 250 mm	
2 x		1/4": 100 mm; 1/2": 250 mm	
1 x		1/4"	
2 x		1/4" - 1/2"	
2 x		1/4": 145 mm; 1/2": 250 mm	
12 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 19 - 22 mm	
4 x		4,0 x 100 mm - 4,5 x 100 mm 5,0 x 100 mm - 5,0 x 150 mm	
2 x		PH1 x 75 mm - PH2 x 100 mm	
1 x		160 mm	
1 x		180 mm	
1 x		200 mm	
1 x		10"	

CHROMEplus® Universal tool set

- With 3 drawers and upper insert storage
- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable steel tool chest



1/4" 1/2"

		kg	
918.0100	99 pcs	CHROMEplus® Universal tool set	19.50
11 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
3 x		1/4": 8 - 10 - 13 mm	
1 x		1/4": 50 mm	
1 x		1/4"	
1 x		1/4": 110 mm	
1 x		1/4": 140 mm	
3 x		1/2": 4 - 4,5 - 7 mm	
2 x		1/2": PH1 - PH2	
2 x		1/2": PZ1 - PZ2	
6 x		1/2": 3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		1/2": T10 - T15 - T20 - T25 - T27 - T30 - T40	
12 x		1/2": 13 - 15 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm	
2 x		1/2": 17 - 19 mm	
2 x		1/2": 16 - 21 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/2": F3/8" x M 1/2"	
1 x		1/2"	
1 x		1/2": 250 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
12 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	
6 x		6 x 38 - 3 x 75 - 4 x 100 - 5,5 x 100 - 6,5 x 125 - 8 x 150 mm	
4 x		PH2 x 38 mm - PH1 x 75 mm - PH2 x 100 mm - PH3 x 150 mm	
1 x		160 mm	
1 x		180 mm	
1 x		200 mm	
1 x		10"	
1 x		250 mm	
1 x		300 g	

CHROMEplus® Universal tool set

- With 3 drawers and upper insert storage
- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable steel tool chest



1/4" 1/2"

		kg	
918.0200	99 pcs	CHROMEplus® Universal tool set	19.50
11 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
3 x		1/4": 8 - 10 - 13 mm	
1 x		1/4": 50 mm	
1 x		1/4"	
1 x		1/4": 110 mm	
1 x		1/4": 140 mm	
3 x		1/4": 4 - 4,5 - 7 mm	
4 x		1/4": PH1 - PH2 - PH3 - PH4	
3 x		1/4": PZ1 - PZ2 - PZ3	
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		1/4": T10 - T15 - T20 - T25 - T27 - T30 - T40	
12 x		1/2": 13 - 15 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm	
2 x		1/2": 17 - 19 mm	
2 x		1/2": 16 - 21 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/2": F3/8" x M 1/2"	
1 x		1/2"	
1 x		1/2": 250 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
12 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	
6 x		6 x 38 mm - 3 x 75 mm - 4 x 100 mm - 5,5 x 100 mm - 6,5 x 125 mm - 8 x 150 mm	
4 x		PH2 x 38 mm - PH1 x 75 mm - PH2 x 100 mm - PH3 x 150 mm	
1 x		125 mm	
1 x		180 mm	
1 x		200 mm	
1 x		10"	
1 x		250 mm	
1 x		300 g	

CHROMEplus® Universal tool set

- With 3 drawers and upper insert storage
- Imperial sizes
- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable steel tool chest



1/4" 1/2"

		kg	
918.0150	99 pcs	CHROMEplus® Universal tool set	25.60
13 x		1/4": 5/32" - 3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 13/32" - 7/16" - 15/32" - 1/2" - 9/16"	
3 x		1/4": 5/16" - 3/8" - 1/2"	
1 x		1/4": 50 mm	
1 x		1/4"	
1 x		1/4": 110 mm	
1 x		1/4": 140 mm	
3 x		1/4": 5/32" - 1/4" - 9/32"	
2 x		1/4": PH1 - PH2	
2 x		1/4": PZ1 - PZ2	
6 x		1/4": 1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16"	
7 x		1/4": T10 - T15 - T20 - T25 - T27 - T30 - T40	
12 x		1/2": 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1.1/16" - 1.3/16" - 1.1/4"	
2 x		1/2": 11/16" - 3/4"	
2 x		1/2": 16 - 21 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/2": F3/8" x M 1/2"	
1 x		1/2"	
1 x		1/2": 250 mm	
1 x		1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"	
12 x		1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16"	
6 x		6 x 38 mm - 3 x 75 mm - 4 x 100 mm - 5,5 x 100 mm - 6,5 x 125 mm - 8 x 150 mm	
4 x		PH2 x 38 mm - PH1 x 75 mm - PH2 x 100 mm - PH3 x 150 mm	
1 x		125 mm	
1 x		180 mm	
1 x		200 mm	
1 x		10"	
1 x		250 mm	
1 x		300 g	

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

1/4" POINT OF SALE DISPLAYS

Socket display

- Superlock
- Matt finish
- Chrome vanadium



1/4"

		kg	
911.0320	379 pcs	Socket display	13.50
179 x		19x(4-5-6-7-8mm)-17x9mm-16x10mm-14x11mm-13x(12-13mm)-11x14mm	
20 x		150 mm	
20 x		100 mm	
11 x		110 mm	
129 x		19x(6-7-8mm)-17x9mm-15x10mm-14x11mm-13x(12-13mm)	
20 x		25 mm	

CHROMEplus® Socket display

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In point of sale display



1/4"

		kg	
918.0320	379 pcs	CHROMEplus® Socket display	13.50
179 x		19x(4-5-6-7-8mm)-17x9mm-16x10mm-14x11mm-13x(12-13mm)-11x14mm	
20 x		150 mm	
20 x		100 mm	
11 x		110 mm	
129 x		19x(6-7-8mm)-17x9mm-15x10mm-14x11mm-13x(12-13mm)	
20 x		25 mm	

Bit socket display

- Matt finish
- Chrome vanadium
- In point of sale display



1/4"

		kg	
911.0330	540 pcs	Bit socket display	13.00
40 x		20 x (4 - 5,5 mm)	
60 x		20 x (PH1 - PH2 - PH3)	
60 x		20 x (PZ1 - PZ2 - PZ3)	
100 x		20 x (3 - 4 - 5 - 6 - 7 mm)	
80 x		20 x (T10 - T15 - T20 - T25)	
160 x		20 x (TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40)	
40 x		20 x (50 - 100mm)	

CHROMEplus® Bit socket display

- Chrome plated and mirror polished
- Chrome vanadium
- In point of sale display




1/4"

		kg	
918.0330	540 pcs	CHROMEplus® Bit socket display	13.00
40 x		20 x (4 - 5,5 mm)	
60 x		20 x (PH1 - PH2 - PH3)	
60 x		20 x (PZ1 - PZ2 - PZ3)	
100 x		20 x (3 - 4 - 5 - 6 - 7 mm)	
80 x		20 x (T10 - T15 - T20 - T25)	
160 x		20 x (TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40)	
40 x		20 x (50 - 100mm)	

3/8" SOCKETS

CLASSIC Hexagonal socket

- 6 point
- FlankTraction Profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



3/8"

	mm	mm	D1 mm	D2 mm	L mm	T mm	kg
917.3806	6,0		10,0	18,0	28,0	5,0	20
917.3807	7,0		11,0	18,0	28,0	5,0	22
917.3808	8,0		12,0	18,0	28,0	9,0	24
917.3809	9,0		14,0	18,0	28,0	9,0	26
917.3810	10,0		15,0	18,0	28,0	9,0	30
917.3811	11,0		16,0	18,0	28,0	9,0	30
917.3812	12,0		17,0	18,0	28,0	9,0	32
917.3813	13,0		19,0	18,0	28,0	9,0	35
917.3814	14,0		20,0	18,0	29,0	11,0	40
917.3815	15,0		21,0	20,0	30,0	13,0	42
917.3816	16,0		22,0	21,0	30,0	13,0	48
917.3817	17,0		24,0	22,0	30,0	13,0	55
917.3818	18,0		25,0	23,0	30,0	13,0	60
917.3819	19,0		26,0	24,0	30,0	13,0	70
917.3820	20,0		27,0	25,0	31,0	13,0	75
917.3821	21,0		29,0	26,0	31,0	14,0	82
917.3822	22,0		30,0	26,0	32,0	15,0	85
917.3824	24,0		31,0	27,0	32,0	16,0	88
917.3870		1/4"	10,0	18,0	30,0	6,0	20
917.3871		9/32"	11,0	18,0	30,0	7,0	22
917.3872		5/16"	12,0	18,0	30,0	7,0	24
917.3873		11/32"	13,0	18,0	30,0	7,0	26
917.3874		3/8"	14,0	18,0	30,0	9,0	26
917.3875		7/16"	16,0	16,0	27,0	10,0	30
917.3876		1/2"	18,0	18,0	30,0	12,0	30
917.3877		9/16"	20,0	20,0	30,0	13,0	30
917.3801		19/32"	19,0	20,8	30,0	13,0	40
917.3878		5/8"	22,0	22,0	30,0	13,0	40
917.3879		11/16"	23,0	24,0	30,0	14,0	50
917.3880		3/4"	25,0	26,0	30,0	15,0	60
917.3881		13/16"	21,0	28,0	32,0	16,0	70
917.3882		7/8"	29,0	30,0	32,0	18,0	80



CLASSIC hexagonal socket set

- 6 point
- FlankTraction Profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



3/8"

		kg	
911.0608	11 pcs	8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	0,75

CLASSIC Hexagonal socket, deep

- 6 point
- FlankTraction Profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D1 mm	D2 mm	L mm	T mm	kg
917.3828	8,0	12,0	16,0	45,0	10,0	110
917.3829	9,0	14,0	17,0	45,0	11,0	110
917.3830	10,0	15,0	18,0	45,0	11,0	110
917.3831	11,0	16,0	18,0	45,0	12,0	120
917.3832	12,0	17,0	18,0	45,0	14,0	120
917.3833	13,0	19,0	19,0	45,0	14,0	140
917.3834	14,0	20,0	20,0	45,0	17,0	140
917.3835	15,0	21,0	21,0	63,0	17,0	140
917.3836	16,0	22,0	22,0	63,0	17,0	150
917.3837	17,0	24,0	21,0	63,0	17,0	150
917.3838	18,0	24,0	25,0	63,0	20,0	150
917.3839	19,0	26,0	22,0	63,0	20,0	150
917.3840	20,0	28,0	24,0	63,0	20,0	150
917.3841	21,0	28,0	24,0	63,0	20,0	150
917.3842	22,0	30,0	24,0	63,0	23,0	150
917.3843	3/8"	15,0	18,0	63,0	11,0	50
917.3844	7/16"	16,0	18,0	63,0	12,0	50
917.3845	1/2"	19,0	19,0	63,0	14,0	70
917.3846	9/16"	20,0	20,0	63,0	17,0	70
917.3847	5/8"	22,0	22,0	63,0	17,0	90
917.3848	11/16"	24,0	21,0	63,0	17,0	90
917.3849	3/4"	26,0	22,0	63,0	20,0	90
917.3802	13/16"	27,0	25,0	63,0	23,0	180
917.3803	7/8"	29,0	26,5	63,0	25,0	190

CLASSIC hexagonal socket set, deep

- 6 point
- FlankTraction Profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



	mm	kg
911.0611	11 pcs 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	0.75

CHROMEplus® hexagonal socket

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D1 mm	D2 mm	L mm	T mm	kg
918.3936	6,0	10,0	18,0	28,0	5,0	20
918.3937	7,0	11,0	18,0	27,0	5,0	22

	mm	D1 mm	D2 mm	L mm	T mm	kg
918.3808	8,0	12,0	18,0	27,0	9,0	24
918.3809	9,0	14,0	18,0	27,0	9,0	26
918.3810	10,0	15,0	18,0	27,0	9,0	30
918.3811	11,0	16,0	18,0	27,0	9,0	30
918.3812	12,0	17,0	18,0	30,0	9,0	32
918.3813	13,0	19,0	18,0	30,0	9,0	35
918.3814	14,0	20,0	18,0	30,0	11,0	40
918.3815	15,0	21,0	20,0	30,0	13,0	42
918.3816	16,0	22,0	21,0	30,0	13,0	48
918.3817	17,0	24,0	22,0	30,0	13,0	55
918.3818	18,0	25,0	24,0	30,0	13,0	60
918.3819	19,0	26,0	25,0	30,0	13,0	70
918.3820	20,0	27,0	24,9	30,0	16,0	70
918.3821	21,0	27,8	25,0	32,0	16,0	75
918.3822	22,0	29,8	26,6	30,0	16,0	80
918.3824	24,0	31,7	29,0	30,0	16,0	95
918.3901	1/4"	10,5	16,9	28,0	11,5	20
918.3912	9/32"	10,6	16,9	28,0	11,5	22
918.3902	5/16"	11,9	16,9	28,0	11,5	20
918.3903	11/32"	14,2	16,9	28,0	11,5	26
918.3913	3/8"	14,6	16,9	28,0	11,5	26
918.3904	7/16"	15,6	16,9	28,0	11,5	30
918.3905	1/2"	17,8	16,9	28,0	11,5	30
918.3906	9/16"	19,8	16,9	28,0	14,3	30
918.3951	19/32"	19,0	20,8	30,0	13,0	40
918.3907	5/8"	21,8	18,8	28,0	14,3	40
918.3908	11/16"	23,9	19,9	30,0	16,4	50
918.3909	3/4"	25,8	22,9	30,0	16,4	60
918.3910	13/16"	27,8	25,0	30,0	16,4	70
918.3911	7/8"	29,8	28,8	30,0	16,4	80

CHROMEplus® Hexagonal socket set

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Includes storage rail



	mm	kg
918.0608	11 pcs 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	0.75

CHROMEplus® Hexagonal socket, deep

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D1 mm	D2 mm	L mm	kg
918.3828	8	12,6	16,9	63,0	45
918.3829	9	17,0	13,0	63,0	45
918.3830	10	14,6	16,9	63,0	50
918.3831	11	16,0	16,9	63,0	55
918.3832	12	17,8	16,9	63,0	60
918.3833	13	17,8	16,9	63,0	60
918.3834	14	19,6	17,9	63,0	70
918.3835	15	21,8	19,6	63,0	80
918.3836	16	21,8	19,6	63,0	90
918.3837	17	23,7	21,8	63,0	105
918.3838	18	25,7	22,9	63,0	120
918.3839	19	25,7	22,9	63,0	130
918.3840	20	27,8	25,2	63,0	155
918.3841	21	27,8	25,5	63,0	150

	mm	D1 mm	D2 mm	L mm	kg
918.3842	22	29,9	26,8	63,0	180
918.3923	3/8"	14,6	16,9	63,0	50
918.3924	7/16"	15,9	16,9	63,0	50
918.3925	1/2"	17,8	16,9	63,0	70
918.3926	9/16"	19,8	18,0	63,0	70
918.3927	5/8"	23,8	21,7	63,0	90
918.3928	11/16"	23,8	21,7	63,0	90
918.3929	3/4"	25,8	23,2	63,0	90
918.3706	13/16"	27,0	25,0	63,0	130
918.3707	7/8"	29,0	26,5	63,0	180

CHROMEplus® hexagonal socket set, deep

- 6 point
- FlankTraction Profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 - ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	mm	kg
918.0611	11 pcs 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	0.75

Classic hexagonal socket with flexible joint

- 6 point
- FlankTraction Profile
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Screwed joints
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D1 mm	D2 mm	L mm	T mm	kg
917.3941	10,0	15,0	20,0	40,0	6,0	50
917.3942	11,0	16,0	20,0	40,0	6,0	60
917.3943	12,0	17,0	20,0	40,0	7,0	70
917.3944	13,0	19,0	20,0	40,0	7,0	80
917.3945	14,0	20,0	20,0	40,0	9,0	80
917.3946	15,0	21,0	20,0	40,0	9,0	80
917.3947	16,0	22,0	20,0	40,0	10,0	80
917.3948	17,0	24,0	20,0	40,0	11,0	80
917.3949	18,0	24,0	20,0	40,0	12,0	100
917.3951	19,0	26,0	20,0	40,0	13,0	100

Classic hexagonal socket set with flexible joint

- 6 point
- FlankTraction Profile
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Screwed joints
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



	mm	kg
917.3940	10 pcs 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	1.10

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

CHROMEplus® hexagonal socket with flexible joint

- 6 point
- FlankTraction Profile
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Screwed joints
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D1 mm	D2 mm	L mm	T mm	g
911.3841	10,0	15,0	20,0	40,0	6,0	50
911.3842	11,0	16,0	20,0	40,0	6,0	60
911.3843	12,0	17,0	20,0	40,0	7,0	70
911.3844	13,0	19,0	20,0	40,0	7,0	80
911.3845	14,0	20,0	20,0	40,0	9,0	80
911.3846	15,0	21,0	20,0	40,0	9,0	80
911.3847	16,0	22,0	20,0	40,0	10,0	80
911.3848	17,0	24,0	20,0	40,0	11,0	80
911.3849	18,0	24,0	20,0	40,0	12,0	100
911.3851	19,0	26,0	20,0	40,0	13,0	100

CHROMEplus® hexagonal socket set with flexible joint

- 6 point
- FlankTraction Profile
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Screwed joints
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	mm	D1 mm	D2 mm	L mm	T mm	g
911.3840	10 pcs	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm				1.11

12 Point socket

- 12 point
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium




	mm	D1 mm	D2 mm	L mm	T mm	g
917.3804	6,0	10,0	18,0	28,0	5,0	20
917.3805	7,0	11,0	18,0	28,0	5,0	22
911.3981	8,0	12,0	18,0	28,0	9,0	24
911.3982	9,0	14,0	18,0	28,0	9,0	26
911.3983	10,0	15,0	18,0	28,0	9,0	30
911.3984	11,0	16,0	18,0	28,0	9,0	30
911.3985	12,0	17,0	18,0	28,0	9,0	32
911.3986	13,0	19,0	18,0	28,0	9,0	35

	mm	D1 mm	D2 mm	L mm	T mm	g
911.3987	14,0	20,0	18,0	29,0	11,0	40
911.3988	15,0	21,0	20,0	30,0	13,0	42
911.3989	16,0	22,0	21,0	30,0	13,0	48
911.3992	17,0	24,0	22,0	30,0	13,0	55
911.3993	18,0	25,0	23,0	30,0	13,0	60
911.3994	19,0	26,0	24,0	30,0	13,0	70
911.3996	21,0	29,0	26,0	31,0	14,0	82
911.3997	22,0	30,0	26,0	32,0	15,0	85
911.3998	24,0	31,0	27,0	32,0	15,0	90
917.3823	1/4"	10,0	18,0	30,0	6,0	20
917.3825	9/32"	11,0	18,0	30,0	7,0	22
917.3826	5/16"	12,0	18,0	30,0	7,0	24
917.3827	11/32"	13,0	18,0	30,0	7,0	26
917.3851	3/8"	14,0	18,0	30,0	9,0	26
917.3852	7/16"	16,0	16,0	27,0	10,0	30
911.4000	1/2"	18,0	19,0	28,0	9,0	35
911.4001	9/16"	20,0	19,0	29,0	11,0	40
911.4002	19/32"	21,0	20,0	30,0	13,0	42
911.4003	5/8"	22,0	21,0	30,0	13,0	48
911.4004	11/16"	24,0	23,0	30,0	13,0	55
911.4005	3/4"	26,0	24,0	30,0	13,0	70
917.3854	13/16"	21,0	28,0	32,0	16,0	70
911.4006	7/8"	30,0	27,0	32,0	15,0	100


12 point socket set

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Includes storage rail



12 Point socket, deep


- 12 point
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D1 mm	D2 mm	L mm	T mm	g
917.3855	8,0	12,0	16,0	63,0	10,0	45
917.3856	9,0	14,0	17,0	63,0	10,0	50
917.3970	10,0	15,0	18,0	63,0	11,0	50
917.3971	11,0	16,0	18,0	63,0	12,0	60
917.3972	12,0	17,0	18,0	63,0	14,0	65
917.3973	13,0	19,0	19,0	63,0	14,0	70
917.3974	14,0	20,0	20,0	63,0	17,0	85
917.3975	15,0	21,0	21,0	63,0	17,0	85
917.3976	16,0	22,0	22,0	63,0	17,0	95
917.3977	17,0	24,0	21,0	63,0	17,0	105
917.3978	18,0	25,0	22,0	63,0	20,0	110
917.3979	19,0	26,0	22,0	63,0	20,0	120
917.3980	20,0	27,0	24,0	63,0	20,0	135
917.3981	21,0	29,0	24,0	63,0	20,0	145
917.3982	22,0	30,0	24,0	63,0	23,0	160
917.3983	3/8"	14,0	18,0	63,0	11,0	50
917.3984	7/16"	16,0	18,0	63,0	12,0	60
917.3985	1/2"	18,0	19,0	63,0	14,0	70
917.3986	9/16"	20,0	20,0	63,0	17,0	85
917.3987	5/8"	22,0	22,0	63,0	17,0	95
917.3988	11/16"	24,0	21,0	63,0	17,0	105
917.3989	3/4"	26,0	22,0	63,0	20,0	135
917.3990	13/16"	28,0	24,0	63,0	20,0	145
917.3991	7/8"	30,0	24,0	63,0	23,0	160

12 Point socket set, deep

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Includes storage rail



CHROMEplus® 12 point socket


- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725-1
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D1 mm	D2 mm	L mm	T mm	g
918.3723	6,0	10,0	18,0	28,0	5,0	20
918.3725	7,0	11,0	18,0	28,0	5,0	22
918.3708	8,0	12,0	18,0	28,0	9,0	24
918.3709	9,0	14,0	18,0	28,0	9,0	26
918.3710	10,0	15,0	18,0	28,0	9,0	30
918.3711	11,0	16,0	18,0	28,0	9,0	30
918.3712	12,0	17,0	18,0	28,0	9,0	32
918.3713	13,0	19,0	18,0	28,0	9,0	35
918.3714	14,0	20,0	18,0	29,0	11,0	40
918.3715	15,0	21,0	20,0	30,0	13,0	42
918.3716	16,0	22,0	21,0	30,0	13,0	48
918.3717	17,0	24,0	22,0	30,0	13,0	55
918.3718	18,0	25,0	23,0	30,0	13,0	60
918.3719	19,0	26,0	24,0	30,0	13,0	70
918.3720	20,0	27,0	25,0	31,0	13,0	75
918.3721	21,0	29,0	26,0	31,0	14,0	82
918.3722	22,0	30,0	26,0	32,0	15,0	85
918.3724	24,0	31,0	27,0	32,0	16,0	88
918.3726	1/4"	10,0	18,0	30,0	6,0	20
918.3727	9/32"	11,0	18,0	30,0	7,0	22
918.3728	5/16"	12,0	18,0	30,0	7,0	24
918.3729	11/32"	13,0	18,0	30,0	7,0	26
918.3731	3/8"	14,0	18,0	30,0	9,0	26
918.3732	7/16"	16,0	18,0	30,0	10,0	30
918.3733	1/2"	18,0	18,0	30,0	12,0	30
918.3734	9/16"	20,0	20,0	30,0	13,0	30
918.3741	19/32"	19,0	20,8	30,0	13,0	40
918.3735	5/8"	22,0	22,0	30,0	13,0	40
918.3736	11/16"	23,0	24,0	30,0	14,0	50
918.3737	3/4"	25,0	26,0	30,0	15,0	60
918.3738	13/16"	21,0	28,0	32,0	16,0	70
918.3739	7/8"	29,0	30,0	32,0	18,0	80

CHROMEplus® 12 Point socket set

- 12-point
- FlankTraction-Profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Includes storage rail



CHROMEplus® 12 Point socket, deep

- 12 point
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D1 mm	D2 mm	L mm	T mm	kg
918.3742	8,0	12,0	16,0	63,0	10,0	45
918.3743	9,0	14,0	17,0	63,0	10,0	50
918.3744	10,0	15,0	18,0	64,0	11,0	50
918.3745	11,0	16,0	18,0	64,0	12,0	60
918.3746	12,0	17,0	18,0	64,0	14,0	65
918.3747	13,0	19,0	19,0	64,0	14,0	70
918.3748	14,0	20,0	20,0	64,0	17,0	85
918.3749	15,0	21,0	21,0	64,0	17,0	85
918.3751	16,0	22,0	22,0	64,0	17,0	95
918.3752	17,0	24,0	21,0	64,0	17,0	105
918.3753	18,0	25,0	22,0	64,0	20,0	110
918.3754	19,0	26,0	22,0	64,0	20,0	120
918.3755	20,0	27,0	24,0	64,0	20,0	135
918.3756	21,0	29,0	24,0	64,0	20,0	145
918.3757	22,0	30,0	24,0	64,0	23,0	160
918.3758	3/8"	14,0	18,0	64,0	11,0	50
918.3759	7/16"	16,0	18,0	64,0	12,0	60
918.3761	1/2"	18,0	19,0	64,0	14,0	70
918.3762	9/16"	20,0	20,0	64,0	17,0	85
918.3763	5/8"	22,0	22,0	64,0	17,0	95
918.3764	11/16"	24,0	22,0	64,0	17,0	105
918.3765	3/4"	26,0	22,0	64,0	20,0	135
918.3766	13/16"	28,0	24,0	64,0	20,0	145
918.3767	7/8"	30,0	24,0	64,0	23,0	160

CHROMEplus® 12-point socket-set, deep

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Includes storage rail




	mm	kg
918.0602	11 pcs 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	0.75



TX E socket

- TX E
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



		D1 mm	D2 mm	L mm	T mm	kg
911.4338	E4	7,0	17,0	28,0	5,0	25
911.4339	E5	7,0	18,0	28,0	5,0	25
911.4340	E6	9,0	18,0	28,0	5,0	25
911.4341	E7	10,0	18,0	28,0	6,0	25
911.4342	E8	11,0	18,0	28,0	6,0	25
911.4318	E10	13,0	18,0	28,0	9,0	30
911.4319	E11	14,0	18,0	28,0	9,0	30
911.4320	E12	15,0	18,0	28,0	9,0	30
911.4321	E14	17,0	18,0	28,0	9,0	35
911.4343	E16	18,0	19,0	28,0	9,0	40
911.4344	E18	19,0	19,0	28,0	9,0	40
911.4345	E20	19,0	20,0	28,0	9,0	40

TX E socket set

- TX E
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



	mm	kg
911.3930	10 pcs E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14 - E16 - E18	0.31

CHROMEplus® TX E socket

- TX E
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D1 mm	D2 mm	L mm	T mm	kg
918.3971	E4	7,0	17,0	28,0	5,0	25
918.3972	E5	7,0	18,0	28,0	5,0	25
918.3973	E6	9,0	18,0	28,0	5,0	25
918.3974	E7	10,0	18,0	28,0	6,0	25
918.3975	E8	11,0	18,0	28,0	6,0	25
918.3976	E10	13,0	18,0	28,0	9,0	30
918.3977	E11	14,0	18,0	28,0	9,0	30
918.3978	E12	15,0	18,0	28,0	9,0	30
918.3979	E14	17,0	18,0	28,0	9,0	35
918.3980	E16	18,0	23,0	28,0	9,0	40
918.3981	E18	19,0	24,0	28,0	9,0	40
918.3982	E20	19,0	17,0	28,0	9,0	40

CHROMEplus® TX E socket set


- TX E
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	mm	kg
918.3955	10 pcs E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14 - E16 - E18	0.31

Crawfoot wrench, hexagonal

- 6 point
- With internal square drive
- For manual operation
- Matt finish
- Chrome vanadium



	mm	L mm	T mm	kg
913.3810	10,0	40,0	16,0	40
913.3811	11,0	37,0	13,0	40
913.3812	12,0	37,0	15,0	40
913.3813	13,0	36,0	14,0	40
913.3814	14,0	43,0	18,0	60
913.3815	15,0	42,0	20,0	60
913.3816	16,0	43,0	22,0	60
913.3817	17,0	48,0	23,0	80
913.3818	18,0	46,0	21,0	80
913.3819	19,0	44,0	22,0	80

Crawfoot wrench, hexagonal


- 6 point
- Internal square drive
- For manual operation
- Matt finish
- Chrome vanadium



	mm	kg
913.3800	10 pcs 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	0.63

CHROMEplus® 12 point crawfoot wrench

- 12 point
- Internal square drive
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	L mm	T mm	kg
913.3910	10,0	36,0	13,0	40
913.3911	11,0	36,0	17,0	40
913.3912	12,0	37,0	14,0	40
913.3913	13,0	37,0	17,0	40
913.3914	14,0	41,0	19,0	60
913.3915	15,0	42,0	21,0	60
913.3916	16,0	43,0	22,0	60
913.3917	17,0	46,0	22,0	80
913.3919	19,0	46,0	23,0	80
913.3922	22,0	54,0	30,0	90

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
i

CHROMEplus® 12 point crawfoot wrench set

- 12 point
- Internal square drive
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail




3/8"

913.3900	10 pcs	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 22 mm	0.63
----------	--------	--	------



Spark plug socket

- DIN 3124 / ISO 3315
- Internal square to DIN 3120 / ISO 1174 with ball reception
- With rubber stop for holding the sparks plugs
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium



3/8"

	Profile	mm	D1 mm	D2 mm	L mm	T mm	g
911.3990	○	14,0	26,0	20,0	63,0	60	
911.3804	○	16,0	20,0	18,0	63,0	60	
911.3823	○	18,0	26,0	21,0	63,0	60	
911.3805	○	21,0	22,0	19,0	63,0	60	
911.3909	○	5/8"	22,0	20,0	63,0	60	
911.3908	○	13/16"	27,0	20,0	63,0	60	

CHROMEplus® Spark plug socket

- DIN 3124 / ISO 3315
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Rubber stop for holding the sparks plugs
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



3/8"

	Profile	mm	D1 mm	D2 mm	L mm	T mm	g
918.3990	○	14	20,0	18,0	63,0	60	
918.3804	○	16	22,0	19,0	63,0	60	
918.3805	○	18	26,0	20,0	63,0	60	
918.3806	○	21	28,0	21,0	63,0	60	
918.3991	○	13/16"	27,0	20,0	63,0	60	
918.3992	○	5/8"	22,0	20,0	63,0	60	

3/8" BIT SOCKETS

Bit socket for slotted screws

- Slotted
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



3/8"

	mm	D mm	L mm	T mm	g
911.3946	4.0	18.0	50.0	24.0	45
911.3947	5.0	18.0	50.0	24.0	45
911.3878	5.5	18.0	50.0	24.0	45
911.3879	6.5	18.0	50.0	24.0	45
911.3880	8.0	18.0	50.0	24.0	50
911.3948	12.0	18.0	50.0	24.0	50
911.3949	10.0	18.0	50.0	24.0	50

CHROMEplus® bit socket for slotted screws

- Slotted
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



3/8"

	mm	D mm	L mm	T mm	g
918.3851	4.0	18.0	50.0	24.0	40
918.3852	5.0	18.0	50.0	24.0	40
918.3853	5.5	18.0	50.0	24.0	45
918.3854	6.5	18.0	50.0	24.0	45
918.3855	8.0	18.0	50.0	24.0	50
918.3986	10.0	18.0	50.0	24.0	50
918.3987	12.0	18.0	50.0	24.0	50


Bit socket for phillips head screws PH

- PH
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



3/8"

		D mm	L mm	T mm	g
911.3875	PH 1	18.0	50.0	24.0	35
911.3876	PH 2	18.0	50.0	24.0	45
911.3877	PH 3	18.0	50.0	24.0	50



CHROMEplus® bit socket for Phillips screws PH

- PH
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



3/8"

		D mm	L mm	T mm	g
918.3868	PH 1	18.0	50.0	24.0	35
918.3869	PH 2	18.0	50.0	24.0	45
918.3891	PH 3	18.0	50.0	24.0	50

Bit socket for Phillips head screws PZ

- PZ
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



3/8"

		D mm	L mm	T mm	g
911.3881	PZ 1	18.0	50.0	24.0	40
911.3882	PZ 2	18.0	50.0	24.0	40
911.3883	PZ 3	18.0	50.0	24.0	55

CHROMEplus® bit socket for Phillips screws PZ

- PZ
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



3/8"

		D mm	L mm	T mm	g
918.3877	PZ 1	18.0	50.0	24.0	40
918.3878	PZ 2	18.0	50.0	24.0	40
918.3892	PZ 3	18.0	50.0	24.0	55

Bit socket for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D mm	L mm	T mm	kg
911.3863	3,0	18,0	50,0	24,0	40
911.3864	4,0	18,0	50,0	24,0	43
911.3865	5,0	18,0	50,0	24,0	44
911.3866	6,0	18,0	50,0	24,0	45
911.3867	7,0	18,0	50,0	24,0	46
911.3868	8,0	18,0	50,0	24,0	47
917.3857	10,0	18,0	50,0	24,0	60
911.3862	12,0	18,0	50,0	24,0	65
917.3962	5/32"	18,0	50,0	24,0	40
917.3963	3/16"	18,0	50,0	24,0	43
917.3964	1/4"	18,0	50,0	24,0	44
917.3965	5/16"	18,0	50,0	24,0	45
917.3966	3/8"	18,0	50,0	24,0	46
917.3967	1/8"	18,0	50,0	24,0	47
917.3968	7/32"	18,0	50,0	24,0	60

Bit socket set for hexagon key screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted stud
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



	mm	D mm	L mm	T mm	kg
911.3945	7 pcs	4 - 5 - 6 - 7 - 8 - 10 - 12 mm			0.31

CHROMEplus® Bit socket for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D mm	L mm	T mm	kg
918.3861	3,0	18,0	50,0	24,0	40
918.3862	4,0	18,0	50,0	24,0	43
918.3863	5,0	18,0	50,0	24,0	44
918.3864	6,0	18,0	50,0	24,0	45
918.3865	7,0	18,0	50,0	24,0	46
918.3866	8,0	18,0	50,0	24,0	47
918.3867	10,0	18,0	50,0	24,0	60
918.3961	12,0	18,0	50,0	24,0	65
918.3962	5/32"	18,0	50,0	24,0	40
918.3963	3/16"	18,0	50,0	24,0	43
918.3964	1/4"	18,0	50,0	24,0	44
918.3965	5/16"	18,0	50,0	24,0	45
918.3966	3/8"	18,0	50,0	24,0	46
918.3967	1/8"	18,0	50,0	24,0	47
918.3968	7/32"	18,0	50,0	24,0	60

CHROMEplus® bit socket set for hexagon screws


- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted stud
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	mm	D mm	L mm	T mm	kg
918.3921	7 pcs	4 - 5 - 6 - 7 - 8 - 10 - 12 mm			0.31

Bit socket for hexagon screws, long

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D mm	L mm	T mm	kg
911.1561	4,0	18,0	100,0	74,0	50
911.1562	5,0	18,0	100,0	74,0	50
911.1563	6,0	18,0	100,0	74,0	50
911.1564	7,0	18,0	100,0	74,0	50
911.1565	8,0	18,0	100,0	74,0	60
911.1566	10,0	18,0	100,0	74,0	60
911.1567	12,0	18,0	100,0	74,0	60

Bit socket set for hexagon screws, long


- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



	mm	D mm	L mm	T mm	kg
911.1560	7 pcs	4 - 5 - 6 - 7 - 8 - 10 - 12 mm			0.52

CHROMEplus® bit socket for hexagon screws, long

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D mm	L mm	T mm	kg
918.3914	4,0	18,0	100,0	74,0	50
918.3915	5,0	18,0	100,0	74,0	50
918.3916	6,0	18,0	100,0	74,0	50
918.3917	7,0	18,0	100,0	74,0	50
918.3918	8,0	18,0	100,0	74,0	60
918.3919	10,0	18,0	100,0	74,0	60
918.3920	12,0	18,0	100,0	74,0	60

CHROMEplus® bit socket set for hexagon screws, long


- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	mm	D mm	L mm	T mm	kg
918.3960	7 pcs	4 - 5 - 6 - 7 - 8 - 10 - 12 mm			0.52

Bit socket for hexagon screws with ball end

- Ball end hexagon socket
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D mm	L mm	T mm	kg
917.3860	3,0	18,0	50,0	24,0	45
917.3861	4,0	18,0	50,0	24,0	45
917.3862	5,0	18,0	50,0	24,0	45
917.3863	6,0	18,0	50,0	24,0	45
917.3864	7,0	18,0	50,0	24,0	45
917.3866	8,0	18,0	50,0	24,0	45
917.3869	10,0	18,0	50,0	24,0	45

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27



Bit-socket set for hexagon-screws with ball end

- Ball end hexagon socket
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



911.3922	7 pcs	3 - 4 - 5 - 6 - 7 - 8 - 10 mm	0.41
----------	-------	-------------------------------	------

CHROMEplus® bit socket for hexagon screws with ball end

- Ball end hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D mm	L mm	T mm	g
918.3870	3,0	18,0	50,0	24,0	45
918.3871	4,0	18,0	50,0	24,0	45
918.3872	5,0	18,0	50,0	24,0	45
918.3873	6,0	18,0	50,0	24,0	45
918.3874	7,0	18,0	50,0	24,0	45
918.3875	8,0	18,0	50,0	24,0	45
918.3876	10,0	18,0	50,0	24,0	45

CHROMEplus® bit socket-set for hexagon screws with ball end


- Ball end hexagon socket
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



918.3772	7 pcs	3 - 4 - 5 - 6 - 7 - 8 - 10 mm	0.41
----------	-------	-------------------------------	------

Bit socket for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
911.3921	T9	18,0	50,0	24,0	42
911.3887	T10	18,0	50,0	24,0	45
911.3869	T15	18,0	50,0	24,0	45
911.3870	T20	18,0	50,0	24,0	45
911.3871	T25	18,0	50,0	24,0	45
911.3872	T27	18,0	50,0	24,0	45
911.3873	T30	18,0	50,0	24,0	45
911.3874	T40	18,0	50,0	24,0	45
911.3885	T45	18,0	50,0	24,0	50
911.3884	T50	18,0	50,0	24,0	70
911.3888	T55	18,0	50,0	24,0	70
911.3889	T60	18,0	50,0	24,0	70

Bit socket set for TX screws


- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



911.3935	10 pcs	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55	0.41
----------	--------	---	------

CHROMEplus® bit socket for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	g
918.3768	T9	18,0	50,0	24,0	42
918.3879	T10	18,0	50,0	24,0	45
918.3880	T15	18,0	50,0	24,0	45
918.3881	T20	18,0	50,0	24,0	45
918.3882	T25	18,0	50,0	24,0	45
918.3883	T27	18,0	50,0	24,0	45
918.3884	T30	18,0	50,0	24,0	45
918.3885	T40	18,0	50,0	24,0	45
918.3886	T45	18,0	50,0	24,0	50
918.3887	T50	18,0	50,0	24,0	70
918.3888	T55	18,0	50,0	24,0	70
918.3889	T60	18,0	50,0	24,0	70

CHROMEplus® bit socket set for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail




918.3939	10 pcs	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55	0.41
----------	--------	---	------



Bit socket for TX screws, long

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
911.1551	T20	18,0	100,0	74,0	50
911.1552	T25	18,0	100,0	74,0	50
911.1553	T27	18,0	100,0	74,0	50
911.1554	T30	18,0	100,0	74,0	60
911.1555	T40	18,0	100,0	74,0	60
911.1556	T45	18,0	100,0	74,0	60
911.1557	T50	18,0	100,0	74,0	60
911.1558	T55	18,0	100,0	74,0	80
911.1559	T60	18,0	100,0	74,0	100

Bit socket set for TX screws, long


- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



911.1550	9 pcs	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60	0.65
----------	-------	---	------

CHROMEplus® bit socket for TX screws, long

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	D mm	L mm	T mm	Ⓜ	
918.4011	T20	18.0	100.0	74.0	50
918.4012	T25	18.0	100.0	74.0	50
918.4013	T27	18.0	100.0	74.0	50
918.4014	T30	18.0	100.0	74.0	60
918.4015	T40	18.0	100.0	74.0	60
918.4016	T45	18.0	100.0	74.0	60
918.4017	T50	18.0	100.0	74.0	60
918.4018	T55	18.0	100.0	74.0	80
918.4019	T60	18.0	100.0	74.0	100

CHROMEplus® bit socket set for TX screws, long

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	D mm	L mm	T mm	Ⓜ
918.1550	9 pcs	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60		0.65

Bit socket for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	D mm	L mm	T mm	Ⓜ	
911.3960	TB10	18.0	47.0	24.0	47
911.3961	TB15	18.0	47.0	24.0	47
911.3962	TB20	18.0	47.0	24.0	47
911.3963	TB25	18.0	47.0	24.0	47
911.3964	TB27	18.0	46.0	24.0	47
911.3965	TB30	18.0	64.0	24.0	64
911.3966	TB40	18.0	64.0	24.0	64
911.3967	TB45	18.0	64.0	24.0	64
911.3968	TB50	18.0	77.0	24.0	77
911.3969	TB55	18.0	77.0	24.0	77
911.3970	TB60	18.0	50.0	24.0	77

Bit socket set for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



	D mm	L mm	T mm	Ⓜ
911.3940	10 pcs	TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55		0.40



CHROMEplus® bit socket for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	D mm	L mm	T mm	Ⓜ	
918.3940	TB10	18.0	50.0	24.0	47
918.3941	TB15	18.0	50.0	24.0	47
918.3942	TB20	18.0	50.0	24.0	47
918.3943	TB25	18.0	50.0	24.0	47
918.3944	TB27	18.0	50.0	24.0	47
918.3945	TB30	18.0	50.0	24.0	64
918.3946	TB40	18.0	50.0	24.0	64
918.3947	TB45	18.0	50.0	24.0	64
918.3948	TB50	18.0	50.0	24.0	77
918.3949	TB55	18.0	50.0	24.0	77
918.3950	TB60	18.0	50.0	24.0	77

CHROMEplus® bit socket set for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	D mm	L mm	T mm	Ⓜ
918.3970	10 pcs	TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55		0.40

Bit socket for TX tamperproof screws, long

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	D mm	L mm	T mm	Ⓜ	
911.3971	TB20	18.0	100.0	74.0	50
911.3972	TB25	18.0	100.0	74.0	50
911.3973	TB27	18.0	100.0	74.0	50
911.3974	TB30	18.0	100.0	74.0	60
911.3975	TB40	18.0	100.0	74.0	60
911.3976	TB45	18.0	100.0	74.0	60
911.3977	TB50	18.0	100.0	74.0	60
911.3978	TB55	18.0	100.0	74.0	80
911.3979	TB60	18.0	100.0	74.0	100

Bit socket set for TX tamperproof screws, long

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



	D mm	L mm	T mm	Ⓜ
911.3980	9 pcs	TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60		0.65

CHROMEplus® bit socket for TX tamperproof screws, long

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	D mm	L mm	T mm	Ⓜ	
918.4001	TB20	18.0	100.0	74.0	50
918.4002	TB25	18.0	100.0	74.0	50
918.4003	TB27	18.0	100.0	74.0	50
918.4004	TB30	18.0	100.0	74.0	60
918.4005	TB40	18.0	100.0	74.0	60
918.4006	TB45	18.0	100.0	74.0	60
918.4007	TB50	18.0	100.0	74.0	60
918.4008	TB55	18.0	100.0	74.0	80
918.4009	TB60	18.0	100.0	74.0	100

CHROMEplus® bit socket set for TX tamperproof screws, long

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



		M4	
918.3969	9 pcs	TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60	0.65

Bit socket for XZN® screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
911.3918	M4	18.0	50.0	24.0	43
911.3915	M5	18.0	50.0	24.0	44
911.3916	M6	18.0	50.0	24.0	45
911.3917	M8	18.0	50.0	24.0	47
911.3920	M10	18.0	50.0	24.0	48

Bit socket for spline (XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



		M4 - M5 - M6 - M8 - M10	
911.3923	5 pcs		0.15



CHROMEplus® bit socket for Spline(XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	g
918.3856	M4	18.0	50.0	24.0	43
918.3857	M5	18.0	50.0	24.0	44
918.3858	M6	18.0	50.0	24.0	45
918.3859	M8	18.0	50.0	24.0	47
918.3860	M10	18.0	50.0	24.0	48

CHROMEplus® bit socket set for Spline(XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



		M4 - M5 - M6 - M8 - M10	
918.3773	5 pcs		0.15

3/8" ADAPTERS

Bit adaptor socket

- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 1/4" bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Matt finish
- Chrome vanadium



			L mm	D1 mm	D2 mm	T mm	g
911.3894	3/8"	1/4"	25.0	12.0	17.0	11.0	20
911.4328	3/8"	5/16"	30.0	13.0	17.0	14.0	30

CHROMEplus® bit adaptor socket

- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 1/4" bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



			L mm	D1 mm	D2 mm	T mm	g
918.3983	3/8"	1/4"	25.0	12.0	17.0	11.0	20
918.3984	3/8"	5/16"	30.0	13.0	17.0	14.0	30
918.3985	3/8"	10 mm	30.0	17.0	17.0	11.0	30

Bit adaptor socket

- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 5/16" bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Matt finish
- Chrome vanadium



			L mm	D1 mm	g
911.4331	3/8"	5/16"	28.0	13.0	25
911.4311	3/8"	10 mm	30.0	17.0	30

Adaptor


- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



			L mm	g
911.3892	3/8"	1/2"	30.0	60

CHROMEplus® adaptor


- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



			L mm	g
918.3931	3/8"	1/2"	30.0	60

Reducing adaptor

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



			L mm	g
911.3897	3/8"	1/4"	30.0	60

CHROMEplus® reducing adaptor

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



			L mm	
918.3930	3/8"	1/4"	30.0	60

Adaptor and reducing adaptor set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

				L mm	
911.0106	6 pcs	1/4" x 3/8" - 3/8" x 1/4" - 3/8" x 1/2" - 1/2" x 3/8" - 1/2" x 3/4" - 3/4" x 1/2"			0.66

CHROMEplus® adaptor and reducing adaptor set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic storage case



1/4" 3/8" 1/2"

				L mm	
918.0106	6 pcs	1/4" x 3/8" - 3/8" x 1/4" - 3/8" x 1/2" - 1/2" x 3/8" - 1/2" x 3/4" - 3/4" x 1/2"			0.66

Sliding adaptor and reducing adaptor

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- To the use with extensions
- Also usably as adaptors and/or reducing adaptors
- For manual operation
- Matt finish
- Chrome vanadium



			L mm	
911.1207	3/8"	1/2"	40.0	60
911.3826	1/2"	3/8"	40.0	60

CHROMEplus® sliding / adaptor and reducing adaptor

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- To the use with extensions
- Also usably as adaptors and/or reducing adaptors Reducing adaptor
- For manual operation
- Matt finish
- Chrome vanadium



			L mm	
918.3807	1/2"	3/8"	40.0	60
918.1449	1/4"	3/8"	40.0	60



3/8" UNIVERSAL JOINTS

Universal joint

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Flexible joint
- For manual operation
- Matt finish
- Chrome vanadium



			L mm	
911.3850	3/8"	3/8"	55.0	80

CHROMEplus® universal joint

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Flexible joint
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



			L mm	
918.3988	3/8"	3/8"	55.0	80

Power universal ball joint

- Ideal for use with electric screwdriver
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Very low running rotation
- New joint construction
- Outstanding use of angles up to 45°
- Very resistant to breakage
- Can be used by hand or with and electric screwdriver
- Matt finish
- Chrome vanadium



			L mm	
917.3850	3/8"	3/8"	50.0	80

CHROMEplus® power universal joint

- Ideal for use with electric screwdriver
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Very low running rotation
- New joint construction
- Outstanding use of angles up to 45°
- Very resistant to breakage
- Can be used by hand or with and electric screwdriver
- Chrome plated and mirror polished
- Chrome vanadium




			L mm	
919.3850	3/8"	3/8"	50.0	80

3/8" T-HANDLES

Sliding T-handle

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Matt finish
- Chrome vanadium




	■	H mm	L mm	g
911.3855	3/8"	40.0	160.0	160



CHROMEplus® sliding T handle

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	■	H mm	L mm	g
918.3845	3/8"	40.0	160.0	160

3/8" EXTENSIONS

Extension

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	g
911.3852	50.0	40
911.3801	75.0	50
911.3802	150.0	160
911.3856	200.0	200
911.3803	250.0	240

Extension set

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- With hexagon drive
- For manual operation
- Matt finish
- Chrome vanadium



	1/4"	3/8"	1/2"	g
911.0007	9 pcs	Extension set		1.22
3 x		1/4" : 50 - 100 - 250 mm		
4 x		3/8" : 50 - 75 - 150 - 200 mm		
2 x		1/2" : 125 - 250 mm		

CHROMEplus® extension

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Hexagon drive
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	g
918.3769	50.0	40
918.3896	75.0	120
918.3897	150.0	150
918.3771	200.0	190
918.3898	250.0	240

CHROMEplus® Extension set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	1/4"	3/8"	1/2"	g
918.0007	9 pcs	CHROMEplus® Extension set		1.22
3 x		1/4" : 50 - 100 - 250 mm		
4 x		3/8" : 50 - 75 - 150 - 200 mm		
2 x		1/2" : 125 - 250 mm		

Wobble extension

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	g
911.3910	50.0	40
911.3911	75.0	80
911.3912	150.0	140
911.3913	200.0	190
911.3914	250.0	240

Wobble extension set

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Matt finish
- Chrome vanadium



	1/4"	3/8"	1/2"	g
911.0009	9 pcs	Wobble extension set		
3 x		1/4" : 50 - 100 - 250 mm		
4 x		3/8" : 50 - 75 - 150 - 200 mm		
2 x		1/2" : 125 - 250 mm		

CHROMEplus® wobble extension

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	g
918.3935	45.0	120
918.3801	75.0	150
918.3802	150.0	200
918.3958	225.0	210
918.3803	250.0	240

CHROMEplus® Wobble extension set

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	1/4"	3/8"	1/2"	g
918.0009	9 pcs	CHROMEplus® Wobble extension set		1.22



CHROMEplus® extension with interlock

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Interlocking mechanism against accidental loosening
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	g
919.3801	75.0	70
919.3804	150.0	140
919.3806	250.0	250

CHROMEplus® extension set with interlock

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Interlocking mechanism against accidental loosening
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	g
919.0383	3 pcs 75 - 150 - 250 mm	0.56

CHROMEplus® Extension set with interlock

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Interlocking mechanism against accidental loosening
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	g
919.0007	7 pcs CHROMEplus® Extension set with interlock	1.24
2 x	1/4" : 100 - 150 mm	
3 x	3/8" : 75 - 150 - 250 mm	
2 x	1/2" : 125 - 250 mm	

3/8" MANUAL DRIVE TOOLS

CHROMEplus® Flexi head drive handle

- Square drive to DIN 3120 / ISO 1174 with ball lock
- Ideal for difficult to access areas
- Protects ratchet and torque wrenches from overloading
- Burnished head
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	head, spare	g
918.3700	260.0	918.3826-1	390
918.3826	400.0	918.3826-1	542
918.3701	450.0	918.3826-1	615

Offset handle

- DIN 3122 / ISO 3315
- Square drive according to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	g
911.3925	180.0	155

Crank handle

- DIN 3122 / ISO 3315
- Square drive according to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	g
911.3950	190.0	425

3/8" RATCHETS

Reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Matt finish
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
914.3890	17.0	32.0	200.0	914.3897	130

CHROMEplus® reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Two component handle with a soft zone, is ergonomic in design and comfortable in the hand
- Lightweight recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
918.3890	17.0	32.0	200.0	914.3897	130

CHROMEplus® reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Lightweight recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
918.3993	17.0	31.0	180.0	914.3897	540

SlimPOWER reversible ratchet


- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 102 N·m maximum load
- Reversible
- Extremely slim head
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle with soft zone
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
920.3890	14.0	26.0	190.0	920.3890-1	180

Reversible ratchet

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 45 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Two component handle with a soft zone, is ergonomic in design and comfortable in the hand
- Matt finish
- Chrome vanadium



3/8"

	A mm	D mm	L mm	Repair set	kg
911.3800	16.0	32.0	200.0	911.3899	310

CHROMEplus® reversible ratchet

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 45 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Two component handle with a soft zone, is ergonomic in design and comfortable in the hand
- Chrome plated and mirror polished
- Chrome vanadium




3/8"

	A mm	D mm	L mm	Repair set	kg
918.3800	16.0	32.0	200.0	911.3899	310

CHROMEplus® flexible head reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 180° revolving head
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



3/8"

	A mm	D mm	L mm	Repair set	kg
918.3997	16.0	31.0	100.0	914.3897	170



Flexible head reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 180° revolving head
- Reversible
- Exact gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Matt finish
- Chrome vanadium



3/8"

	A mm	D mm	L mm	Repair set	kg
914.3896	16.0	30.0	275.0	914.3897	260

CHROMEplus® flexible head reversible ratchet with cranked shaft

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 180° revolving head
- Cranked shaft
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Lightweight recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



3/8"

	A mm	D mm	L mm	Repair set	kg
918.3895	16.0	30.0	275.0	914.3897	230

3/8" SET ASSORTMENTS

CHROMEplus® spark plug service set

- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



3/8"

			kg
918.0607	7 pcs	CHROMEplus® spark plug service set	1.44
4 x		14 - 16 - 18 - 21 mm	
1 x		150 mm	
1 x		150 mm	
1 x		270 mm	

Socket set

- 12 point
- FlankTraction Profile
- Matt finish
- Chrome vanadium
- In durable plastic case



3/8"

			kg
911.3995	22 pcs	Socket set	2.00
15 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm	
1 x		3/8"	
2 x		75 - 150 mm	
1 x		3/8"	
2 x		16 - 21 mm	
1 x		1/2" F x 3/8" M	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



3/8"

			kg
911.0626	26 pcs	Socket set	2.70
18 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm	
2 x		16 - 21 mm	
3 x		50 - 75 - 200 mm	
1 x		3/8"	
1 x		3/8"	
1 x		200 mm	



CHROMEplus® socket set

- 6 point
- FlankTraction Profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



3/8"

918.0627	27 pcs	CHROMEplus® socket set	2.40
13 x		8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 22 - 24 mm	
10 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	
2 x		75 - 150 mm	
1 x		3/8"	
1 x		195 mm	

Socket set

- 6 point
- FlankTraction Profile
- Matt finish
- Chrome vanadium
- In durable steel case



3/8"

917.4031	30 pcs	Socket set	2.88
16 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 21 - 22 - 24 mm	
7 x		8 - 10 - 11 - 12 - 13 - 15 - 17 mm	
2 x		16 - 21 mm	
2 x		75 - 200 mm	
1 x		3/8"	
1 x		3/8"	
1 x		200 mm	

CHROMEplus® Socket set

- Imperial sizes
- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



3/8"

918.0846	46 pcs	CHROMEplus® Socket set	1.13
11 x		1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8"	
6 x		3/8" - 7/16" - 1/2" - 9/16" - 11/16" - 3/4"	
2 x		5/8" - 13/16"	
7 x		1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"	
10 x		T10 - T15 - T20 - T25 - T27 - T30 T40 - T45 - T50 - T55	
5 x		M4 - M5 - M6 - M8 - M10	
2 x		75 - 150 mm	
1 x		3/8"	
1 x		160 mm	
1 x		195 mm	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



3/8"

911.0661	61 pcs	Socket set	4.20
18 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 mm	
10 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm	
3 x		5,5 - 7 - 8 mm	
3 x		PH1 - PH2 - PH3	
3 x		PZ1 - PZ2 - PZ3	

7 x		3 - 4 - 5 - 6 - 7 - 8 - 10 mm
10 x		T10 - T15 - T20 - T25 - T27 - T30 T40 - T45 - T50 - T55
2 x		16 - 21 mm
2 x		75 - 250 mm
1 x		3/8"
1 x		3/8"
1 x		200 mm

CHROMEplus® socket set

- 6 point
- FlankTraction Profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



3/8"

918.0661	61 pcs	CHROMEplus® socket set	3.40
18 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 mm	
10 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm	
2 x		16 - 21 mm	
3 x		5,5 - 7 - 8 mm	
3 x		PH1 - PH2 - PH3	
3 x		PZ1 - PZ2 - PZ3	
7 x		3 - 4 - 5 - 6 - 7 - 8 - 10 mm	
10 x		T10 - T15 - T20 - T25 - T27 - T30 T40 - T45 - T50 - T55	
2 x		75 - 150 mm	
1 x		3/8"	
1 x		3/8"	
1 x		200 mm	



3/8" SET ASSORTMENTS

TX Socket and bit set

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

911.4301-1			
30 pcs	TX Socket and bit set	1.45	
5 x	1/4": E4 - E5 - E6 - E7 - E8		
4 x	3/8": E10 - E11 - E12 - E14		
5 x	1/2": E16 - E18 - E20 - E22 - E24		
2 x	3/8" x 10 mm - 1/2" x 10mm		
7 x	30 mm (T20 - T25 - T30 - T40 - T45 T50 - T55)		
7 x	75 mm (T20 - T25 - T30 - T40 - T45 T50 - T55)		

TX Bit socket set for TX tamperproof screws

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

911.4301-2			
30 pcs	TX Bit socket set for TX tamperproof screws	1.45	
5 x	1/4": E4 - E5 - E6 - E7 - E8		
4 x	3/8": E10 - E11 - E12 - E14		
5 x	1/2": E16 - E18 - E20 - E22 - E24		
2 x	3/8" x 10 mm - 1/2" x 10mm		
7 x	30 mm (TB20 - TB25 - TB30 - TB40 TB45 - TB50 - TB55)		
7 x	75 mm (TB20 - TB25 - TB30 - TB40 TB45 - TB50 - TB55)		

TX Socket set

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

911.4302			
31 pcs	TX Socket set	1.40	
6 x	1/4": T10 - T15 - T20 - T25 - T27 - T30		
3 x	5/16": T40 - T45 - T50		
3 x	1/4": TB30 x 30 mm - TB25 x 75 mm - TB30 x 75 mm		
2 x	1/2": T55 - T60		
4 x	1/4": E5 - E6 - E7 - E8		
3 x	3/8": E10 - E12 - E14		
3 x	1/2": E16 - E18 - E20		
3 x	1/4" x 1/4" - 3/8" x 5/16" - 1/2" x 5/16"		
4 x	E6 x E8 - E7 x E11 - E10 x E12 E14 x E18 -		

TX Socket and bit set

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

911.4305			
57 pcs	TX Socket and bit set	2.00	
2 x	3/8" x 10mm - 1/2" x 1/4"		
12 x	1/4": E4 - E5 - E6 - E7 - E8; 3/8": E10 - E11 - E12 - E14; 1/2": E16 - E18 - E20		
7 x	4 - 5 - 6 - 7 - 8 - 10 - 12 mm		
9 x	TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60		
5 x	M5 - M6 - M8 - M10 - M12		
2 x	8 - 10 mm		
2 x	PH2 - PH3		
5 x	5 - 6 - 7 - 8 - 10 mm		
9 x	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60		
4 x	M6 - M8 - M10 - M12		

CHROMEplus Socket set

- Imperial sizes
- 6 point
- FlankTraction Profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4" 3/8"

918.0699			
99 pcs	CHROMEplus Socket set	6.30	
12 x	1/4": 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 mm		
10 x	1/4": 5/32" - 3/16" - 7/32" - 1/4" - 9/32" 5/16" - 11/32" - 3/8" - 7/16" - 1/2"		
16 x	3/8": 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 20 - 21 - 22 24 mm		
5 x	3/8": 10 - 12 - 13 - 17 - 19 mm		
11 x	3/8": 1/4" - 5/16" - 3/8" - 7/16" - 1/2" 9/16" - 5/8" - 11/16" - 3/4" - 13/16" 7/8"		
5 x	3/8": 3/8" - 7/16" - 1/2" - 9/16" - 5/8"		
3 x	3/8": 16 - 18 - 21 mm		
3 x	3/8": 5.5 - 6.5 - 8 mm		
2 x	3/8": PH1 - PH2		
2 x	3/8": PZ1 - PZ2		
5 x	3/8": 5 - 6 - 7 - 8 - 10 mm		
5 x	3/8": 5/32" - 3/16" - 1/4" - 5/16" - 3/8"		
8 x	3/8": T10 - T15 - T20 - T25 - T27 - T30 T40 - T45		
5 x	3/8": M4 - M5 - M6 - M8 - M10		
1 x	1/4"		
1 x	1/4": 100 mm		
1 x	1/4"		
2 x	3/8": 75 - 150 mm		
1 x	3/8"		
1 x	3/8": 200 mm		



CHROMEplus® Universal tool kit set

- 3 drawers and upper insert storage
- 6 point
- FlankTraction Profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable steel tool chest



1/4" 3/8"

918.0250	99 pcs	CHROMEplus® Universal tool kit set	22.00
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
3 x		1/4": 8 - 10 - 13 mm	
1 x		1/4": 50 mm	
1 x		1/4"	
1 x		1/4": 110 mm	
1 x		1/4": 140 mm	
3 x		3/8": 4 - 5,5 - 7 mm	
2 x		3/8": PH1 - PH2	
2 x		3/8": PZ1 - PZ2	
6 x		3/8": 3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		3/8": T10 - T15 - T20 - T25 - T27 T30 - T40	
12 x		3/8": 8 - 10 - 12 - 13 - 14 - 15 - 17 - 18 - 19 - 20 - 22 - 24 mm	
2 x		3/8": 17 - 19 mm	
2 x		3/8": 16 - 21 mm	
2 x		3/8": 75 - 150 mm	
1 x		3/8": F1/4" x M 3/8"	
1 x		3/8"	
1 x		3/8": 200 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
12 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 mm	
6 x		6 x 38 mm - 3 x 75 mm - 4 x 100 mm 5,5 x 100 mm - 6,5 x 125 mm - 8 x 150 mm	
4 x		PH2 x 38 mm - PH1 x 75 mm PH2 x 100 mm - PH3 x 150 mm	
1 x		160 mm	
1 x		180 mm	
1 x		200 mm	
1 x		10"	
1 x		250 mm	
1 x		300 g	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

918.0724	124 pcs	CHROMEplus® Socket set	9.50
10 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 mm	
6 x		1/4": 5 - 6 - 7 - 8 - 9 - 10 mm	
11 x		3/8": 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 mm	
6 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 mm	
8 x		3/8": E8 - E10 - E11 - E12 - E14 - E16 E18 - E20	
8 x		1/2": 20 - 21 - 22 - 24 - 27 - 30 - 32 34 mm	
6 x		1/2": 10 - 12 - 13 - 14 - 17 - 19 mm	
2 x		1/2": E22 - E24	
2 x		1/2": 16 - 21 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
12 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 mm	
2 x		3/8": 4 - 5,5 mm	
3 x		3/8": PH1 - PH2 - PH3	
3 x		3/8": PZ1 - PZ2 - PZ3	
5 x		3/8": 3 - 4 - 5 - 6 - 8 mm	
5 x		3/8": T20 - T30 - T40 - T45 - T50	
4 x		3/8": M4 - M5 - M6 - M8	
7 x		1/4": T10 - T15 - T20 - T25 - T27 T30 - T40	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 100 mm	
2 x		3/8": 75 - 150 mm	
2 x		1/2": 125 - 250 mm	
3 x		1/4" - 3/8" - 1/2"	
2 x		1/2": F1/2" x M 3/8"	
3 x		1/4" - 3/8" - 1/2"	

CHROMEplus® universal tool kit set

- 6 point
- FlankTraction Profile
- Removeable plastic storage trays
- Chrome plated and mirror polished
- Chrome vanadium
- Telescopic carrying handle
- In a classy aluminium trolley



3/8"

918.0772	172 pcs	CHROMEplus® universal tool kit set	19.00
16 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 24 mm	
2 x		16 - 21 mm	
3 x		5,5 - 6,5 - 8 mm	
4 x		M4 - M5 - M6 - M8 - M10	
5 x		5 - 6 - 7 - 8 - 10 mm	
8 x		T10 - T15 - T20 - T25 - T27 - T30 T40 - T45	
2 x		PH1 - PH2	
2 x		PZ1 - PZ2	
1 x			
1 x			
1 x		200 mm	
1 x		3/8"	
2 x		75 - 150 mm	
1 x		250 mm	
12 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 mm	
4 x		6 x 38 mm - 3 x 75 mm 6,5 x 125 mm - 10 x 250 mm	
3 x		PH 1 x 75 mm - PH 2 x 100 mm PH 2 x 38 mm	
2 x		PZ 1 x 75 mm - PZ 2 x 38 mm	
1 x		160 mm	
1 x		165 mm	
1 x		180 mm	
1 x		250 mm	
1 x			
1 x		10"	
1 x		250 mm	
1 x		250 mm	
1 x		140 mm	
1 x		300 g	
1 x			
1 x		5 mm	

1 x		12 mm
1 x		
1 x		
1 x		100 mm
1 x		max. 2 kg
1 x		102 mm
1 x		
1 x		
1 x		
1 x		12,5 x 200 mm



Socket set

- 6 point
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" 3/8" 1/2"

917.0779	179 pcs	Socket set	7.40
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	
5 x		1/4": 6 - 7 - 8 - 9 - 10 mm	
10 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 mm	
6 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 mm	
17 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 30 - 32 mm	
5 x		1/2": 16 - 17 - 18 - 19 - 22 mm	
1 x		3/8": 18 mm	
2 x		1/2": 16 - 21 mm	
4 x		1/4": 4 - 5 - 6,5 - 7 mm	
3 x		1/4": PH0 - PH1 - PH2	
3 x		1/4": PZ0 - PZ1 - PZ2	
4 x		1/4": 3 - 4 - 5 - 6 mm	
8 x		1/4": T8 - T9 - T10 - T15 - T20 - T25 - T27 T30	
8 x		1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 TB27 - TB30	
5 x		1/4": E4 - E5 - E6 - E7 - E8	
6 x		3/8": E10 - E11 - E12 - E14 - E16 - E18	
2 x		1/2": E20 - E24	
11 x		1/4": T5 - T6 - T7 - T8 - T9 - T10 - T15 T20 - T25 - T27 - T30	
1 x		1/4": TB7	
3 x		1/4": M5 - M6 - M8	
5 x		1/4": M5 - M6 - M7 - M8 - M9	
8 x		1/4": TS10 - TS15 - TS20 - TS25 TS27 - TS30 - TS40 - TS45	
3 x		5/16": 8 - 10 - 12 mm	
5 x		5/16": 7 - 8 - 10 - 12 - 14 mm	
1 x		5/16": PH3 - PH4	
1 x		5/16": PZ3 - PZ4	
6 x		5/16": T40 - T45 - T50 - T55 - T60 - T70	
6 x		5/16": TB40 - TB45 - TB50 - TB55 TB60 - TB70	

7 x		1,3 - 1,5 - 2 - 2,5 - 3 - 4 - 5 mm
1 x		1/4": 150 mm
1 x		1/4": 110 mm
2 x		1/4": 50 - 100 mm
1 x		3/8": 150 mm
2 x		1/2": 125 - 250 mm
3 x		1/4" - 3/8" - 1/2
1 x		1/4" x 1/4"
1 x		3/8" x 5/16"
1 x		1/2" x 5/16"
1 x		3/8" Fx 1/2" M
3 x		1/4" - 3/8" - 1/2

3/8" POINT OF SALE DISPLAYS

Socket display

- 6-point
- FlankTraction-Profile
- Matt finish
- Chrome vanadium
- In point of sale display




3/8"

911.0340	169 pcs	Socket display	10.50
169 x		16 x (8 mm) 13 x (9 - 10 - 11 - 12 - 13 mm) 11 x (14 mm) 10 x (15 - 16 mm) 9 x (17 - 18 mm) 8 x (19 - 20 - 21 - 22 mm) 7 x (24 mm)	

CHROMEplus® socket display

- 6 point
- FlankTraction Profile
- Chrome plated and mirror polished
- Chrome vanadium
- In point of sale display




3/8"

918.0340	169 pcs	CHROMEplus® socket display	10.50
169 x		16 x (8 mm) 13 x (9 - 10 - 11 - 12 - 13 mm) 11 x (14 mm) 10 x (15 - 16 mm) 9 x (17 - 18 mm) 8 x (19 - 20 - 21 - 22 mm) 7 x (24 mm)	

Bit socket display

- Matt finish
- Chrome vanadium



		kg	
911.0350	229 pcs	Bit socket display	13.50
39 x		13 x (5,5 - 6,5 - 8 mm)	
39 x		13 x (PH1 - PH2 - PH3)	
39 x		13 x (PZ1 - PZ2 - PZ3)	
91 x		13 x (TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40)	
20 x		10 x (75 mm) 10 x (150 mm)	

CHROMEplus® Bit socket display

- Chrome plated and mirror polished
- Chrome vanadium



		kg	
918.0350	229 pcs	CHROMEplus® Bit socket display	13.50
39 x		13 x (5,5 - 6,5 - 8 mm)	
39 x		13 x (PH1 - PH2 - PH3)	
39 x		13 x (PZ1 - PZ2 - PZ3)	
91 x		13 x (TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40)	
20 x		10 x (75 mm) 10 x (150 mm)	



1/2" SOCKETS

CLASSIC Hexagonal socket

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



	mm	mm	D1 mm	D2 mm	L mm	T mm	kg
917.1340	8,0		13,0	23,0	38,0	7,0	45
917.1341	9,0		14,0	23,0	38,0	8,0	48
917.1210	10,0		16,0	23,0	38,0	13,0	50
917.1211	11,0		17,0	23,0	38,0	13,0	53
917.1212	12,0		18,0	23,0	38,0	13,0	55
917.1213	13,0		19,0	23,0	38,0	13,0	60
917.1214	14,0		21,0	23,0	38,0	13,0	62
917.1215	15,0		22,0	24,0	40,0	15,0	65
917.1216	16,0		23,0	24,0	40,0	15,0	68
917.1217	17,0		24,0	23,0	40,0	15,0	70
917.1218	18,0		26,0	23,0	40,0	17,0	72
917.1219	19,0		27,0	24,0	40,0	17,0	80
917.1220	20,0		28,0	26,0	40,0	17,0	85
917.1221	21,0		29,0	26,0	42,0	19,0	95
917.1222	22,0		31,0	26,0	42,0	19,0	100
917.1223	23,0		32,0	28,0	42,0	19,0	105
917.1224	24,0		33,0	28,0	42,0	19,0	110
917.1342	25,0		34,0	29,0	42,0	19,0	120
917.1343	26,0		36,0	29,0	42,0	19,0	130
917.1227	27,0		37,0	30,0	42,0	19,0	150
917.1344	28,0		38,0	31,0	43,0	20,0	165
917.1345	29,0		39,0	31,0	43,0	20,0	180
917.1230	30,0		41,0	33,0	43,0	21,0	200
917.1225	31,0		42,5	28,0	47,0	22,0	210
917.1232	32,0		43,0	43,0	43,0	23,0	210
917.1346	34,0		46,0	46,0	46,0	23,0	260
917.1226	33,0		44,5	45,0	47,0	22,0	215
917.1347	36,0		48,0	48,0	48,0	23,0	260
917.1228		5/16"	13,0	23,0	38,0	7,0	45
917.1229		11/32"	14,0	23,0	38,0	8,0	48
917.1348		3/8"	14,0	16,0	16,0	9,0	50
917.1231		13/32"	16,0	23,0	38,0	14,0	50
917.1349		7/16"	16,0	17,0	17,0	9,0	50
917.1350		1/2"	18,0	19,0	19,0	13,0	60
917.1351		9/16"	20,0	21,0	21,0	13,0	60
917.1352		19/32"	21,0	22,0	22,0	14,0	60
917.1353		5/8"	22,0	24,0	24,0	14,0	60
917.1354		11/16"	24,0	24,0	24,0	16,0	70
917.1355		3/4"	26,0	27,0	27,0	16,0	90
917.1233		25/32"	28,0	25,0	40,0	17,0	85
917.1356		13/16"	28,0	28,0	28,0	17,0	90
917.1357		7/8"	30,0	30,0	30,0	18,0	120
917.1358		15/16"	32,0	32,0	32,0	19,0	130
917.1359		1"	34,0	34,0	34,0	19,0	150
917.1360		1.1/16"	36,0	36,0	36,0	20,0	170
917.1329		1.1/8"	38,0	38,0	38,0	20,0	170
917.1234		1.3/16"	41,0	33,0	43,0	21,0	200
917.1330		1.1/4"	40,0	42,0	42,0	21,0	240

CLASSIC Hexagonal socket set

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



		kg	
917.0635	10 pcs	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	0.72

CLASSIC Hexagonal socket, deep

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium




	mm	mm	D1 mm	D2 mm	L mm	T mm	kg
917.1240	10,0		16,0	16,0	76,0	14,0	110
917.1241	11,0		17,0	17,0	76,0	13,0	110
917.1242	12,0		18,0	18,0	76,0	13,0	110
917.1243	13,0		20,0	19,0	76,0	13,0	120
917.1244	14,0		21,0	21,0	76,0	13,0	120
917.1245	15,0		22,0	22,0	76,0	15,0	140
917.1246	16,0		23,0	24,0	76,0	15,0	140
917.1247	17,0		24,0	24,0	76,0	15,0	140
917.1248	18,0		26,0	26,0	76,0	17,0	150
917.1249	19,0		27,0	27,0	76,0	17,0	150
917.1258	20,0		27,0	28,0	76,0	17,0	150
917.1259	21,0		27,0	28,0	76,0	19,0	190
917.1252	22,0		28,0	30,0	76,0	19,0	200
917.1257	24,0		30,0	32,0	76,0	19,0	250
917.1254	27,0		34,0	36,0	76,0	19,0	280
917.1255	30,0		35,0	37,0	76,0	21,0	290
917.1256	32,0		36,0	38,0	76,0	23,0	310
917.1235	34,0		45,0	36,5	76,0	37,0	430
917.1201		3/8"	15,0	16,0	76,0	15,0	90
917.1202		7/16"	17,0	17,0	76,0	13,0	100
917.1203		1/2"	19,0	19,0	76,0	13,0	120
917.1205		9/16"	21,0	21,0	76,0	13,0	130
917.1236		5/8"	22,5	24,0	76,0	16,0	120
917.1206		11/16"	25,0	24,0	76,0	17,0	150
917.1207		3/4"	27,0	40,0	76,0	17,0	180
917.1237		13/16"	28,5	28,5	76,0	22,0	195
917.1208		7/8"	31,0	30,0	76,0	19,0	240
917.1204		15/16"	33,0	32,0	76,0	19,0	250
917.1209		1"	35,0	34,0	76,0	19,0	270



CLASSIC Hexagonal socket set, deep

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



		kg	
917.0615	10 pcs	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	1.50

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

12 Point socket, deep


- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725-1
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium



	⌀	⌀	D1	D2	L	T	Ⓜ
	mm		mm	mm	mm	mm	
917.1261	10.0		16.0	23.0	77.0	12.0	110
917.1285	11.0		17.0	17.0	76.0	13.0	110
917.1262	12.0		18.0	23.0	77.0	14.0	110
917.1263	13.0		19.0	23.0	77.0	16.0	120
917.1264	14.0		21.0	23.0	77.0	17.0	120
917.1265	15.0		22.0	23.0	77.0	17.0	140
917.1266	16.0		23.0	24.0	77.0	18.0	140
917.1267	17.0		24.0	24.0	77.0	18.0	140
917.1268	18.0		26.0	25.0	82.0	20.0	150
917.1269	19.0		27.0	26.0	82.0	22.0	150
917.1286	20.0		27.0	28.0	76.0	17.0	150
917.1270	21.0		29.0	29.0	82.0	24.0	190
917.1271	22.0		31.0	29.0	82.0	24.0	200
917.1272	24.0		33.0	29.0	82.0	26.0	250
917.1273	27.0		37.0	30.0	82.0	30.0	280
917.1274	30.0		41.0	33.0	82.0	33.0	300
917.1275	32.0		43.0	35.0	82.0	36.0	310
917.1276	34.0		46.0	37.0	82.0	37.0	430
917.1287		3/8"	15.0	16.0	76.0	13.0	90
917.1288		7/16"	17.0	17.0	76.0	13.0	100
917.1277		1/2"	19.0	23.0	77.0	16.0	120
917.1278		9/16"	21.0	23.0	77.0	17.0	120
917.1279		5/8"	23.0	24.0	77.0	18.0	120
917.1280		11/16"	25.0	25.0	77.0	18.0	150
917.1281		3/4"	27.0	26.0	82.0	22.0	180
917.1282		13/16"	29.0	29.0	82.0	22.0	195
917.1283		7/8"	31.0	29.0	82.0	24.0	240
917.1284		15/16"	33.0	29.0	82.0	26.0	250
917.1289		1"	35.0	34.0	76.0	19.0	270

12 Point socket set, deep

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725-1
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



	Ⓜ
917.1750 10 pcs 10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 mm	1.50

CHROMEplus® 12 Point socket

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725-1
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	⌀	⌀	D1	D2	L	T	Ⓜ
	mm		mm	mm	mm	mm	
918.1316	8.0		13.0	23.0	38.0	7.0	45
918.1327	9.0		14.0	23.0	38.0	8.0	48
918.1328	10.0		16.0	23.0	38.0	14.0	50
918.1329	11.0		17.0	23.0	38.0	13.0	53
918.1331	12.0		18.0	23.0	38.0	13.0	55
918.1332	13.0		19.0	23.0	38.0	13.0	60
918.1333	14.0		21.0	23.0	38.0	13.0	62
918.1334	15.0		22.0	24.0	40.0	15.0	65
918.1337	16.0		23.0	24.0	40.0	15.0	68
918.1338	17.0		24.0	23.0	40.0	15.0	70
918.1339	18.0		26.0	23.0	40.0	17.0	72
918.1341	19.0		27.0	24.0	40.0	17.0	80
918.1342	20.0		28.0	26.0	42.0	17.0	85
918.1343	21.0		29.0	26.0	42.0	19.0	95
918.1344	22.0		31.0	26.0	42.0	19.0	100
918.1345	23.0		32.0	28.0	42.0	19.0	105
918.1346	24.0		33.0	28.0	42.0	19.0	110
918.1347	25.0		34.0	29.0	42.0	19.0	120
918.1348	26.0		36.0	29.0	42.0	19.0	130
918.1351	27.0		37.0	30.0	42.0	19.0	150
918.1352	28.0		38.0	31.0	43.0	20.0	165
918.1353	29.0		39.0	31.0	43.0	20.0	180
918.1354	30.0		41.0	33.0	43.0	21.0	200
918.1355	31.0		42.5	28.0	47.0	22.0	210
918.1356	32.0		43.0	35.0	45.0	23.0	210
918.1357	33.0		44.5	45.0	47.0	22.0	215
918.1359	34.0		46.0	37.0	45.0	23.0	260
918.1361	36.0		48.0	38.0	45.0	23.0	260
918.1362		5/16"	13.0	23.0	38.0	7.0	45
918.1363		11/32"	14.0	23.0	38.0	8.0	48
918.1364		3/8"	15.0	23.0	38.0	15.0	58
918.1366		13/32"	16.0	23.0	38.0	14.0	50
918.1371		7/16"	17.0	23.0	38.0	13.0	53
918.1373		1/2"	19.0	23.0	38.0	13.0	60
918.1375		9/16"	21.0	23.0	38.0	13.0	62
918.1376		19/32"	22.0	24.0	40.0	15.0	65
918.1378		5/8"	23.0	24.0	40.0	15.0	68
918.1379		11/16"	25.0	23.0	40.0	17.0	70
918.1381		3/4"	27.0	24.0	40.0	17.0	80
918.1383		25/32"	28.0	25.0	40.0	17.0	85
918.1384		13/16"	29.0	26.0	42.0	19.0	95
918.1387		7/8"	31.0	27.0	42.0	19.0	100
918.1388		15/16"	33.0	28.0	42.0	19.0	110
918.1389		1"	35.0	29.0	42.0	19.0	123
918.1394		1.1/16"	37.0	30.0	42.0	19.0	150
918.1396		1.1/8"	39.0	31.0	43.0	20.0	180
918.1397		1.3/16"	41.0	33.0	43.0	21.0	200
918.1398		1.1/4"	43.0	35.0	45.0	23.0	210

CHROMEplus® 12 Point socket set

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725-1
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	Ⓜ
918.0655 10 pcs 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	0.72

CHROMEplus® 12 Point socket, deep

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725-1
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	⌀	⌀	D1	D2	L	T	Ⓜ
	mm		mm	mm	mm	mm	
918.1666	10.0		16.0	16.0	76.0	13.0	110
918.1668	11.0		17.0	17.0	76.0	13.0	110
918.1678	12.0		18.0	18.0	76.0	13.0	110
918.1679	13.0		19.0	19.0	76.0	13.0	120
918.1683	14.0		21.0	21.0	76.0	13.0	120
918.1684	15.0		22.0	22.0	76.0	15.0	140
918.1698	16.0		23.0	24.0	76.0	15.0	140
918.1711	17.0		24.0	24.0	76.0	15.0	140
918.1712	18.0		26.0	26.0	76.0	17.0	150
918.1713	19.0		27.0	27.0	76.0	17.0	150
918.1714	20.0		27.0	28.0	76.0	17.0	150
918.1715	21.0		27.0	28.0	76.0	19.0	190
918.1716	22.0		28.0	30.0	76.0	19.0	200
918.1717	24.0		30.0	32.0	76.0	19.0	250
918.1718	27.0		34.0	36.0	76.0	19.0	280
918.1719	30.0		35.0	37.0	76.0	21.0	300
918.1731	32.0		36.0	38.0	76.0	23.0	310
918.1734	34.0		45.0	36.5	76.0	37.0	430
918.1735		3/8"	15.0	16.0	76.0	13.0	90
918.1736		7/16"	17.0	17.0	76.0	13.0	100
918.1737		1/2"	19.0	19.0	76.0	13.0	120
918.1285		9/16"	21.0	21.0	76.0	13.0	120
918.1284		5/8"	22.5	24.0	76.0	16.0	120
918.1286		11/16"	25.0	24.0	76.0	17.0	150
918.1287		3/4"	30.0	27.0	76.0	17.0	180
918.1288		13/16"	28.5	28.5	76.0	22.0	195
918.1289		7/8"	31.0	30.0	76.0	19.0	240
918.1738		15/16"	33.0	32.0	76.0	19.0	250
918.1298		1"	35.0	34.0	76.0	19.0	270

CHROMEplus® 12 Point socket set, deep

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



	Ⓜ
918.0660 10 pcs 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	0.74



TX E Socket

- TX E
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



		L mm	D1 mm	D2 mm	T mm	⚖️
911.4333	E10	38.0	14.0	23.0	16.0	50
911.4334	E11	38.0	14.0	23.0	16.0	50
911.4335	E12	38.0	16.0	23.0	16.0	55
911.4336	E14	38.0	17.0	23.0	13.0	55
911.4322	E16	38.0	19.0	23.0	13.0	60
911.4323	E18	40.0	21.0	25.0	14.0	65
911.4324	E20	40.0	24.0	25.0	14.0	70
911.4325	E22	40.0	26.0	25.0	14.0	80
911.4326	E24	42.0	29.0	26.0	16.0	85

TX E Socket set


- TX E
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- In durable metal case



			⚖️
911.4410	9 pcs	E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24	1.00

CHROMEplus® TX E Socket

- TX E
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		L mm	D1 mm	D2 mm	T mm	⚖️
918.1276	E10	38.0	14.0	23.0	16.0	50
918.1733	E11	38.0	14.0	23.0	16.0	50
918.1278	E12	38.0	16.0	23.0	16.0	55
918.1277	E14	38.0	17.0	23.0	13.0	55
918.1280	E16	38.0	19.0	23.0	13.0	60
918.1281	E18	40.0	21.0	25.0	14.0	65
918.1282	E20	40.0	24.0	25.0	14.0	70
918.1294	E22	40.0	26.0	25.0	14.0	80
918.1295	E24	42.0	29.0	26.0	16.0	85

CHROMEplus® TX E Socket set

- TX E
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- In durable metal case



			⚖️
918.4410	9 pcs	E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24	1.00

TX E Socket, deep

- TX E
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium



		L mm	D1 mm	D2 mm	T mm	⚖️
911.4423	E10	78.0	14.0	25.0	8.0	100
911.4424	E11	78.0	15.0	25.0	12.0	100
911.4425	E12	78.0	16.0	25.0	12.0	110
911.4426	E14	78.0	17.0	25.0	13.0	100
911.4427	E16	78.0	18.0	25.0	14.0	115
911.4428	E18	78.0	20.0	25.0	16.0	130
911.4429	E20	78.0	24.0	25.0	17.0	160
911.4430	E22	78.0	26.0	25.0	17.0	195
911.4431	E24	78.0	28.0	25.0	18.0	230

TX E Socket set, deep


- TX E
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium
- In durable plastic case



			⚖️
911.4420	8 pcs	E10 - E12 - E14 - E16 - E18 - E20 - E22 - E24	1.00

CHROMEplus® TX E Socket, deep

- TX E
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		L mm	D1 mm	D2 mm	T mm	⚖️
918.1761	E10	78.0	14.0	25.0	8.0	100
918.1762	E11	78.0	15.0	25.0	12.0	100
918.1763	E12	78.0	16.0	25.0	12.0	110
918.1764	E14	78.0	17.0	25.0	13.0	100
918.1765	E16	78.0	18.0	25.0	14.0	115
918.1766	E18	78.0	20.0	25.0	16.0	130
918.1767	E20	78.0	24.0	25.0	17.0	160
918.1768	E22	78.0	26.0	25.0	17.0	195
918.1769	E24	78.0	28.0	25.0	18.0	230



CHROMEplus® TX E Socket set, deep


- TX E
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic storage case



			⚖️
918.4420	8 pcs	E10 - E12 - E14 - E16 - E18 - E20 - E22 - E24	1.00

Socket for spark plugs


- DIN 3124 / ISO 3315
- Internal square to DIN 3120 / ISO 1174 with ball reception
- With rubber stop for holding the sparks plugs
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium



	Profile	mm	D1 mm	D2 mm	L mm	T mm	g
911.1590		14,0	22,0	22,0	65,0	16,0	60
911.1205		16,0	22,0	22,0	65,0	26,0	60
911.1512		18,0	26,0	21,0	65,0	23,0	60
911.1206		21,0	28,0	24,0	65,0	26,0	60
911.1513		13/16"	28,0	24,0	65,0	23,0	60
911.1514		5/8"	22,0	22,0	65,0	18,0	60

CHROMEplus® spark plug-socket

- DIN 3124 / ISO 3315
- Internal square to DIN 3120 / ISO 1174 with ball reception
- With rubber stop for holding the sparks plugs
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	Profile	mm	D1 mm	D2 mm	L mm	T mm	g
918.1390		14,0	22,0	22,0	65,0	16,0	60
918.1205		16,0	22,0	22,0	65,0	26,0	60
918.1207		18,0	26,0	21,0	65,0	23,0	60
918.1206		21,0	28,0	24,0	65,0	26,0	60
918.1391		5/8"	28,0	24,0	65,0	23,0	60
918.1392		13/16"	22,0	22,0	65,0	18,0	60



1/2" BIT SOCKETS

Bit socket for slotted screws

- Slotted
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D mm	L mm	T mm	g
917.1391	6.5	23.0	60.0	22.0	50
917.1392	8.0	23.0	60.0	22.0	55
917.1393	10.0	23.0	60.0	22.0	60
917.1394	12.0	23.0	60.0	22.0	65
917.1395	14.0	25.0	60.0	20.0	80
917.1396	16.0	28.0	60.0	20.0	95
917.1311	18.0	27.0	60.0	20.0	110

CHROMEplus® Bit socket for slotted screws

- Slotted
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	D mm	L mm	T mm	g
918.1790	7.0	23.0	60.0	22.0	50
918.1791	8.0	23.0	60.0	22.0	55
918.1792	10.0	23.0	60.0	22.0	60
918.1793	12.0	23.0	60.0	22.0	65
918.1794	14.0	25.0	60.0	20.0	80
918.1795	16.0	28.0	60.0	20.0	95
918.1796	18.0	27.0	60.0	20.0	110

Bit socket for phillips screws PH

- PH
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
917.1397	PH 1	24.0	55.0	18.0	80
917.1398	PH 2	24.0	55.0	18.0	80
917.1399	PH 3	24.0	55.0	18.0	80
917.1301	PH 4	24.0	55.0	18.0	80

CHROMEplus® Bit socket for phillips screws PH

- PH
- For Phillips head screw
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	g
918.1635	PH 1	24.0	55.0	18.0	80
918.1636	PH 2	24.0	55.0	18.0	80
918.1637	PH 3	24.0	55.0	18.0	80
918.1739	PH 4	24.0	55.0	18.0	80

Bit socket for phillips screws PH, long

- PH
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
917.1388	PH 1	22.0	110.0	72.0	120
917.1389	PH 2	22.0	110.0	72.0	120
917.1390	PH 3	22.0	110.0	72.0	120
917.1302	PH 4	22.0	110.0	72.0	125

CHROMEplus® Bit socket for phillips screws PH, long

- PH
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	g
918.1685	PH 1	22.0	110.0	72.0	120
918.1686	PH 2	22.0	110.0	72.0	120
918.1687	PH 3	22.0	110.0	72.0	120
918.1756	PH 4	22.0	110.0	72.0	125

Bit socket for phillips screws PZ

- PZ
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
917.1697	PZ 1	24.0	55.0	18.0	80
917.1698	PZ 2	24.0	55.0	18.0	80
917.1699	PZ 3	24.0	55.0	18.0	80
917.1303	PZ 4	24.0	55.0	18.0	85



CHROMEplus® Bit socket for phillips screws PZ

- PZ
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	g
918.1680	PZ 1	24.0	55.0	18.0	70
918.1681	PZ 2	24.0	55.0	18.0	70
918.1682	PZ 3	24.0	55.0	18.0	70
918.1757	PZ 4	24.0	55.0	18.0	85

Bit socket for phillips screws PZ, long

- PZ
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- Long execution
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
917.1325	PZ 1	21.0	110.0	72.0	110
917.1326	PZ 2	21.0	110.0	72.0	110
917.1327	PZ 3	21.0	110.0	72.0	110
917.1305	PZ 4	21.0	110.0	72.0	110

CHROMEplus® Bit socket for phillips screws PZ, long


- PZ
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- Long execution
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	g
918.1688	PZ 1	22.0	110.0	72.0	110
918.1689	PZ 2	22.0	110.0	72.0	110
918.1690	PZ 3	22.0	110.0	72.0	110
918.1758	PZ 4	21.0	110.0	72.0	110

Bit socket for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	mm	mm	D mm	L mm	T mm	g
911.1304	4,0		22,0	55,0	17,0	90
911.1305	5,0		22,0	55,0	17,0	90
911.1306	6,0		22,0	55,0	17,0	90
911.1307	7,0		22,0	55,0	17,0	90
911.1308	8,0		22,0	55,0	17,0	90
911.1309	9,0		22,0	55,0	17,0	90
911.1310	10,0		22,0	55,0	17,0	90
911.1312	12,0		22,0	55,0	17,0	100
911.1314	14,0		22,0	55,0	17,0	120
911.1317	17,0		22,0	55,0	17,0	150
911.1319	19,0		22,0	55,0	17,0	200
911.1322	22,0		22,0	55,0	17,0	200
911.1324	24,0		22,0	55,0	17,0	200
917.1316		3/16"	22,0	55,0	17,0	60
917.1317		7/32"	22,0	55,0	17,0	70
917.1318		1/4"	22,0	55,0	17,0	70
917.1319		9/32"	22,0	55,0	17,0	70
917.1320		5/16"	22,0	55,0	17,0	85
917.1321		3/8"	22,0	55,0	17,0	90
917.1322		1/2"	22,0	55,0	17,0	100
917.1323		9/16"	22,0	55,0	17,0	110
917.1324		5/8"	22,0	55,0	17,0	150

Bit socket set for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



		mm	g
911.1320	7 pcs	5 - 6 - 7 - 8 - 10 - 12 - 14 mm	0.65

Bit socket set for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- In durable metal case



		mm	g
911.1321	9 pcs	4 - 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 mm	2.30

CHROMEplus® Bit socket for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	mm	D mm	L mm	T mm	g
918.1604	4,0		22,0	55,0	17,0	70
918.1605	5,0		22,0	55,0	17,0	70
918.1606	6,0		22,0	55,0	17,0	70
918.1607	7,0		22,0	55,0	17,0	70
918.1608	8,0		22,0	55,0	17,0	70
918.1609	9,0		22,0	55,0	17,0	70
918.1610	10,0		22,0	55,0	17,0	80
918.1612	12,0		22,0	55,0	17,0	100
918.1614	14,0		22,0	55,0	17,0	110
918.1617	17,0		22,0	55,0	17,0	150
918.1619	19,0		22,0	55,0	17,0	170
918.1631	22,0		22,0	55,0	17,0	180
918.1633	24,0		22,0	55,0	17,0	190
918.1701		3/16"	22,0	55,0	17,0	60
918.1702		7/32"	22,0	55,0	17,0	70
918.1703		1/4"	22,0	55,0	17,0	70
918.1704		9/32"	22,0	55,0	17,0	70
918.1705		5/16"	22,0	55,0	17,0	85
918.1706		3/8"	22,0	55,0	17,0	90
918.1707		1/2"	22,0	55,0	17,0	100
918.1708		9/16"	22,0	55,0	17,0	110
918.1709		5/8"	22,0	55,0	17,0	150

CHROMEplus® Bit socket set for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



		mm	g
918.1335	7 pcs	5 - 6 - 7 - 8 - 10 - 12 - 14 mm	0.65

CHROMEplus® Bit socket set for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- In durable metal case



1/2"

Part No.	Quantity	Bit Sizes (mm)	Weight (kg)
918.1330	9 pcs	4 - 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 mm	2.30

Bit socket for hexagon screws, long

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



1/2"

Part No.	mm	D mm	L mm	T mm	g
917.1331	4,0	22,0	110,0	72,0	120
911.1325	5,0	22,0	110,0	72,0	120
911.1326	6,0	22,0	110,0	72,0	120
911.1327	7,0	22,0	110,0	72,0	120
911.1328	8,0	22,0	110,0	72,0	120
911.1329	9,0	22,0	110,0	72,0	120
911.1330	10,0	22,0	110,0	72,0	120
911.1332	12,0	22,0	110,0	72,0	140
917.1332	14,0	22,0	110,0	72,0	180
911.1337	17,0	22,0	110,0	72,0	260
911.1339	19,0	22,0	110,0	72,0	400

Bit socket set for hexagon screws, long

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/2"

Part No.	Quantity	Bit Sizes (mm)	Weight (kg)
911.1336	6 pcs	5 - 6 - 7 - 8 - 10 - 12 mm	0.88

CHROMEplus® Bit socket for hexagon screws, long

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/2"

Part No.	mm	D mm	L mm	T mm	g
918.1654	4,0	22,0	110,0	72,0	120
918.1655	5,0	22,0	110,0	72,0	120
918.1656	6,0	22,0	110,0	72,0	120
918.1657	7,0	22,0	110,0	72,0	120
918.1658	8,0	22,0	110,0	72,0	120
918.1659	9,0	22,0	110,0	72,0	130
918.1660	10,0	22,0	110,0	72,0	130
918.1662	12,0	22,0	110,0	72,0	150
918.1664	14,0	22,0	110,0	72,0	180
918.1667	17,0	22,0	110,0	72,0	260
918.1669	19,0	22,0	110,0	72,0	290

CHROMEplus® Bit socket set for hexagon screws, long

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



1/2"

Part No.	Quantity	Bit Sizes (mm)	Weight (kg)
918.1336	6 pcs	5 - 6 - 7 - 8 - 10 - 12 mm	0.88

Bit socket for hexagon screws with ball end, long

- Ball end hexagon socket
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium



1/2"

Part No.	mm	D mm	L mm	T mm	g
911.1655	5,0	22,0	110,0	72,0	120
911.1656	6,0	22,0	110,0	72,0	120
911.1657	7,0	22,0	110,0	72,0	120
911.1658	8,0	22,0	110,0	72,0	120
911.1659	9,0	22,0	110,0	72,0	130
911.1660	10,0	22,0	110,0	72,0	130
911.1662	12,0	22,0	110,0	72,0	150
911.1667	17,0	22,0	110,0	72,0	260
911.1669	19,0	22,0	110,0	72,0	290

Bit socket set for hexagon screws, long

- For Hexagon screws
- With ball end
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/2"

Part No.	Quantity	Bit Sizes (mm)	Weight (kg)
911.1650	6 pcs	5 - 6 - 7 - 8 - 10 - 12 mm	0.88

CHROMEplus® Bit socket for hexagon screws with ball end, long

- Ball end hexagon socket
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/2"

Part No.	mm	D mm	L mm	T mm	g
918.1771	5,0	22,0	110,0	72,0	120
918.1772	6,0	22,0	110,0	72,0	120
918.1773	7,0	22,0	110,0	72,0	120
918.1774	8,0	22,0	110,0	72,0	120
918.1775	9,0	22,0	110,0	72,0	130
918.1776	10,0	22,0	110,0	72,0	130
918.1777	12,0	22,0	110,0	72,0	150
918.1778	17,0	22,0	110,0	72,0	260
918.1779	19,0	22,0	110,0	72,0	290

CHROMEplus® Bit socket set for hexagon screws, long

- For Hexagon screws
- With ball end
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



1/2"

Part No.	Quantity	Bit Sizes (mm)	Weight (kg)
918.1665	6 pcs	5 - 6 - 7 - 8 - 10 - 12 mm	0.88

Bit socket for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	
917.1333	T10	22.0	55.0	17.0	80
917.1334	T15	22.0	55.0	17.0	80
911.1361	T20	22.0	55.0	17.0	90
911.1362	T25	22.0	55.0	17.0	90
911.1363	T27	22.0	55.0	17.0	90
911.1364	T30	22.0	55.0	17.0	90
911.1365	T40	22.0	55.0	17.0	90
911.1366	T45	22.0	55.0	17.0	90
911.1367	T50	22.0	55.0	17.0	90
911.1368	T55	22.0	55.0	17.0	90
911.1369	T60	22.0	55.0	17.0	90
911.1370	T70	22.0	55.0	17.0	110

Bit socket set for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- In durable steel storage case



911.1385	9 pcs	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60	1.50

CHROMEplus® Bit socket for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	
918.1620	T10	22.0	55.0	17.0	80
918.1621	T15	22.0	55.0	17.0	80
918.1622	T20	22.0	55.0	17.0	90
918.1623	T25	22.0	55.0	17.0	90
918.1624	T27	22.0	55.0	17.0	90
918.1625	T30	22.0	55.0	17.0	90
918.1626	T40	22.0	55.0	17.0	90
918.1627	T45	22.0	55.0	17.0	90
918.1628	T50	22.0	55.0	17.0	90
918.1629	T55	22.0	55.0	17.0	90
918.1630	T60	22.0	55.0	17.0	90
918.1632	T70	22.0	55.0	17.0	110

CHROMEplus® Bit socket set for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- In durable metal case



918.1385	9 pcs	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60	1.50

Bit socket for TX screws, long

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	
911.1518	T10	22.0	110.0	72.0	100
911.1519	T15	22.0	110.0	72.0	100
911.1521	T20	22.0	110.0	72.0	110
911.1522	T25	22.0	110.0	72.0	110
911.1523	T27	22.0	110.0	72.0	110
911.1524	T30	22.0	110.0	72.0	110
911.1525	T40	22.0	110.0	72.0	110
911.1526	T45	22.0	110.0	72.0	120
911.1527	T50	22.0	110.0	72.0	120
911.1528	T55	22.0	110.0	72.0	120
911.1529	T60	22.0	110.0	72.0	120
911.1517	T70	22.0	110.0	72.0	120

Bit socket set for TX screws, long


- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



911.1520	9 pcs	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60	1.24

CHROMEplus® Bit socket for TX screws, long

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	
918.1640	T10	22.0	110.0	72.0	120
918.1641	T15	22.0	110.0	72.0	120
918.1642	T20	22.0	110.0	72.0	120
918.1643	T25	22.0	110.0	72.0	120
918.1644	T27	22.0	110.0	72.0	120
918.1645	T30	22.0	110.0	72.0	120
918.1646	T40	22.0	110.0	72.0	120
918.1647	T45	22.0	110.0	72.0	120
918.1648	T50	22.0	110.0	72.0	120
918.1649	T55	22.0	110.0	72.0	130
918.1650	T60	22.0	110.0	72.0	150
918.1651	T70	22.0	110.0	72.0	180

CHROMEplus® Bit socket set for TX screws, long

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



918.1317	9 pcs	T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60	1.24

Bit socket for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	
917.1335	TB10	22.0	55.0	17.0	80
917.1336	TB15	22.0	55.0	17.0	80
911.1371	TB20	22.0	55.0	17.0	90
911.1372	TB25	22.0	55.0	17.0	90
911.1373	TB27	22.0	55.0	17.0	90
911.1374	TB30	22.0	55.0	17.0	90
911.1375	TB40	22.0	55.0	17.0	90
911.1376	TB45	22.0	55.0	17.0	90
911.1377	TB50	22.0	55.0	17.0	90
911.1378	TB55	22.0	55.0	17.0	90
911.1379	TB60	22.0	55.0	17.0	90
911.1380	TB70	22.0	55.0	17.0	110

Bit socket set for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- In durable metal case



911.1386	9 pcs	TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60	1.50
----------	-------	--	------

CHROMEplus® Bit socket for TX tamperproof screws

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	g
918.1720	TB10	18.0	55.0	24.0	80
918.1721	TB15	18.0	55.0	24.0	80
918.1722	TB20	18.0	55.0	24.0	90
918.1723	TB25	18.0	55.0	24.0	90
918.1724	TB27	18.0	55.0	24.0	90
918.1725	TB30	18.0	55.0	24.0	90
918.1726	TB40	18.0	55.0	24.0	90
918.1727	TB45	18.0	55.0	24.0	90
918.1728	TB50	18.0	55.0	24.0	90
918.1729	TB55	18.0	55.0	24.0	90
918.1730	TB60	18.0	55.0	24.0	90
918.1732	TB70	18.0	55.0	24.0	110

CHROMEplus® Bit socket set for TX tamperproof screws


- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium metal steel storage case



918.1386	9 pcs	TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60	1.50
----------	-------	--	------

Bit socket for TX tamperproof screws, long

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
917.1291	TB10	22.0	110.0	72.0	115
917.1292	TB15	22.0	110.0	72.0	115
917.1293	TB20	22.0	110.0	72.0	120
917.1294	TB25	22.0	110.0	72.0	120
917.1295	TB27	22.0	110.0	72.0	120
917.1296	TB30	22.0	110.0	72.0	130
917.1297	TB40	22.0	110.0	72.0	130
917.1298	TB45	22.0	110.0	72.0	130
917.1299	TB50	22.0	110.0	72.0	150
917.1251	TB55	22.0	110.0	72.0	150
917.1253	TB60	22.0	110.0	72.0	150
917.1304	TB70	22.0	110.0	72.0	155

Bit socket set for TX tamperproof screws, long

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



917.1790	9 pcs	TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60	1.50
----------	-------	--	------

CHROMEplus® Bit socket for TX tamperproof screws, long

- For tamperproof TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		D mm	L mm	T mm	g
918.1740	TB10	22.0	110.0	72.0	115
918.1741	TB15	22.0	110.0	72.0	115
918.1742	TB20	22.0	110.0	72.0	120
918.1743	TB25	22.0	110.0	72.0	120
918.1744	TB27	22.0	110.0	72.0	120
918.1745	TB30	22.0	110.0	72.0	130
918.1746	TB40	22.0	110.0	72.0	130
918.1747	TB45	22.0	110.0	72.0	130
918.1748	TB50	22.0	110.0	72.0	150
918.1749	TB55	22.0	110.0	72.0	150
918.1750	TB60	22.0	110.0	72.0	150
918.1759	TB70	22.0	110.0	72.0	155

CHROMEplus® Bit socket set for TX tamperproof screws, long

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- With press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



918.1890	9 pcs	TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60	1.50
----------	-------	--	------

Bit socket for spline (XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



		D mm	L mm	T mm	g
911.1340	M5	22.0	55.0	17.0	80
911.1341	M6	22.0	55.0	17.0	80
911.1342	M8	22.0	55.0	17.0	90
911.1313	M9	22.0	55.0	17.0	95
911.1343	M10	22.0	55.0	17.0	100
911.1344	M12	22.0	55.0	17.0	100
911.1345	M14	22.0	55.0	17.0	110
911.1346	M16	22.0	55.0	17.0	140

Bit socket for spline (XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



911.1349	6 pcs	M5 - M6 - M8 - M10 - M12 - M14	0.59
----------	-------	--------------------------------	------

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

CHROMEplus® Bit socket for spline (XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/2"

		D mm	L mm	T mm	⌀
918.1671	M5	22.0	55.0	17.0	70
918.1672	M6	22.0	55.0	17.0	70
918.1673	M8	22.0	55.0	17.0	70
918.1797	M9	22.0	55.0	17.0	95
918.1674	M10	22.0	55.0	17.0	80
918.1675	M12	22.0	55.0	17.0	100
918.1676	M14	22.0	55.0	17.0	110
918.1677	M16	22.0	55.0	17.0	140

CHROMEplus® Bit socket set for spline (XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



1/2"

					⌀
918.1349	6 pcs	M5 - M6 - M8 - M10 - M12 - M14			0.59

Bit socket for spline (XZN®) screws, long

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



1/2"

		D mm	L mm	T mm	⌀
911.1350	M5	22.0	110.0	72.0	120
911.1351	M6	22.0	110.0	72.0	120
911.1352	M8	22.0	110.0	72.0	120
911.1359	M9	22.0	110.0	72.0	120
911.1353	M10	22.0	110.0	72.0	120
911.1354	M12	22.0	110.0	72.0	150
911.1355	M14	22.0	110.0	72.0	180
911.1356	M16	22.0	110.0	72.0	190

Bit socket set for spline (XZN®) screws, long

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/2"

					⌀
911.1358	6 pcs	M5 - M6 - M8 - M10 - M12 - M14			0.93

CHROMEplus® Bit socket for spline (XZN®) screws, long

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- With press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



1/2"

		D mm	L mm	T mm	⌀
918.1691	M5	22.0	110.0	72.0	120
918.1692	M6	22.0	110.0	72.0	120
918.1693	M8	22.0	110.0	72.0	120
918.1699	M9	22.0	110.0	72.0	130
918.1694	M10	22.0	110.0	72.0	120
918.1695	M12	22.0	110.0	72.0	150
918.1696	M14	22.0	110.0	72.0	180
918.1697	M16	22.0	110.0	72.0	190

CHROMEplus® Bit socket set for spline (XZN®) screws, long

- Spline (XZN®)
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail




1/2"

					⌀
918.1358	6 pcs	M5 - M6 - M8 - M10 - M12 - M14			0.93



Bit socket for RIBE® screws, long

- RIBE®
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



1/2"

		D mm	L mm	D mm	T mm	⌀
911.1921	M5	110.0	22.0	10.0	160	
911.1922	M6	110.0	22.0	10.0	160	
911.1923	M7	110.0	22.0	10.0	160	
911.1993	M7	240.0	22.0	10.0	175	
911.1924	M8	110.0	22.0	10.0	165	
911.1994	M8	240.0	22.0	10.0	175	
911.1925	M9	110.0	22.0	10.0	165	
911.1926	M10	110.0	22.0	10.0	165	
911.1980	M10	140.0	22.0	10.0	125	
911.1995	M12	110.0	24.0	14.0	175	
911.1996	M13	110.0	24.0	14.0	175	
911.1997	M14	110.0	24.0	14.0	175	

Bit socket set for RIBE® screws, long

- For tamperproof RIBE® profile
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



1/2"

					⌀
911.1335	9 pcs	M5 - M6 - M7 - M8 - M9 - M10 - M12 - M13 - M14			1.24

CHROMEplus® RIBE® Bit socket, long

- For RIBE® profile
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	D	D mm	L mm	T mm	
918.1806	M5	22.0	110.0	10.0	160
918.1807	M6	22.0	110.0	10.0	160
918.1808	M7	22.0	110.0	10.0	160
918.1811	M7	22.0	240.0	10.0	175
918.1809	M8	22.0	110.0	10.0	165
918.1812	M8	22.0	240.0	10.0	175
918.1810	M9	22.0	110.0	10.0	165
918.1818	M10	22.0	110.0	10.0	165
918.1813	M12	24.0	110.0	14.0	175
918.1814	M13	24.0	110.0	14.0	175
918.1815	M14	24.0	110.0	14.0	175

CHROMEplus® Bit socket set for RIBE® screws, long

- For RIBE® profile
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- With press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



918.1340	9 pcs M5 - M6 - M7 - M8 - M9 - M10 - M12 - M13 - M14 1.24

RIBE® Bit socket for tamperproof screws, long

- For tamperproof RIBE® profile
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	D mm	L mm	T mm		
911.3951	M5	22.0	110.0	72.0	120
911.3952	M6	22.0	110.0	72.0	120
911.3953	M7	22.0	110.0	72.0	120
911.3954	M8	22.0	110.0	72.0	120
911.3955	M9	22.0	110.0	72.0	130
911.3956	M10	22.0	110.0	72.0	130
911.3957	M12	22.0	110.0	72.0	150
911.3958	M13	22.0	110.0	72.0	180
911.3959	M14	22.0	110.0	72.0	180

RIBE® Bit socket set for tamperproof screws, long

- For tamperproof RIBE® profile
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted insert bit
- For manual operation
- Matt finish
- Chrome vanadium
- Includes storage rail



911.1630	9 pcs M5 - M6 - M7 - M8 - M9 - M10 - M12 - M13 - M14 1.24

CHROMEplus® RIBE® Bit socket for tamperproof screws, long

- For tamperproof RIBE® profile
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	D	D mm	L mm	T mm	
918.1780	M5	22.0	110.0	72.0	120
918.1781	M6	22.0	110.0	72.0	120
918.1782	M7	22.0	110.0	72.0	120
918.1783	M8	22.0	110.0	72.0	120
918.1784	M9	22.0	110.0	72.0	130
918.1785	M10	22.0	110.0	72.0	130
918.1786	M12	22.0	110.0	72.0	150
918.1787	M13	22.0	110.0	72.0	180
918.1788	M14	22.0	110.0	72.0	180

CHROMEplus® RIBE® bit socket set for tamperproof screws, long

- For tamperproof RIBE® profile
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- With press fitted nickel plated insert bit
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- Includes storage rail



918.1895	9 pcs M5 - M6 - M7 - M8 - M9 - M10 - M12 - M13 - M14 1.24

CHROMEplus® Bit socket set

- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case




918.1752	32 pcs CHROMEplus® Bit socket set 6.30
8 x	5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 mm
4 x	6 - 8 - 10 - 12 mm
8 x	T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60
4 x	T30 - T40 - T50 - T60
4 x	M5 - M6 - M8 - M10
4 x	M6 - M8 - M10 - M12

GO THROUGH SOCKETS

19 mm TRIPLEplus® Go through reversing ratchet


- 19 mm Hexagon drive
- Reversible
- With exact gearing 72 teeth ratchet mechanism
- Extremely slim head
- Dual component handle with soft zone
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	
918.4051	12.0	34.0	205.0	190

19 mm TRIPLEplus® Go through extension

- For manual operation TRIPLEplus® go through reversing ratchet 918.4051
- Chrome plated and mirror polished
- Chrome vanadium



		L mm	
918.4052	19.0	75.0	110

19 mm TRIPLEplus® Go through socket

- TRIPLEplus® profile
- For manual operation TRIPLEplus® go through reversing ratchet 918.4051
- Chrome plated and mirror polished
- Chrome vanadium



	mm	L mm	D1 mm	D2 mm	T mm	kg
916.4060	10,0	32,0	16,0	16,0	12,0	40
916.4061	11,0	32,0	17,0	17,0	12,0	40
916.4062	12,0	32,0	18,0	18,0	12,0	40
916.4063	13,0	32,0	19,0	19,0	12,0	40
916.4064	14,0	32,0	21,0	21,0	12,0	40
916.4065	15,0	32,0	22,0	22,0	12,0	40
916.4066	16,0	32,0	24,0	24,0	12,0	40
916.4067	17,0	32,0	25,0	25,0	12,0	40
916.4068	18,0	32,0	26,0	26,0	12,0	40
916.4069	19,0	32,0	27,0	27,0	12,0	40
916.4071	21,0	32,0	29,0	29,0	12,0	40
916.4072	22,0	32,0	31,0	31,0	12,0	50
916.4074	24,0	32,0	33,0	33,0	12,0	50

19 mm TRIPLEplus® Go through socket adaptor

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- For manual operation TRIPLEplus® go through reversing ratchet 918.4051
- With a push button quick release function
- Chrome plated and mirror polished
- Chrome vanadium



	mm	L mm	kg
918.4053	3/8"	28,0	40
918.4054	1/2"	35,0	50



TRIPLEplus® Go through socket set

- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



	kg
916.4050	1,46
13 x	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm
1 x	75 mm
1 x	19 mm x 3/8"
1 x	19 mm x 1/2"
1 x	19 mm



1/2" ADAPTERS

Bit adaptor socket

- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 5/16" bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Matt finish
- Chrome vanadium



	mm	L mm	D1 mm	D2 mm	T mm	kg	
911.1253	1/2"	5/16"	40,0	16,0	22,0	14,0	50

CHROMEplus® Bit adaptor socket

- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 5/16" bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	L mm	D1 mm	D2 mm	T mm	kg	
918.1266	1/2"	5/16"	38,0	17,0	22,0	15,0	50

Bit adaptor socket with clamping ring

- Clamping ring
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 10 mm bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Matt finish
- Chrome vanadium



	mm	L mm	D1 mm	D2 mm	T mm	kg	
911.4312	1/2"	10mm	40,0	17,0	22,0	15,0	50
911.4351	1/2"	5/16"	38,0	17,0	22,0	20,0	25

CHROMEplus® Bit adaptor socket with clamping ring


- Clamping ring
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For 10 mm Bits with external hexagon drive to DIN 3126 / ISO 1173
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	mm	L mm	D1 mm	D2 mm	T mm	kg	
918.1271	1/2"	10mm	35,0	17,0	22,0	15,0	40
918.4351	1/2"	5/16"	38,0	17,0	22,0	14,0	60

Adaptor and reducing adaptor

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



			L mm	
911.1233	1/2"	3/8"	46.0	50
911.1234	1/2"	3/4"	46.0	140

Adaptor and reducing adaptor set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- In durable plastic case



			L mm	
911.0106	6 pcs	1/4" x 3/8" - 3/8" x 1/4" - 3/8" x 1/2" - 1/2" x 3/8" - 1/2" x 3/4" - 3/4" x 1/2"		0.66

CHROMEplus® Adaptor and reducing adaptor

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



			L mm	
918.1753	1/2"	3/8"	46.0	50
918.1754	1/2"	3/4"	46.0	140

CHROMEplus® adaptor and reducing adaptor set


- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic storage case



			L mm	
918.0106	6 pcs	1/4" x 3/8" - 3/8" x 1/4" - 3/8" x 1/2" - 1/2" x 3/8" - 1/2" x 3/4" - 3/4" x 1/2"		0.66

Sliding adaptor and reducing adaptor

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- To the use with extensions
- Also usable as adaptors and/or reducing adaptors
- For manual operation
- Matt finish
- Chrome vanadium



			L mm	
911.1207	3/8"	1/2"	40.0	60

CHROMEplus® Sliding adaptor and reducing adaptor

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- To the use with extensions
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



			L mm	
918.1261	3/8"	1/2"	40.0	70

1/2" UNIVERSAL JOINTS

Universal joint

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Flexible joint
- Matt finish
- Chrome vanadium



			L mm	
911.1250	1/2"	1/2"	73.0	160

CHROMEplus® Universal joint

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Flexible joint
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



			L mm	
918.1250	1/2"	1/2"	73.0	170

Power universal ball joint

- Ideal for use with electric screwdriver
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Very low running rotation
- New joint construction
- Outstanding use of angles up to 45°
- Very resistant to breakage
- Can be used by hand or with electric screwdriver
- Matt finish
- Chrome vanadium



			L mm	
917.1250	1/2"	1/2"	70.0	160

CHROMEplus® Power universal ball joint

- Ideal for use with electric screwdriver
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Very low running rotation
- New joint construction
- Outstanding use of angles up to 45°
- Very resistant to breakage
- Can be used by hand or with electric screwdriver
- Chrome plated and mirror polished
- Chrome vanadium




			L mm	
919.1250	1/2"	1/2"	70.0	160



1/2" T-HANDLES

Sliding T-handle

- DIN 3122 / ISO 3315
- Square drive according to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Matt finish
- Chrome vanadium



	H mm	L mm	
911.1204	42.0	250.0	440

CHROMEplus® Sliding T-handle

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	H mm	L mm	
918.1263	42.0	250.0	360

1/2" EXTENSIONS

Extension

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	
911.1235	50.0	100
911.1201	75.0	120
911.1202	125.0	180
911.1315	180.0	260
911.1203	250.0	380
911.1316	305.0	410

Extension set

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- With hexagon drive
- For manual operation
- Matt finish
- Chrome vanadium



911.0007	9 pcs Extension set	1.22
3 x	1/4" : 50 - 100 - 250 mm	
4 x	3/8" : 50 - 75 - 150 - 200 mm	
2 x	1/2" : 125 - 250 mm	

CHROMEplus® Extension

- DIN 3123 / ISO 3316
- Square drive to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	
918.1274	50.0	90
918.1279	75.0	120
918.1202	125.0	180
918.1816	180.0	260
918.1203	250.0	420
918.1817	305.0	410

CHROMEplus® Extension set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



918.0007	9 pcs CHROMEplus® Extension set	1.22
3 x	1/4" : 50 - 100 - 250 mm	
4 x	3/8" : 50 - 75 - 150 - 200 mm	
2 x	1/2" : 125 - 250 mm	

Wobble extension

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	
911.1381	50.0	90
911.1382	75.0	120
911.1383	125.0	180
911.1318	180.0	260
911.1384	250.0	340
911.1323	305.0	410

Wobble extension set

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Matt finish
- Chrome vanadium



911.0009	9 pcs Wobble extension set	
3 x	1/4" : 50 - 100 - 250 mm	
4 x	3/8" : 50 - 75 - 150 - 200 mm	
2 x	1/2" : 125 - 250 mm	

CHROMEplus® Wobble extension

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	kg
918.1264	50.0	90
918.1267	75.0	120
918.1201	125.0	180
918.1661	180.0	260
918.1204	250.0	420
918.1663	305.0	410

CHROMEplus® Wobble extension set

- Internal square to DIN 3120 / ISO 1174 with ball reception
- Wobble extension with ball lock
- 8° tilt angle to each side
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		kg
918.0009	9 pcs CHROMEplus® Wobble extension set	1.22
3 x	1/4" : 50 - 100 - 250 mm	
4 x	3/8" : 45 - 75 - 150 - 225 mm	
2 x	1/2" : 125 - 250 mm	



CHROMEplus® Extension with interlock

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Interlocking mechanism against accidental loosening
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	kg
919.1201	75.0	130
919.1203	150.0	220
919.1206	250.0	450

CHROMEplus® Extension set with interlock

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Interlocking mechanism against accidental loosening
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



	kg
919.0123 3 pcs 75 - 125 - 250 mm	0.80

CHROMEplus® Extension set with interlock

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Interlocking mechanism against accidental loosening
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium



		kg
919.0007	7 pcs CHROMEplus® Extension set with interlock	1.24
2 x	1/4" : 100 - 150 mm	
3 x	3/8" : 75 - 150 - 250 mm	
2 x	1/2" : 125 - 250 mm	



1/2" MANUAL DRIVE TOOLS

L-Handle

- DIN 3122 / ISO 3315
- Square drive according to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	kg
911.1331	220.0	270

Speed brace

- DIN 3122 / ISO 3315
- Square drive according to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	kg
911.1338	400.0	625

CHROMEplus® Flexible head drive handle

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Ideal for difficult to access areas
- Protects ratchet and torque wrenches from overloading
- Burnished head
- Chrome plated and mirror polished
- Chrome vanadium



		L mm	head, square	kg
918.1291	1/2"	380.0	918.1292-1	790
918.1297	1/2"	460.0	918.1292-2	1115
918.1292	1/2"	600.0	918.1292-1	1400
918.1293	1/2"	760.0	918.1292-1	1630

1/2" RATCHETS

Reversible ratchet

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 45 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Matt finish
- Chrome vanadium



	A mm	D mm	L mm	Repair set	kg
911.1200	18.0	42.0	250.0	911.1299	580

CHROMEplus® Reversible ratchet

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 45 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	kg
918.1200	18.0	42.0	250.0	911.1299	580



Reversible ratchet


- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Matt finish
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
914.1290	20.5	40.0	250.0	914.1297	600

CHROMEplus® Reversible ratchet


- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
918.1290	21.0	40.0	250.0	914.1297	600

CHROMEplus® Reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
918.1393	21.0	40.0	250.0	914.1297	630

SlimPOWER Reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- 710 N·m maximum load
- Reversible
- Extremely slim head
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle with soft zone
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
920.1290	34.0	32.0	245.0	920.1290-1	356

SlimPOWER reversible ratchet set


- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Extremely slim head
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle with soft zone
- Chrome plated and mirror polished
- Chrome vanadium



				g
920.0002	2 pcs	1/4" + 1/2"		430

Flexibel head reversible ratchet


- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Extra long
- 180° revolving head
- Reversible
- Exact gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Recessed reverse lever
- Matt finish
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
914.1296	20.0	40.0	440.0	914.1297	800

CHROMEplus® Telescopic reversible ratchet

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 36-teeth ratchet mechanism
- Infinitely variable
- Ejection mechanism on the ratchet head
- Ergonomic dual component handle
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
918.1270	19.0	43.0	380.0-500.0	918.1275	1200

1/2" SET ASSORTMENTS

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



			kg
911.0620	20 pcs	Socket set	3.30
15 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 22 - 24 - 27 - 30 - 32 mm	
2 x		125 - 250 mm	
1 x		1/2"	
1 x		1/2"	
1 x		250 mm	

CHROMEplus® Socket set

- Imperial sizes
- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic storage case



			kg
918.0830	30 pcs	CHROMEplus® Socket set	3.40
15 x		3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.1/4"	
7 x		1/2" - 9/16" - 11/16" - 3/4" - 7/8" - 15/16" - 1"	
2 x		5/8" - 13/16"	
2 x		125 - 250 mm	
1 x		1/2"	
1 x		F1/2" x M3/8"	
1 x		380 mm	
1 x		250 mm	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



		kg	
918.0625	22 pcs	CHROMEplus® Socket set	4.75
17 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 19 - 21 - 22 - 24 - 27 - 30 - 32 - 34 mm	
2 x		125 - 250 mm	
1 x		1/2"	
1 x		3/8" x M1/2"	
1 x		380 - 500 mm	

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable metal case



		kg	
917.4024	24 pcs	Socket set	2.50
17 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 19 - 20 - 21 - 22 - 24 - 27 - 30 32 mm	
2 x		16 - 21 mm	
2 x		125 - 250 mm	
1 x		1/2"	
1 x		1/2"	
1 x		250 mm	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic storage case



		kg	
918.0635	35 pcs	CHROMEplus® Socket set	5.75
18 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 - 34 mm	
10 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 18 - 19 mm	
2 x		16 - 21 mm	
2 x		125 - 250 mm	
1 x		1/2"	
1 x		F3/8" x M1/2"	
1 x		250 mm	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



		kg	
918.0623	23 pcs	CHROMEplus® Socket set	2.40
18 x		10-11-12-13-14-15-16-17-18-19-20 21-22-24-27-30-32-34 mm	
2 x		125 - 250 mm	
1 x		1/2"	
1 x		3/8" x M1/2"	
1 x		250 mm	

Socket set

- 12 point
- Matt finish
- Chrome vanadium
- In durable plastic case



		kg	
911.1595	24 pcs	Socket set	3.00
17 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm	
1 x		250 mm	
2 x		125 - 250 mm	
1 x		1/2"	
2 x		16 - 21 mm	
1 x		3/8" F x 1/2" M	

1/2" SET ASSORTMENTS

TX Socket and bit set

- Matt finish
- Chrome vanadium
- In durable plastic case



		kg	
911.4301-1	30 pcs	TX Socket and bit set	1.45
5 x		1/4": E4 - E5 - E6 - E7 - E8	
4 x		3/8": E10 - E11 - E12 - E14	
5 x		1/2": E16 - E18 - E20 - E22 - E24	
2 x		3/8" x 10 mm - 1/2" x 10mm	
7 x		30 mm (T20 - T25 - T30 - T40 - T45 T50 - T55)	
7 x		75 mm (T20 - T25 - T30 - T40 - T45 T50 - T55)	

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

TX Bit socket set for TX tamperproof screws

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

911.4301-2	30 pcs	TX Bit socket set for TX tamperproof screws	1.45
5 x		1/4": E4 - E5 - E6 - E7 - E8	
4 x		3/8": E10 - E11 - E12 - E14	
5 x		1/2": E16 - E18 - E20 - E22 - E24	
2 x		3/8" x 10 mm - 1/2" x 10mm	
7 x		30 mm (TB20 - TB25 - TB30 - TB40 - TB45 - TB50 - TB55)	
7 x		75 mm (TB20 - TB25 - TB30 - TB40 - TB45 - TB50 - TB55)	

TX Socket set

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

911.4302	31 pcs	TX Socket set	1.40
6 x		1/4": T10 - T15 - T20 - T25 - T27 - T30	
3 x		5/16": T40 - T45 - T50	
3 x		1/4": TB30 x 30 mm - TB25 x 75 mm - TB30 x 75 mm	
2 x		1/2": T55 - T60	
4 x		1/4": E5 - E6 - E7 - E8	
3 x		3/8": E10 - E12 - E14	
3 x		1/2": E16 - E18 - E20	
3 x		1/4" x 1/4" - 3/8" x 5/16" - 1/2" x 5/16"	
4 x		E6 x E8 - E7 x E11 - E10 x E12 - E14 x E18 -	

TX Socket and bit set

- Matt finish
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

911.4305	57 pcs	TX Socket and bit set	2.00
2 x		3/8" x 10mm - 1/2" x 1/4"	
12 x		1/4": E4 - E5 - E6 - E7 - E8; 3/8": E10 - E11 - E12 - E14; 1/2": E16 - E18 - E20	
7 x		4 - 5 - 6 - 7 - 8 - 10 - 12 mm	
9 x		TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60	
5 x		M5 - M6 - M8 - M10 - M12	
2 x		8 - 10 mm	
2 x		PH2 - PH3	
5 x		5 - 6 - 7 - 8 - 10 mm	
9 x		T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60	
4 x		M6 - M8 - M10 - M12	

Tool kit

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/2"

911.0650	50 pcs	Tool kit	5.20
9 x		10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 - 22 mm	
1 x		1/4": PZ1 - PZ2 - T10 - T15 - T20 - T25 - T30 - T40	
1 x		21 mm	
1 x		250 mm	
1 x		1/2"	
1 x		1/2"	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
1 x		250 mm	

3 x		4,5 - 5 - 6 mm
2 x		PH1 - PH2
1 x		200 mm
1 x		150 - 250 V
1 x		240 mm
1 x		180 mm
1 x		300 g
8 x		8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4" 1/2"

918.0678	78 pcs	CHROMEplus® Socket set	6.30
13 x		1/4": 4-4,5-5-5,5-6-7-8-9-10-11-12 - 13-14 mm	
8 x		1/4": 6-7-8-9-10-11-12-13 mm	
15 x		1/2": 13-14-15-16-17-18-19-20-21-22 - 24-27-30-32-34 mm	
5 x		1/2": 14-15-17-19-22 mm	
3 x		1/2": 16-18-21 mm	
2 x		1/4": PH1-PH2	
2 x		1/4": PZ1-PZ2	
6 x		1/4": 3-4-5-6-7-8 mm	
7 x		1/4": T10-T15-T20-T25-T27 T30-T40	
6 x		1/4": M4-M5-M6-M7-M8-M10	
1 x		1/4"	
2 x		1/4": 50-100 mm	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 145 mm	
1 x		F3/8" x M1/2"	
2 x		1/2": 125-250 mm	
1 x		1/2"	
1 x		1/2": 250 mm	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4" - 1/2"

918.0694	94 pcs	CHROMEplus® Socket set	6.38
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	
8 x		1/4": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	
18 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm	
4 x		1/2": 14 - 15 - 17 - 19 mm	
2 x		1/2": 16 - 21 mm	
3 x		1/4": 4 - 5,5 - 7 mm	
2 x		1/4": PH1 - PH2	
2 x		1/4": PZ1 - PZ2	
4 x		1/4": 3 - 4 - 5 - 6 mm	
6 x		1/4": TB8 - TB10 - TB15 - TB20 TB25 - TB30	
2 x		1/4": 50 - 100 mm	
1 x		1/4": 150 mm	
3 x		5/16": 8 - 10 - 12 mm	
2 x		5/16": PH3 - PH4	
2 x		5/16": PZ3 - PZ4	
4 x		5/16": 8 - 10 - 12 - 14 mm	
4 x		5/16": TB40 - TB45 - TB50 - TB55	
1 x		1/4"	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 145 mm	
4 x		1 - 1,5 - 2 - 2,5 mm	
1 x		1/4"	
2 x		1/2": 125 - 250 mm	
1 x		F3/8" x M1/2"	
1 x		1/2"	
1 x		1/2" x 5/16"	
1 x		1/2": 250 mm	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In a classy aluminium case



1/4" - 1/2"

918.0702	102 pcs	CHROMEplus® Socket set	9.70
13 x		1/4": 4 - 4,5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	
3 x		1/4": 8 - 10 - 13 mm	
13 x		1/2": 13 - 15 - 17 - 18 - 19 - 20 - 21 22 - 24 - 27 - 30 - 32 - 34 mm	
5 x		1/2": 14 - 15 - 17 - 19 - 22 mm	
3 x		1/4": PH1 - PH2 - PH3	
2 x		1/4": PZ1 - PZ2	
4 x		1/4": 3 - 4 - 5 - 6 mm	
7 x		1/4": T10 - T15 - T20 - T25 - T27 T30 - T40	
3 x		1/4": M4 - M5 - M6	
3 x		1/4": E6 - E7 - E8	
6 x		1/2": E10 - E12 - E14 - E16 - E18 E20	
2 x		1/2": 16 - 21 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
1 x		5/16": PZ3	
2 x		5/16": 8 - 10 mm	
4 x		5/16": TB45 - TB50 - TB55 - TB60	
3 x		5/16": M8 - M10 - M12	
1 x		1/4"	
1 x		1/4"	
2 x		1/4": 50 - 100 mm	
2 x		1/2": 125 - 250 mm	
1 x		F3/8" x M1/2"	
1 x		1/2"	
1 x		1/2" x 5/16"	
2 x		1/4" - 1/2"	
7 x		7 - 8 - 10 - 12 - 13 - 17 - 19 mm	

CHROMEplus® Socket set

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic case



1/4" 3/8" 1/2"

918.0724	124 pcs	CHROMEplus® Socket set	9.50
10 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 mm	
6 x		1/4": 5 - 6 - 7 - 8 - 9 - 10 mm	
11 x		3/8": 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 mm	
6 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 mm	
8 x		3/8": E8 - E10 - E11 - E12 - E14 - E16 E18 - E20	
8 x		1/2": 20 - 21 - 22 - 24 - 27 - 30 - 32 34 mm	
6 x		1/2": 10 - 12 - 13 - 14 - 17 - 19 mm	
2 x		1/2": E22 - E24	
2 x		1/2": 16 - 21 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
12 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 mm	
2 x		3/8": 4 - 5,5 mm	
3 x		3/8": PH1 - PH2 - PH3	
3 x		3/8": PZ1 - PZ2 - PZ3	
5 x		3/8": 3 - 4 - 5 - 6 - 8 mm	
5 x		3/8": T20 - T30 - T40 - T45 - T50	
4 x		3/8": M4 - M5 - M6 - M8	
7 x		1/4": T10 - T15 - T20 - T25 - T27 T30 - T40	
1 x		1/4"	
1 x		1/4"	
1 x		1/4": 100 mm	
2 x		3/8": 75 - 150 mm	
2 x		1/2": 125 - 250 mm	
3 x		1/4" - 3/8" - 1/2"	
2 x		1/2": F1/2" x M 3/8"	
3 x		1/4" - 3/8" - 1/2"	

Socket set

- 6 point
- Matt finish
- Chrome vanadium
- In durable plastic storage case



1/4" 3/8" 1/2"

917.0779	179 pcs	Socket set	7.40
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	
5 x		1/4": 6 - 7 - 8 - 9 - 10 mm	
10 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 mm	
6 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 mm	
17 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 30 - 32 mm	
5 x		1/2": 16 - 17 - 18 - 19 - 22 mm	
1 x		3/8": 18 mm	
2 x		1/2": 16 - 21 mm	
4 x		1/4": 4 - 5 - 6,5 - 7 mm	
3 x		1/4": PH0 - PH1 - PH2	
3 x		1/4": PZ0 - PZ1 - PZ2	
4 x		1/4": 3 - 4 - 5 - 6 mm	
8 x		1/4": T8 - T9 - T10 - T15 - T20 - T25 - T27 T30	
8 x		1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 TB27 - TB30	
5 x		1/4": E4 - E5 - E6 - E7 - E8	
6 x		3/8": E10 - E11 - E12 - E14 - E16 - E18	
2 x		1/2": E20 - E24	
11 x		1/4": T5 - T6 - T7 - T8 - T9 - T10 - T15 T20 - T25 - T27 - T30	
1 x		1/4": TB7	
3 x		1/4": M5 - M6 - M8	
5 x		1/4": M5 - M6 - M7 - M8 - M9	
8 x		1/4": TS10 - TS15 - TS20 - TS25 TS27 - TS30 - TS40 - TS45	
3 x		5/16": 8 - 10 - 12 mm	
5 x		5/16": 7 - 8 - 10 - 12 - 14 mm	
1 x		5/16": PH3 - PH4	
1 x		5/16": PZ3 - PZ4	
6 x		5/16": T40 - T45 - T50 - T55 - T60 - T70	
6 x		5/16": TB40 - TB45 - TB50 - TB55 TB60 - TB70	

7 x		1,3 - 1,5 - 2 - 2,5 - 3 - 4 - 5 mm
1 x		1/4": 150 mm
1 x		1/4": 110 mm
2 x		1/4": 50 - 100 mm
1 x		3/8": 150 mm
2 x		1/2": 125 - 250 mm
3 x		1/4" - 3/8" - 1/2"
1 x		1/4" x 1/4"
1 x		3/8" x 5/16"
1 x		1/2" x 5/16"
1 x		3/8"Fx1/2"M
3 x		1/4" - 3/8" - 1/2"



CHROMEplus® Tool kit

- 6 point
- FlankTraction profile
- With removeable plastic storage trays
- Chrome plated and mirror polished
- Chrome vanadium
- Telescopic carrying handle
- In a classy aluminium trolley



1/4" - 1/2"

918.0690	90 pcs	CHROMEplus® Tool kit	10.50
13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm	
10 x		1/2": 15 - 17 - 18 - 19 - 20 - 22 - 24 27 - 30 - 32 mm	
2 x		1/2": 16 - 21 mm	
1 x		1/4"	
2 x		1/4": 50 - 100 mm	
1 x		1/4"	
1 x		1/4" x 1/4"	
1 x		1/4": 185 mm	
1 x		1/4"	
1 x		1/4": 140 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/2"	
1 x		1/2": F3/8" - M1/2"	
1 x		1/2": 250 mm	
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm	
5 x		1/4": PH0 - PH1 - 2 x PH2 - PH3	
5 x		1/4": PZ0 - PZ1 - 2 x PZ2 - PZ3	
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		1/4": T10 - T15 - T20 - T25 - T27 T30 - T40	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
7 x		7 - 8 - 10 - 12 - 13 - 17 - 19 mm	
2 x		5 - 6 mm	
2 x		PH1 - PH2	
1 x		240 mm	
1 x		180 mm	



Universal tool kit

- With 3 drawers and upper insert storage
- Matt finish
- Chrome vanadium
- In durable steel tool chest



1/4" 1/2"

911.0100	100 pcs	Universal tool kit	19.80
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm	
12 x		1/2": 14 - 15 - 16 - 17 - 18 - 19 - 20 - 22 - 24 - 27 - 30 - 32 mm	
2 x		1/2": 16 - 21 mm	
1 x		1/4": 911.2060	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
4 x		1/4": 50 - 100 mm; 1/2": 125 - 250 mm	
2 x		1/4": 100 mm; 1/2": 250 mm	
1 x		1/4"	
2 x		1/4" - 1/2"	
2 x		1/4": 145 mm; 1/2": 250 mm	
12 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm	
4 x		4,0 x 100 mm - 4,5 x 100 mm 5,0 x 100 mm - 5,0 x 150 mm	
2 x		PH1 x 75 mm - PH2 x 100 mm	
1 x		160 mm	
1 x		180 mm	
1 x		200 mm	
1 x		10"	

CHROMEplus® Universal tool set

- With 3 drawers and upper insert storage
- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable steel tool chest



1/4" 1/2"

918.0100	99 pcs	CHROMEplus® Universal tool set	19.50
11 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
3 x		1/4": 8 - 10 - 13 mm	
1 x		1/4": 50 mm	
1 x		1/4"	
1 x		1/4": 110 mm	
1 x		1/4": 140 mm	
3 x		1/2": 4 - 4,5 - 7 mm	
2 x		1/2": PH1 - PH2	
2 x		1/2": PZ1 - PZ2	
6 x		1/2": 3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		1/2": T10 - T15 - T20 - T25 - T27 - T30 - T40	
12 x		1/2": 13 - 15 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm	
2 x		1/2": 17 - 19 mm	
2 x		1/2": 16 - 21 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/2": F3/8" x M 1/2"	
1 x		1/2"	
1 x		1/2": 250 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
12 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	
6 x		6 x 38 - 3 x 75 - 4 x 100 - 5,5 x 100 - 6,5 x 125 - 8 x 150 mm	
4 x		PH2 x 38 mm - PH1 x 75 mm - PH2 x 100 mm - PH3 x 150 mm	
1 x		160 mm	
1 x		180 mm	
1 x		200 mm	
1 x		10"	
1 x		250 mm	
1 x		300 g	

CHROMEplus® Universal tool set

- With 3 drawers and upper insert storage
- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable steel tool chest



1/4" 1/2"

918.0200	99 pcs	CHROMEplus® Universal tool set	19.50
11 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	
3 x		1/4": 8 - 10 - 13 mm	
1 x		1/4": 50 mm	
1 x		1/4"	
1 x		1/4": 110 mm	
1 x		1/4": 140 mm	
3 x		1/4": 4 - 4,5 - 7 mm	
4 x		1/4": PH1 - PH2 - PH3 - PH4	
3 x		1/4": PZ1 - PZ2 - PZ3	
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm	
7 x		1/4": T10 - T15 - T20 - T25 - T27 - T30 - T40	
12 x		1/2": 13 - 15 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm	
2 x		1/2": 17 - 19 mm	
2 x		1/2": 16 - 21 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/2": F3/8" x M 1/2"	
1 x		1/2"	
1 x		1/2": 250 mm	
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	
12 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	
6 x		6 x 38 mm - 3 x 75 mm - 4 x 100 mm - 5,5 x 100 mm - 6,5 x 125 mm - 8 x 150 mm	
4 x		PH2 x 38 mm - PH1 x 75 mm - PH2 x 100 mm - PH3 x 150 mm	
1 x		125 mm	
1 x		180 mm	
1 x		200 mm	
1 x		10"	
1 x		250 mm	
1 x		300 g	

CHROMEplus® Universal tool set

- With 3 drawers and upper insert storage
- Imperial sizes
- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In durable steel tool chest



1/4" 1/2"

		kg	
918.0150	99 pcs	CHROMEplus® Universal tool set	25.60
13 x		1/4": 5/32" - 3/16" - 7/32" - 1/4" - 9/32" - 5/16" - 11/32" - 3/8" - 13/32" - 7/16" - 15/32" - 1/2" - 9/16"	
3 x		1/4": 5/16" - 3/8" - 1/2"	
1 x		1/4": 50 mm	
1 x		1/4"	
1 x		1/4": 110 mm	
1 x		1/4": 140 mm	
3 x		1/4": 5/32" - 1/4" - 9/32"	
2 x		1/4": PH1 - PH2	
2 x		1/4": PZ1 - PZ2	
6 x		1/4": 1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16"	
7 x		1/4": T10 - T15 - T20 - T25 - T27 - T30 - T40	
12 x		1/2": 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1.1/16" - 1.3/16" - 1.1/4"	
2 x		1/2": 11/16" - 3/4"	
2 x		1/2": 16 - 21 mm	
2 x		1/2": 125 - 250 mm	
1 x		1/2": F3/8" x M 1/2"	
1 x		1/2"	
1 x		1/2": 250 mm	
1 x		1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"	
12 x		1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16"	
6 x		6 x 38 mm - 3 x 75 mm - 4 x 100 mm - 5,5 x 100 mm - 6,5 x 125 mm - 8 x 150 mm	
4 x		PH2 x 38 mm - PH1 x 75 mm - PH2 x 100 mm - PH3 x 150 mm	
1 x		125 mm	
1 x		180 mm	
1 x		200 mm	
1 x		10"	
1 x		250 mm	
1 x		300 g	

1/2" POINT OF SALE DISPLAYS

Socket display

- Superlock
- Matt finish
- Chrome vanadium



1/2"

		kg	
911.0300	311 pcs	Socket display	39.30
228x		38mm: 10x(8-9-11-12-14-15-16-24-27-30-32mm) 20x(10-13-17-19mm) 8x(18mm) 15x(21-22mm)	
83x		75mm: 7x(10-11-12-13-14-15-16-17mm) 6x(18-19mm) 5x(21-22-24mm)	

CHROMEplus® Socket display

- 6 point
- FlankTraction profile
- Chrome plated and mirror polished
- Chrome vanadium
- In point of sale display



1/2"

		kg	
918.0300	311 pcs	CHROMEplus® Socket display	39.90
228x		38mm: 10x(8-9-11-12-14-15-16-24-27-30-32mm) 20x(10-13-17-19mm) 8x(18mm) 15x(21-22mm)	
83x		75mm: 7x(10-11-12-13-14-15-16-17mm) 6x(18-19mm) 5x(21-22-24mm)	



Bit socket display

- Matt finish
- Chrome vanadium



1/2"

		kg	
911.0310	371 pcs	Bit socket display	42.50
80 x		10 x (5-6-7-8-10-12-14-17 mm)	
28 x		7 x (7-8-10-12 mm)	
60 x		10 x (M5-M6-M8-M10-M12-M14)	
28 x		7 x (M8-M10-M12-M14)	
70 x		10 x (T20-T25-T27-T30-T40-T45-T50)	
70 x		10 x (TB20-TB25-TB27-TB30-TB40-TB45-TB50)	
35 x		7 x (T25-T30-T40-T45-T50)	

CHROMEplus® Bit socket display

- Chrome plated and mirror polished
- Chrome vanadium




1/2"

		kg	
918.0310	385 pcs	CHROMEplus® Bit socket display	43.70
80 x		10 x (5-6-7-8-10-12-14-17 mm)	
28 x		7 x (7-8-10-12 mm)	
60 x		10 x (M5-M6-M8-M10-M12-M14)	
28 x		7 x (M8-M10-M12-M14)	
70 x		10 x (T20-T25-T27-T30-T40-T45-T50)	
70 x		10 x (TB20-TB25-TB27-TB30-TB40-TB45-TB50)	
35 x		7 x (T25-T30-T40-T45-T50)	

3/4" SOCKETS

CLASSIC Hexagonal socket

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Short execution
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D1 mm	D2 mm	L mm	T mm	g	
911.3406	18.0	28.0	36.0	52.0	19.0	210	
911.3419	19.0	30.0	36.0	52.0	19.0	210	
911.3421	21.0	32.0	36.0	52.0	19.0	220	
911.3422	22.0	33.0	36.0	52.0	19.0	220	
911.3423	23.0	35.0	38.0	52.0	19.0	220	
911.3424	24.0	36.0	38.0	52.0	20.0	220	
911.3426	26.0	37.0	36.0	55.0	23.0	220	
911.3427	27.0	40.0	36.0	55.0	24.0	230	
911.3429	29.0	42.0	36.0	55.0	24.0	260	
911.3430	30.0	43.0	38.0	58.0	26.0	290	
911.3432	32.0	46.0	38.0	58.0	27.0	300	
911.3407	33.0	47.0	40.0	58.0	26.0	355	
911.3408	34.0	47.0	40.0	58.0	24.0	360	
911.3435	35.0	50.0	40.0	60.0	27.0	400	
911.3436	36.0	51.0	40.0	60.0	28.0	430	
911.3438	38.0	53.0	41.0	60.0	28.0	490	
911.3441	41.0	57.0	44.0	63.0	31.0	540	
911.3446	46.0	63.0	44.0	66.0	33.0	630	
911.3450	50.0	68.0	48.0	69.0	35.0	840	
911.3409	55.0	75.0	53.0	68.0	33.0	960	
911.3411	60.0	80.0	53.0	68.0	33.0	1050	
911.3413		3/4"	28.0	34.0	50.0	16.0	175
911.3414		13/16"	31.0	35.0	50.0	16.0	190
911.3416		7/8"	33.5	36.0	52.0	19.0	225
911.3418		15/16"	35.0	38.0	52.0	20.0	260
911.3425		1"	38.0	36.0	52.0	22.0	225
911.3428		1.1/16"	40.0	36.0	55.0	24.0	250
911.3431		1.1/8"	41.0	36.0	55.0	24.0	260
911.3433		1.3/16"	43.0	38.0	57.0	24.0	270
911.3437		1.1/4"	45.0	38.0	58.0	26.0	330
911.3439		1.5/16"	47.0	40.0	58.0	26.0	375
911.3442		1.3/8"	50.0	40.0	60.0	28.0	405
911.3443		1.7/16"	51.0	40.0	60.0	28.0	410
911.3444		1.1/2"	53.0	40.0	60.0	28.0	430
911.3445		1.5/8"	57.0	44.0	63.0	30.0	530
911.3447		1.11/16"	59.0	44.0	63.0	30.0	565
911.3448		1.3/4"	61.0	44.0	65.0	32.0	625
911.3449		1.13/16"	63.0	44.0	65.0	32.0	630
911.3451		1.7/8"	65.0	44.0	65.0	32.0	660
911.3452		2"	69.0	48.0	68.0	34.0	810

12 Point socket

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Short execution
- For manual operation
- Matt finish
- Chrome vanadium




	mm	D1 mm	D2 mm	L mm	T mm	g
911.3517	18.0	28.0	36.0	52.0	19.0	210

	mm	D1 mm	D2 mm	L mm	T mm	g	
911.3518	19.0	30.0	36.0	52.0	19.0	210	
911.3525	21.0	32.0	36.0	52.0	19.0	220	
911.3528	22.0	33.0	36.0	52.0	19.0	220	
911.3531	23.0	35.0	38.0	52.0	19.0	220	
911.3533	24.0	36.0	38.0	52.0	20.0	220	
911.3534	26.0	37.0	36.0	55.0	23.0	220	
911.3537	27.0	40.0	36.0	55.0	24.0	230	
911.3539	29.0	42.0	36.0	55.0	24.0	260	
911.3542	30.0	43.0	38.0	58.0	26.0	290	
911.3543	32.0	46.0	38.0	58.0	27.0	300	
911.3544	33.0	47.0	40.0	58.0	26.0	355	
911.3545	34.0	47.0	40.0	58.0	24.0	360	
911.3547	35.0	50.0	40.0	60.0	27.0	400	
911.3548	36.0	51.0	40.0	60.0	28.0	430	
911.3549	38.0	53.0	41.0	60.0	28.0	490	
911.3557	41.0	57.0	44.0	63.0	31.0	540	
911.3598	46.0	63.0	44.0	66.0	33.0	630	
911.3599	50.0	68.0	48.0	69.0	35.0	840	
911.3453	55.0	75.0	53.0	68.0	33.0	960	
911.3454	60.0	80.0	53.0	68.0	33.0	1050	
911.3519		3/4"	29.0	35.0	50.0	16.0	210
911.3521		13/16"	31.0	35.0	51.0	17.0	220
911.3522		7/8"	33.0	35.0	51.0	18.0	220
911.3523		15/16"	34.0	35.0	51.0	19.0	220
911.3524		1"	37.0	38.0	52.0	20.0	220
911.3526		1.1/16"	39.0	38.0	54.0	20.0	220
911.3527		1.1/8"	41.0	38.0	57.0	20.0	230
911.3529		1.3/16"	43.0	38.0	57.0	21.0	260
911.3530		1.1/4"	45.0	38.0	58.0	22.0	290
911.3532		1.5/16"	47.0	40.0	59.0	24.0	300
911.3535		1.3/8"	49.0	40.0	59.0	24.0	400
911.3536		1.7/16"	50.0	40.0	60.0	27.0	430
911.3538		1.1/2"	52.0	41.0	64.0	30.0	490
911.3541		1.5/8"	56.0	40.0	67.0	30.0	540
911.3455		1.11/16"	59.0	44.0	63.0	30.0	565
911.3546		1.3/4"	60.0	40.0	70.0	32.0	630
911.3456		1.13/16"	63.0	44.0	65.0	32.0	630
911.3457		1.7/8"	65.0	44.0	65.0	32.0	660
911.3550		2"	67.0	40.0	80.0	34.0	840

3/4" BIT SOCKETS

Bit socket for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium




	mm	D mm	L mm	T mm	g
911.3458	14.0	38.0	80.0	25.0	350
911.3459	17.0	38.0	80.0	25.0	390
911.3461	19.0	38.0	80.0	25.0	430
911.3462	22.0	38.0	80.0	25.0	480



Bit socket for hexagon screws, long

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Long execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium



	mm	D mm	L mm	T mm	g
911.3463	14.0	38.0	155.0	100.0	450
911.3464	17.0	38.0	155.0	100.0	540
911.3465	19.0	38.0	155.0	100.0	580
911.3466	22.0	38.0	155.0	100.0	610

Bit socket for TX screws

- TX
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium




		D mm	L mm	T mm	g
911.3467	T60	38.0	80.0	25.0	340
911.3468	T70	38.0	80.0	25.0	380
911.3469	T80	38.0	80.0	25.0	415
911.3471	T90	38.0	80.0	25.0	450
911.3472	T100	38.0	80.0	25.0	460

3/4" ADAPTERS

Reducing adaptor


- DIN 3123 / ISO 3316
- Square drive to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



	mm	L mm	T mm	g
911.3412	3/4	1/2"	56.0	195

Adaptor and reducing adaptor

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



	3/4"	1"	L mm	g
911.3473	3/4"	1"	60.0	335

Adaptor and reducing adaptor set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium
- In durable plastic case



	1/4"	3/8"	1/2"	g
911.0106	6 pcs	1/4" x 3/8" - 3/8" x 1/4" - 3/8" x 1/2" - 1/2" x 3/8" - 1/2" x 3/4" - 3/4" x 1/2"		0.66

CHROMEplus® adaptor and reducing adaptor set

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Chrome plated and mirror polished
- Chrome vanadium
- In durable plastic storage case




	1/4"	3/8"	1/2"	g
918.0106	6 pcs	1/4" x 3/8" - 3/8" x 1/4" - 3/8" x 1/2" - 1/2" x 3/8" - 1/2" x 3/4" - 3/4" x 1/2"		0.66

3/4" T-HANDLES

Sliding T-handle

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- For manual operation
- Matt finish
- Chrome vanadium



	H mm	L mm	g
911.3405	16.0	450.0	1.22



3/4" EXTENSIONS

Extensions

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- For manual operation
- Matt finish
- Chrome vanadium



	L mm	g
911.3402	100.0	420
911.3403	200.0	730
911.3404	400.0	1600

3/4" MANUAL DRIVE TOOLS

CHROMEplus® Flexible head drive handle

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Ideal for difficult to access areas
- Protects ratchet and torque wrenches from overloading
- Burnished head
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	head spare	g
918.1801	1030.0	918.1801-1	3.80

3/4" RATCHETS

Reversible ratchet

- DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Fine gearing 72 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Ergonomic handle
- Matt finish
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
911.3400	21.0	55.0	500.0	911.3498	1.98

CHROMEplus® Reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 24 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Knurled handle
- Recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
911.3401	30.0	63.0	500.0	911.3499	2.55



CHROMEplus® Telescopic reversible ratchet

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 24 teeth ratchet mechanism
- Ejection mechanism on the ratchet head
- Knurled handle
- Recessed reverse lever
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Repair set	g
911.3490	30.0	63.0	510.0-730.0	911.3499	3.35

Reversible ratchet

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Maximum load capacity up to 1.750 N•m
- Reversible
- Exact gearing 24 teeth ratchet mechanism
- Extremely substantial handle bar
- Ejection mechanism on the ratchet head
- Knurled handle
- Recessed reverse lever
- Ideally suited for extreme loads
- Burnished head
- Matt finish
- Chrome vanadium



3/4"

	A mm	D mm	L mm	Repair set	kg
911.3410	35.0	70.0	1000.0	911.3499	3.00

Adjustable lengths high torque ratchet

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 24-teeth ratchet mechanism
- Infinitely variable
- Chrome plated and mirror polished
- Chrome vanadium



3/4"

	D mm	L mm	A mm	kg
918.1805	46.0	610-915	96.0	3.04

3/4" SOCKETS

Socket set

- 6 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- In durable plastic storage case



3/4"

		kg
911.0721	21 pcs Socket set	14.50
16 x	19 - 21 - 22 - 23 - 24 - 26 - 27 - 29 - 30 32 - 35 - 36 - 38 - 41 - 46 - 50 mm	
3 x	100 - 200 - 400 mm	
1 x	450 mm	
1 x	500 mm	

Socket set

- Imperial sizes
- 6 point
- Matt finish
- Chrome vanadium
- In durable plastic case



3/4"

		kg
911.0752	21 pcs Socket set	14.50
16 x	3/4" - 13/16" - 7/8" - 15/16" - 1" - 1.1/16" - 1.1/8" - 1.3/16" - 1.1/4" - 1.5/16" - 1.3/8" - 1.7/16" - 1.1/2" - 1.5/8" - 1.3/4" - 2"	
3 x	100 - 200 - 400 mm	
1 x	450 mm	
1 x	500 mm	

Socket set

- Imperial sizes
- 12 point
- Matt finish
- Chrome vanadium
- In durable plastic case



3/4"

		kg
911.0751	21 pcs Socket set	14.50
16 x	3/4" - 13/16" - 7/8" - 15/16" - 1" - 1.1/16" - 1.1/8" - 1.3/16" - 1.1/4" - 1.5/16" - 1.3/8" - 1.7/16" - 1.1/2" - 1.5/8" - 1.3/4" - 2"	
3 x	100 - 200 - 400 mm	
1 x	450 mm	
1 x	500 mm	

Socket set

- 12 point
- FlankTraction profile (12 point)
- Matt finish
- Chrome vanadium
- In durable plastic case



3/4"


		kg
911.0722	21 pcs Socket set	15.50
16 x	19 - 21 - 22 - 23 - 24 - 26 - 27 - 29 - 30 32 - 35 - 36 - 38 - 41 - 46 - 50 mm	
3 x	100 - 200 - 400 mm	
1 x	450 mm	
1 x	500 mm	



1" SOCKETS

CLASSIC Hexagonal socket

- 6 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Short execution
- For manual operation
- Matt finish
- Chrome vanadium




T

	mm	D1 mm	D2 mm	L mm	T mm	kg
911.1036	36,0	51,0	45,0	66,0	25,0	0,51
911.1038	38,0	54,0	45,0	66,0	26,0	0,56
911.1041	41,0	57,0	45,0	70,0	30,0	0,63
911.1046	46,0	65,0	50,0	75,0	30,0	0,92
911.1050	50,0	70,0	57,0	76,0	31,0	1,12
911.1054	54,0	74,0	57,0	81,0	32,0	1,26
911.1055	55,0	76,0	57,0	81,0	32,0	1,31
911.1058	58,0	79,0	57,0	81,0	32,0	1,39
911.1060	60,0	82,0	57,0	85,0	40,0	1,49
911.1063	63,0	86,0	57,0	87,0	40,0	1,65
911.1065	65,0	88,0	57,0	87,0	40,0	1,66
911.1067	67,0	90,0	57,0	88,0	40,0	1,80
911.1070	70,0	94,0	68,0	93,0	44,0	2,20
911.1071	71,0	95,0	68,0	93,0	45,0	2,25
911.1075	75,0	100,0	68,0	97,0	45,0	2,49
911.1077	77,0	101,0	68,0	101,0	50,0	2,63
911.1080	80,0	105,0	68,0	103,0	51,0	2,70
911.1022	1.7/16"	55,0	48,0	70,0	30,0	0,60
911.1023	1.1/2"	56,0	48,0	70,0	30,0	0,65
911.1024	1.5/8"	60,0	50,0	70,0	30,0	0,70
911.1025	1.13/16"	66,0	50,0	75,0	33,0	0,83
911.1026	1.7/8"	68,0	50,0	75,0	33,0	0,89
911.1027	2"	72,0	50,0	75,0	5,0	0,94
911.1028	2.1/16"	74,0	50,0	75,0	35,0	0,99
911.1029	2.3/16"	78,0	50,0	80,0	37,0	1,18
911.1031	2.1/4"	80,0	50,0	80,0	37,0	1,23
911.1032	2.3/8"	84,0	50,0	85,0	41,0	1,39
911.1033	2.7/16"	86,0	50,0	85,0	41,0	1,54
911.1034	2.9/16"	90,0	59,5	88,0	44,5	1,79
911.1035	2.5/8"	92,0	59,0	88,0	44,0	1,81
911.1037	2.3/4"	96,0	59,0	92,0	48,0	2,06
911.1039	2.13/16"	98,0	60,0	92,0	48,0	2,14
911.1042	2.15/16"	102,0	60,0	95,0	51,0	2,30
911.1043	3"	104,0	60,0	95,0	51,0	2,35
911.1044	3.1/8"	109,0	60,0	97,0	54,0	2,56



12 Point socket

- 12 point
- FlankTraction profile
- According to DIN 3124 / ISO 2725
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Short execution
- For manual operation
- Matt finish
- Chrome vanadium




T

	mm	D1 mm	D2 mm	L mm	T mm	kg
911.1045	36,0	54,0	48,0	70,0	30,0	0,51
911.1047	38,0	56,0	48,0	70,0	30,0	0,60
911.1048	41,0	60,0	50,0	70,0	31,0	0,64
911.1049	46,0	66,0	50,0	75,0	34,0	0,90
911.1051	50,0	71,0	50,0	75,0	35,0	1,10
911.1052	54,0	75,0	50,0	80,0	36,0	1,14
911.1053	55,0	80,0	50,0	80,0	38,0	1,30
911.1056	58,0	83,0	50,0	85,0	40,0	1,40
911.1057	60,0	85,0	50,0	85,0	41,0	1,50
911.1059	63,0	86,0	60,0	88,0	43,0	1,68
911.1061	65,0	88,0	60,0	88,0	45,0	1,74
911.1062	67,0	90,0	60,0	88,0	46,0	1,85
911.1064	70,0	92,0	60,0	92,0	48,0	2,00
911.1066	71,0	94,0	60,0	92,0	50,0	2,13
911.1068	75,0	95,0	60,0	95,0	51,0	2,28
911.1069	77,0	93,0	60,0	96,0	52,0	2,40
911.1072	80,0	97,0	60,0	97,0	54,0	2,58
911.1073	1.7/16"	55,0	48,0	70,0	30,0	0,60
911.1074	1.1/2"	56,0	48,0	70,0	30,0	0,65
911.1076	1.5/8"	60,0	50,0	70,0	30,0	0,70
911.1078	1.13/16"	66,0	50,0	75,0	33,0	0,83
911.1079	1.7/8"	68,0	50,0	75,0	33,0	0,89
911.1082	2"	72,0	50,0	75,0	5,0	0,94
911.1083	2.1/16"	74,0	50,0	75,0	35,0	0,99
911.1084	2.3/16"	78,0	50,0	80,0	37,0	1,18
911.1093	2.1/4"	80,0	50,0	80,0	37,0	1,23
911.1094	2.3/8"	84,0	50,0	85,0	41,0	1,39
911.1095	2.7/16"	86,0	50,0	85,0	41,0	1,54
911.1096	2.9/16"	90,0	59,5	88,0	44,5	1,79
911.1097	2.5/8"	92,0	59,0	88,0	44,0	1,81
911.1098	2.3/4"	96,0	59,0	92,0	48,0	2,06
911.0801	2.13/16"	98,0	60,0	92,0	48,0	2,14
911.0802	2.15/16"	102,0	60,0	95,0	51,0	2,30
911.0803	3"	104,0	60,0	95,0	51,0	2,35
911.0804	3.1/8"	109,0	60,0	97,0	54,0	2,56

1" BIT SOCKETS

Bit socket for hexagon screws

- Hexagon socket
- In accordance with DIN 7422
- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Short execution
- Press fitted nickel plated insert bit
- For manual operation
- Matt finish
- Chrome vanadium




T

	mm	D mm	L mm	T mm	kg
911.1805	14,0	43,0	85,0	25,0	390
911.1806	17,0	43,0	85,0	25,0	415
911.1807	19,0	43,0	85,0	25,0	445
911.1808	22,0	48,0	90,0	25,0	660
911.1809	24,0	48,0	90,0	25,0	720
911.1811	27,0	49,0	90,0	25,0	830

1" T-HANDLES

Sliding adaptor

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- To the use with extensions
- For manual operation
- Matt finish
- Chrome vanadium



T

	L mm	kg
911.1081	80,0	640

Universal handle

- With ball lock
- For manual operation
- Matt finish
- Chrome vanadium



T

	D mm	L mm	kg
911.1021	28,0	540,0	2,55

1" EXTENSIONS

CHROMEplus® Extension

- DIN 3123 / ISO 3316
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Internal square to DIN 3120 / ISO 1174 with ball reception
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	kg
911.1020	200.0	1.33
911.1040	400.0	2.35

1/4" MANUAL DRIVE TOOLS

CHROMEplus® Flexible head drive handle

- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Ideal for difficult to access areas
- Protects ratchet and torque wrenches from overloading
- Burnished head
- Chrome plated and mirror polished
- Chrome vanadium



	L mm	head spare	kg
918.1802	1050.0	918.1802-1	3.80

1" RATCHETS

Reversible ratchet

- According to DIN 3122 / ISO 3315
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- Reversible
- Exact gearing 24 teeth ratchet mechanism
- Lightweight recessed reverse lever
- Ideally suited for extreme loads
- Burnished head
- With handle
- Chrome plated and mirror polished
- Chrome vanadium



	A mm	D mm	L mm	Replacement handle bar	Repair set	kg
911.1019	35.0	70.0	210.0	911.1021	911.1099	1.97

1" SET ASSORTMENTS

Socket set

- 6 point
- Matt finish
- Chrome vanadium
- Robust 24 teeth ratchet mechanism
- In durable steel storage case



			kg
911.0815	15 pcs	36 - 41 - 46 - 50 - 55 - 60 - 65 - 70 - 75 - 80 mm	29.00
911.0822	22 pcs	36 - 38 - 41 - 46 - 50 - 54 - 55 - 58 - 60 - 63 - 65 - 67 - 70 - 71 - 75 - 77 - 80 mm	43.50

Socket set

- 12 point
- FlankTraction profile
- Matt finish
- Chrome vanadium
- Robust 24 teeth ratchet mechanism
- In durable steel storage case



			kg
911.0814	15 pcs	36 - 41 - 46 - 50 - 55 - 60 - 65 - 70 - 75 - 80 mm	29.00
911.0824	22 pcs	36 - 38 - 41 - 46 - 50 - 54 - 55 - 58 - 60 - 63 - 65 - 67 - 70 - 71 - 75 - 77 - 80 mm	43.50



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

1/4" POWER SOCKETS

Hexagon impact socket

- 6 point
- According to DIN 3129 / ISO 2725-2
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



	mm	L mm	D1 mm	D2 mm	T mm	g
515.1501	4,0	23,0	10,0	13,0	3,0	12
515.1502	4,5	23,0	10,0	13,0	3,0	12
515.1503	5,0	23,0	10,0	13,0	3,0	12
515.1541	5,5	23,0	10,0	13,0	3,0	14
515.1542	6,0	23,0	10,0	13,0	3,0	14
515.1543	7,0	23,0	11,0	13,0	3,0	14
515.1544	8,0	23,0	12,0	13,0	3,5	14
515.1545	9,0	23,0	13,0	13,0	4,0	16
515.1546	10,0	23,0	14,0	13,0	5,0	16
515.1547	11,0	23,0	16,0	13,0	6,0	19
515.1548	12,0	23,0	17,0	13,0	6,0	19
515.1549	13,0	23,0	19,0	13,0	6,0	21
515.1550	14,0	23,0	20,0	13,0	7,0	21
515.1552	3/16"	23,0	9,0	13,0	3,0	14
515.1553	1/4"	23,0	10,0	13,0	3,0	14
515.1554	5/16"	23,0	13,0	13,0	3,0	14
515.1505	11/32"	23,0	13,0	10,0	4,0	15
515.1555	3/8"	23,0	14,0	13,0	4,0	16
515.1556	7/16"	23,0	16,0	13,0	6,0	19
515.1525	1/2"	23,0	17,0	14,0	6,0	22

Spiral profile impact socket

- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Rejuvenating special profile with aggressive spiral nut
- For turning off of screws with rounded or turned heads
- Bites firmly to give a firm connection between stuck nut and head
- Phosphate finish
- Chrome molybdenum



	mm	D mm	L mm	g
913.1473	6,0	17,0	32,0	40
913.1408	8,0	17,0	32,0	40
913.1410	10,0	17,0	32,0	40
913.1470	11,0	17,0	32,0	40
913.1412	12,0	17,0	32,0	40



Spiral profile impact socket set

- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Rejuvenating special profile with aggressive spiral nut
- For turning off of screws with rounded or turned heads
- Bites firmly to give a firm connection between stuck nut and head
- Drive out pin
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



1/4" 1/2"

	mm	g	
913.1460	15 pcs	Spiral profile impact socket set	1,10
8 x		1/2": 13 - 14 - 15 - 17 - 19 - 21 - 24 - 27 mm	
5 x		1/4": 6 - 8 - 10 - 11 - 12 mm	
2 x		1/4"	

1/4" POWER EXTENSIONS

Impact extension

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1/4"

	L mm	D mm	g
515.1560	50,0	13,0	25

1/4" POWER ADAPTERS

Impact socket adapter

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1/4"

	mm	L mm	D mm	g	
515.1530	1/4"	3/8"	26,0	13,0	16

Impact adaptor and reducing adaptor set

- Ideal set of compilation for adaptors and ball joints
- Chrome molybdenum
- In durable plastic case



1/4" 3/8" 1/2" 3/4"

	mm	g	
515.0100	9 pcs	Impact adaptor and reducing adaptor set	2,50
1 x		1/4" F x 3/8" M	
1 x		3/8" F x 1/4" M	
1 x		3/8" F x 1/2" M	
1 x		1/2" F x 3/8" M	
1 x		1/2" F x 3/4" M	
1 x		3/4" F x 1/2" M	
1 x		3/8"	
1 x		1/2"	
1 x		3/4"	

1/4" POWER SECURING ELEMENTS

O-Ring

- For impact drivers and impact sockets
- For safeguard




1/4"

	for sockets mm	D mm	B mm	g
515.1403	5,5-17	9,0	3,0	5

Connection pin for sockets

- For impact drivers and impact sockets
- For safeguard



1/4"

	for sockets mm	D mm	L mm	g
515.1404	5,5-17	1,5	10,0	5

3/8" POWER SOCKETS

Hexagon impact socket

- 6 point
- According to DIN 3129 / ISO 2725-2
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/8"

	mm	L mm	D1 mm	D2 mm	T mm	g
515.1506	6.0	28.0	11.0	19.0	3.0	32
515.1507	7.0	32.0	12.0	19.0	3.5	32
515.1508	8.0	32.0	14.0	19.0	4.0	32
515.1509	9.0	32.0	15.0	19.0	4.0	32
515.1510	10.0	32.0	16.0	19.0	5.0	33
515.1511	11.0	32.0	17.0	19.0	6.0	35
515.1512	12.0	32.0	18.0	19.0	6.0	35
515.1513	13.0	32.0	20.0	19.0	6.0	46
515.1514	14.0	32.0	21.0	22.0	8.0	46
515.1515	15.0	32.0	22.0	22.0	8.0	50
515.1516	16.0	32.0	24.0	22.0	8.0	54
515.1517	17.0	32.0	24.0	22.0	8.0	54
515.1518	18.0	32.0	26.0	22.0	9.0	62
515.1519	19.0	32.0	28.0	22.0	9.0	70
515.1520	20.0	32.0	28.0	22.0	9.0	70
515.1521	21.0	32.0	30.0	22.0	10.0	70
515.1522	22.0	32.0	32.0	22.0	10.0	83
515.1523	23.0	32.0	32.0	22.0	12.0	120
515.1524	24.0	32.0	34.0	22.0	12.0	130
515.1526	5/16"	26.0	14.5	19.0	3.5	30
515.1527	3/8"	26.0	15.2	19.0	3.5	30
515.1528	7/16"	26.0	16.7	19.0	3.5	35
515.1529	1/2"	27.0	18.5	19.0	3.5	45
515.1551	9/16"	27.0	20.5	22.0	4.0	55
515.1557	7/8"	28.0	22.5	22.0	4.0	60
515.1558	5/8"	290.0	24.5	22.0	4.0	65
515.1559	11/16"	30.0	26.8	22.0	5.0	75
515.1561	3/4"	31.0	28.5	22.0	5.0	85
515.1562	13/16"	32.0	30.0	22.0	5.0	95

Hexagon impact socket set

- 6 point
- According to DIN 3129 / ISO 2725-2
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- On a socket rail



3/8"

	mm	g
515.0608	8 pcs 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 mm	1.49



Hexagon impact socket, deep

- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/8"

	mm	L mm	D1 mm	D2 mm	T mm	g
515.1606	6.0	63.0	11.0	19.0	4.0	75
515.1607	7.0	63.0	12.0	19.0	4.0	75
515.1608	8.0	63.0	14.0	19.0	4.0	75
515.1609	9.0	63.0	15.0	19.0	4.0	75
515.1610	10.0	63.0	16.0	19.0	5.0	75
515.1611	11.0	63.0	17.0	19.0	6.0	75
515.1612	12.0	63.0	18.0	19.0	6.0	80
515.1613	13.0	63.0	20.0	22.0	6.0	105
515.1614	14.0	63.0	21.0	22.0	8.0	105
515.1615	15.0	63.0	22.0	22.0	8.0	110
515.1616	16.0	63.0	24.0	22.0	8.0	125
515.1617	17.0	63.0	24.0	22.0	8.0	125
515.1618	18.0	63.0	26.0	22.0	9.0	135
515.1619	19.0	63.0	28.0	22.0	9.0	165
515.1620	20.0	63.0	28.0	22.0	9.0	220
515.1621	21.0	63.0	30.0	22.0	10.0	230
515.1622	22.0	63.0	32.0	22.0	10.0	240
515.1623	23.0	63.0	32.0	22.0	12.0	260
515.1624	24.0	63.0	34.0	22.0	12.0	260



Hexagon impact socket set, deep

- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- On a socket rail



3/8"

	mm	g
515.0648	8 pcs 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 mm	1.00

12 point impact socket

- 12 point
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/8"

	mm	L mm	D1 mm	D2 mm	T mm	g
515.1563	6.0	28.0	11.3	19.0	3.0	32
515.1564	7.0	32.0	12.1	19.0	3.5	32
515.0958	8.0	28.0	14.0	19.0	4.0	40
515.0959	9.0	28.0	15.0	19.0	4.0	40
515.0960	10.0	28.0	16.0	19.0	5.0	40
515.0961	11.0	30.0	17.0	19.0	6.0	40
515.0962	12.0	30.0	18.0	19.0	6.0	40
515.0963	13.0	30.0	20.0	22.0	6.0	60
515.0964	14.0	30.0	21.0	22.0	8.0	60
515.0965	15.0	30.0	22.0	22.0	8.0	60
515.0966	16.0	30.0	24.0	22.0	8.0	70
515.0967	17.0	32.0	24.0	22.0	8.0	80
515.0968	18.0	32.0	26.0	22.0	9.0	80
515.0969	19.0	32.0	28.0	22.0	9.0	90
515.1565	20.0	32.0	27.8	22.0	9.0	70
515.1566	21.0	32.0	29.8	22.0	10.0	70
515.1567	22.0	32.0	31.8	22.0	10.0	83
515.1568	23.0	32.0	31.8	22.0	12.0	120
515.1569	24.0	32.0	33.8	22.0	12.0	130
515.1570	5/16"	26.0	14.5	19.0	3.5	30
515.1571	3/8"	26.0	15.2	19.0	3.5	30
515.1572	7/16"	26.0	16.7	19.0	3.5	35
515.1573	1/2"	27.0	18.5	19.0	3.5	45
515.1574	9/16"	27.0	20.5	22.0	4.0	55
515.1575	7/8"	28.0	22.5	22.0	4.0	60
515.1576	5/8"	290.0	24.5	22.0	4.0	65
515.1577	11/16"	30.0	26.8	22.0	5.0	75
515.1578	3/4"	31.0	28.5	22.0	5.0	85
515.1579	13/16"	32.0	30.0	22.0	5.0	95

12 Point impact socket

- 12 point
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



3/8"

	mm	g
515.0950	10 pcs 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 mm	1.65

Spiral profile impact socket

- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Rejuvenating special profile with aggressive spiral nut
- For turning off of screws with rounded or turned heads
- Bites firmly to give a firm connection between stuck nut and head
- Phosphate finish
- Chrome molybdenum



3/8"

	mm	D mm	L mm	g
913.3860	10,0	15,0	34,0	30
913.3861	11,0	16,0	34,0	30
913.3862	12,0	18,0	34,0	40
913.3863	13,0	18,5	34,0	40
913.3864	14,0	20,5	34,0	40
913.3865	15,0	22,0	34,0	60
913.3866	16,0	22,5	34,0	60
913.3867	17,0	24,5	34,0	70
913.3868	18,0	26,0	34,0	80
913.3869	19,0	27,0	34,0	80

Spiral profile impact socket set

- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Rejuvenating special profile with aggressive spiral nut
- For turning off of screws with rounded or turned heads
- Bites firmly to give a firm connection between stuck nut and head
- Drive out pin
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



3/8"

		g
913.3855	10 pcs Spiral profile impact socket set	660

consists of:

		g
913.3860	3/8" Spiral profile socket, 10 mm	30
913.3861	3/8" Spiral profile socket, 11 mm	30
913.3862	3/8" Spiral profile socket, 12 mm	40
913.3863	3/8" Spiral profile socket, 13 mm	40
913.3864	3/8" Spiral profile socket, 14 mm	40
913.3865	3/8" Spiral profile socket, 15 mm	60
913.3866	3/8" Spiral profile socket, 16 mm	60
913.3867	3/8" Spiral profile socket, 17 mm	70
913.3869	3/8" Spiral profile socket, 19 mm	80
913.3870	Burr arbor	30

TX E impact socket

- TX E profile
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/8"

		L mm	D1 mm	D2 mm	T mm	g
515.0980	E5	30,0	8,0	19,0	4,0	30
515.0981	E6	30,0	10,0	19,0	5,0	30
515.0982	E7	30,0	10,0	19,0	6,0	30
515.0983	E8	30,0	11,0	19,0	6,0	30
515.0984	E10	30,0	13,0	19,0	8,0	37
515.0985	E12	30,0	15,0	19,0	9,0	40
515.0986	E14	30,0	17,0	19,0	10,0	50

3/8" POWER EXTENSIONS

Impact extension

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/8"

	L mm	D mm	g
515.1534	75,0	19,0	85
515.1535	150,0	19,0	150
515.1540	250,0	19,0	250

3/8" POWER BALL JOINTS

Impact universal ball joint

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- Suspension
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/8"

			L mm	D mm	g
515.1533	3/8"	3/8"	53,0	24,0	105

3/8" POWER ADAPTERS

Impact adaptor

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/8"

			L mm	D mm	g
515.1531	3/8"	1/4"	32,0	22,0	20
515.1532	3/8"	1/2"	36,0	22,0	62

Impact adaptor and reducing adaptor set

- Ideal set of compilation for adaptors and ball joints
- Chrome molybdenum
- In durable plastic case



1/4" 3/8" 1/2" 3/4"

		g
515.0100	9 pcs Impact adaptor and reducing adaptor set	2,50
1 x	1/4" F x 3/8" M	
1 x	3/8" F x 1/4" M	
1 x	3/8" F x 1/2" M	
1 x	1/2" F x 3/8" M	
1 x	1/2" F x 3/4" M	
1 x	3/4" F x 1/2" M	
1 x	3/8"	
1 x	1/2"	
1 x	3/4"	

3/8" POWER SECURING ELEMENTS

O-Ring

- For impact drivers and impact sockets
- For safeguard



3/8"

	for sockets mm	D mm	B mm	g
515.1536	6-12	13,0	4,0	10
515.1537	13-22	16,0	4,0	12

12 Point impact socket set

- 12 point
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic case




1/2"

Part No.	Qty	Size Range	Weight (kg)
515.0900	13 pcs	10 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 20 - 21 - 22 - 23 - 24 mm	2.80

12 point impact socket, deep

- 12 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1/2"

Part No.	Ø mm	L mm	D1 mm	D2 mm	T mm	Weight (g)
515.0940	8.0	78.0	14.0	25.0	12.0	160
515.0941	9.0	78.0	15.8	25.0	12.0	160
515.0942	10.0	78.0	17.0	25.0	12.0	155
515.0943	11.0	78.0	18.4	25.0	13.0	160
515.0944	12.0	78.0	16.6	25.0	14.0	160
515.0945	13.0	78.0	18.4	25.0	12.0	160
515.0946	14.0	78.0	20.8	25.0	12.0	185
515.0947	15.0	78.0	23.3	30.0	15.0	210
515.0948	16.0	78.0	24.6	25.0	13.0	210
515.0949	17.0	78.0	25.8	30.0	17.0	230
515.0951	18.0	78.0	27.1	30.0	18.0	240
515.0952	19.0	78.0	28.3	30.0	20.0	250
515.0953	20.0	78.0	29.5	30.0	20.0	260
515.0954	21.0	78.0	30.8	30.0	22.0	275
515.0955	22.0	78.0	32.3	30.0	22.0	300
515.0956	23.0	78.0	33.3	30.0	24.0	230
515.0957	24.0	78.0	34.6	30.0	24.0	370
515.0971	25.0	78.0	35.8	30.0	24.0	340
515.0972	26.0	78.0	37.0	30.0	27.0	340
515.0973	27.0	78.0	38.3	30.0	27.0	430
515.0974	28.0	78.0	39.5	30.0	27.0	410
515.0975	29.0	78.0	40.8	30.0	27.0	410
515.0976	30.0	85.0	42.1	30.0	27.0	510
515.0977	31.0	85.0	43.3	30.0	31.0	410
515.0978	32.0	85.0	44.6	30.0	32.0	560

12 Point impact socket set, deep

- 12 point
- According to DIN 3129 / ISO 2725-2
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- On a magnetic storage rail



1/2"

Part No.	Qty	Size Range	Weight (kg)
515.1140	13 pcs	12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 mm	2.70
10 x		12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 mm	
1 x		1/2"	
1 x		125 mm	

TX E impact socket, short

- TX E
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1/2"

Part No.	Size	L mm	D1 mm	D2 mm	T mm	Weight (g)
911.0958	E10	38.0	13.5	25.0	8.0	80
911.0959	E12	38.0	15.5	25.0	10.0	80
911.0961	E14	38.0	17.5	25.0	10.0	85
911.0962	E16	38.0	19.6	25.0	10.0	85
911.0963	E18	38.0	21.7	30.0	11.0	85
911.0964	E20	38.0	23.8	30.0	11.0	85
911.0969	E24	38.0	28.3	30.0	11.0	90

Impact socket set, short

- TX-E
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- Includes storage rail



1/2"

Part No.	Qty	Size Range	Weight (kg)
515.1106	7 pcs	E10 - E12 - E14 - E16 - E18 - E20 - E24	1.45

TX E impact socket, deep

- TX E
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



Part No.	Size	L mm	D1 mm	D2 mm	T mm	Weight (g)
515.1051	E10	75.0	13.0	22.0	8.0	150
515.1052	E11	75.0	14.0	22.0	21.0	150
515.1053	E12	75.0	16.0	22.0	21.0	150
515.1054	E14	75.0	16.0	22.0	18.0	170
515.1055	E16	75.0	19.0	22.0	20.0	180
515.1056	E18	75.0	20.0	22.0	19.0	200
515.1057	E20	75.0	24.0	22.0	20.0	240
515.1058	E22	75.0	26.0	24.0	34.0	280
515.1059	E24	75.0	28.0	26.0	21.0	320

Impact socket set

- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



1/2"

Part No.	Qty	Size Range	Weight (kg)
515.1050	9 pcs	E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24	1.97

Spiral profile impact socket

- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Rejuvenating special profile with aggressive spiral nut
- For turning off of screws with rounded or turned heads
- Bites firmly to give a firm connection between stuck nut and head
- Phosphate finish
- Chrome molybdenum



1/2"

Part No.	Ø mm	L mm	Weight (g)
913.1469	12.0	34.0	40
913.1468	13.0	34.0	50
913.1467	14.0	34.0	70
913.1466	15.0	34.0	70
913.1465	17.0	34.0	70
913.1464	19.0	34.0	90
913.1249	19.0	50.0	135
913.1250	20.0	50.0	145
913.1463	21.0	34.0	90
913.1252	22.0	50.0	145
913.1253	23.0	50.0	145
913.1462	24.0	34.0	110
913.1255	25.0	50.0	145
913.1461	27.0	34.0	110

Spiral profile impact socket set, extra deep

- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Rejuvenating special profile with aggressive spiral nut
- For turning off of screws with rounded or turned heads
- Bites firmly to give a firm connection between stuck nut and head
- Drive out pin
- Phosphate finish
- In durable plastic case



913.1240	6 pcs	Spiral profile impact socket set, extra deep	690

consists of:

913.1249	1/2"	Spiral-Profile-Socket, 19 mm	135
913.1250	1/2"	Spiral-Profile-Socket, 20 mm	145
913.1252	1/2"	Spiral-Profile-Socket, 22 mm	145
913.1253	1/2"	Spiral-Profile-Socket, 23 mm	145
913.1255	1/2"	Spiral-Profile-Socket, 25 mm	145

Spiral profile impact socket set

- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Rejuvenating special profile with aggressive spiral nut
- For turning off of screws with rounded or turned heads
- Bites firmly to give a firm connection between stuck nut and head
- Drive out pin
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



913.1460	15 pcs	Spiral profile impact socket set	1.10

8 x		1/2": 13 - 14 - 15 - 17 - 19 - 21 - 24 - 27 mm
5 x		1/4": 6 - 8 - 10 - 11 - 12 mm
2 x		1/4"

1/2" WHEEL ASSEMBLY SOCKETS

Spiral profile impact socket set

- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Rejuvenating special profile with aggressive spiral nut
- For turning off of screws with rounded or turned heads
- Bites firmly to give a firm connection between stuck nut and head
- Phosphate finish
- Chrome molybdenum



913.1270	3 pcs	Spiral profile impact socket set	600

consists of:

913.1271	1/2"	Spiral profile impact socket 17 mm	140
913.1272	1/2"	Spiral profile impact socket 19 mm	200
913.1273	1/2"	Spiral profile impact socket 21 mm	210



Spiral profile impact socket set

- Internal square drive to DIN 3120 / ISO 1174 with ball reception
- Rejuvenating special profile with aggressive spiral nut
- For turning off of screws with rounded or turned heads
- Bites firmly to give a firm connection between stuck nut and head
- Phosphate finish
- Chrome molybdenum



913.1280	3 pcs	Spiral profile impact socket set	600

consists of:

913.1281	1/2"	Spiral profile impact socket 17 mm	130
913.1282	1/2"	Spiral profile impact socket 19 mm	170
913.1283	1/2"	Socket Extension, 60 mm	160

Spiral profile impact socket set, extra deep

- For example VAG and all vehicles with wheel nuts and/or bolt
- For loosening and unscrewing tight bolts and nuts with damaged or rounded heads
- Extra long execution 145 mm
- Internal square to DIN 3121 / ISO 1174 with ball reception
- For machinery usage
- Includes impact bar to extract or remove the damaged bolt or nut
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



913.1290	4 pcs	Spiral profile impact socket set, extra deep	1.50

consists of:

913.1291	1/2"	Spiral profile impact socket 17 mm	300
913.1292	1/2"	Spiral profile impact socket 19 mm	320
913.1293	1/2"	Spiral profile impact socket 21 mm	340
913.1295		Impact bar	540

Hexagon impact socket set, deep

- 6 point
- According to DIN 3129 / ISO 2725-2
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- Includes storage rail



515.0103	3 pcs	17 - 19 - 21 mm	0.86

Aluminium wheel impact socket, deep

- Specially for the wheel assembly and/or dismantling
- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Plastic sleeves for the damage free work on aluminum rims
- Plastic sleeves interchangeable
- Colour coded identifies the socket size
- Chrome vanadium



Colour code	mm	L mm	D1 mm	D2 mm	T mm	Replacement sleeves		
515.2015	●	15,0	85,0	21,0	25,0	23,0	515.2035	180
515.2017	●	17,0	85,0	24,0	30,0	23,0	515.2030	220
515.2019	●	19,0	85,0	26,0	30,0	23,0	515.2031	240
515.2021	●	21,0	85,0	28,0	30,0	23,0	515.2032	270
515.2022	●	22,0	85,0	30,0	32,0	23,0	515.2033	320

Aluminium wheel impact socket set, deep

- Specially for the wheel assembly and/or dismantling
- 6 point
- Internal square to DIN 3121 / ISO 1174 with ball reception
- For machinery usage
- Plastic sleeves for the damage free work on aluminum rims
- Plastic sleeves interchangeable
- Colour coded identifies the socket size
- Chrome vanadium
- In durable plastic case



	1/2"				
515.1005	3 pcs	17 - 19 - 21 mm	0.86		
515.1006	4 pcs	17 - 19 - 21 - 22 mm	1.45		
515.1007	5 pcs	15 - 17 - 19 - 21 - 22 mm	1.40		

Aluminium wheel impact socket, extra deep

- Specially for the wheel assembly and/or dismantling
- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Extra long execution
- For machinery usage
- Plastic sleeves for the damage free work on aluminum rims
- Plastic sleeves interchangeable
- Colour coded identifies the socket size
- Chrome vanadium



	1/2"						
515.2040	●	17,0	150,0	27,5	30,0	31,0	515.2045 600
515.2041	●	19,0	150,0	29,0	30,0	31,0	515.2046 650
515.2042	●	21,0	150,0	31,0	30,0	31,0	515.2047 700

Aluminium wheel impact socket set, extra deep

- Specially for the wheel assembly and/or dismantling
- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Extra long execution
- For machinery usage
- Plastic sleeves for the damage free work on aluminum rims
- Plastic sleeves interchangeable
- Colour coded identifies the socket size
- Chrome vanadium
- In durable plastic case



	1/2"				
515.1040	6 pcs	Aluminium wheel impact socket set, extra deep	1.45		
3 x		17 mm - 19 mm - 21 mm			
3 x		17 mm - 19 mm - 21 mm			

Special aluminium wheel impact socket, extra deep

- Specially for the wheel assembly and/or dismantling on aluminium sports wheels with deep lying wheel screws
- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Extra long and thin walled execution
- For machinery usage
- Plastic sleeves for the damage free work on aluminum rims
- Plastic sleeves interchangeable
- Phosphate finish
- Chrome molybdenum



	1/2"						
515.2043	17,0	130,0	28,0	30,0	19,0	515.2044	350

Aluminium wheel impact socket, deep

- Robust execution
- Specially for the wheel assembly and/or dismantling
- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Plastic sleeves for the damage-free work on aluminium rims
- Plastic sleeve it protects the surfaces at the wheel screws/ nuts
- Plastic sleeves interchangeable
- Colour coded identifies the socket size
- Phosphate finish
- Chrome molybdenum



	1/2"						
515.1072	●	15,0	85,0	21,0	25,0	23,0	515.2053 180
515.1073	●	17,0	85,0	24,0	30,0	23,0	515.2050 220
515.1075	●	19,0	85,0	26,0	30,0	23,0	515.2051 240
515.1076	●	21,0	85,0	28,0	30,0	23,0	515.2052 270
515.1077	●	22,0	85,0	30,0	32,0	23,0	515.2054 320

Aluminium wheel impact socket set, deep



- Robust execution
- Specially for the wheel assembly and/or dismantling
- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Plastic sleeves for the damage-free work on aluminium rims
- Plastic sleeve it protects the surfaces at the wheel screws/ nuts
- Plastic sleeves interchangeable
- Colour coded identifies the socket size
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



	1/2"				
515.1070	3 pcs	17 - 19 - 21 mm	0.78		

SlimPOWER Alloy rim impact socket, deep

- Very robust execution
- Specially for the wheel assembly and/or dismantling
- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Plastic sleeves for the damage-free work on aluminium rims
- Plastic sleeve it protects the surfaces at the wheel screws/ nuts
- Plastic sleeves interchangeable
- Colour coded identifies the socket size
- Phosphate finish
- Chrome molybdenum



	1/2"						
515.0991	●	15,0	86,0	24,5	23,5	20,0	160
515.0992	●	17,0	86,0	26,0	25,5	20,0	220
515.0993	●	19,0	86,0	26,0	27,5	20,0	240
515.0994	●	21,0	86,0	26,0	29,5	20,0	270
515.0995	●	22,0	86,0	32,0	30,0	20,0	260

SlimPOWER Alloy rim impact socket set, deep

- Very robust execution
- Specially for the wheel assembly and/or dismantling
- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Plastic sleeves for the damage-free work on aluminium rims
- Plastic sleeve it protects the surfaces at the wheel screws/ nuts
- Plastic sleeves interchangeable
- Colour coded identifies the socket size
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



	1/2"				
515.0989	2 pcs	17 - 19 mm	440		
515.0990	3 pcs	17 - 19 - 21 mm	860		



1/2" POWER BIT SOCKETS

Impact bit socket, hexagon

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



	mm	L mm	D mm	g
911.0903	5,0	38,0	25,0	70
911.0904	6,0	38,0	25,0	72
911.0905	8,0	38,0	25,0	77
911.0906	10,0	38,0	25,0	80
911.0907	12,0	38,0	30,0	135
911.0908	14,0	43,0	30,0	145
911.0909	17,0	43,0	30,0	155
911.0911	19,0	43,0	30,0	155

Impact bit socket set for hexagon screws, short

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic storage case



	mm	L mm	D mm	T mm	g
515.1102	6 pcs	8 - 10 - 12 - 14 - 17 - 19 mm			1,45
515.1103	4 pcs	5 - 6 - 8 - 10 mm			1,00

Impact bit socket for hexagon screws, long

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



	mm	L mm	D mm	g
911.0925	5,0	75,0	25,0	90
911.0926	6,0	75,0	25,0	92
911.0927	8,0	75,0	25,0	102
911.0928	10,0	75,0	25,0	130
911.0929	12,0	75,0	25,0	136
911.0930	14,0	75,0	25,0	136
911.0931	17,0	75,0	25,0	140
911.0932	19,0	75,0	25,0	210

Impact bit socket set for hexagon screws, long

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- Includes storage rail



	mm	L mm	D mm	T mm	g
515.1104	6 pcs	8 - 10 - 12 - 14 - 17 - 19 mm			1,70
515.1105	4 pcs	5 - 6 - 8 - 10 mm			1,35

Impact universal bit socket for internal hexagonal screws

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Suspension
- For machinery usage
- Phosphate finish
- Chrome molybdenum



	mm	L mm	D mm	T mm	g
911.0966	6,0	75,0	28,0	39,0	170
911.0967	7,0	75,0	28,0	39,0	170
911.0968	8,0	75,0	28,0	39,0	170
911.0970	10,0	75,0	28,0	39,0	180
911.0972	12,0	75,0	28,0	39,0	180
911.0974	14,0	75,0	28,0	39,0	190
911.0977	17,0	75,0	28,0	39,0	210
911.0979	19,0	75,0	28,0	39,0	230

Impact universal bit socket set

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Suspension
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



	mm	L mm	D mm	T mm	g
911.0960	6 pcs	8 - 10 - 12 - 14 - 17 - 19 mm			1,48
911.0965	4 pcs	6 - 7 - 8 - 10 mm			1,03

Impact socket for TX® screws, short

- TX
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



		L mm	D mm	g
911.0912	T30	57,0	25,0	75
911.0913	T40	57,0	25,0	77
911.0914	T45	57,0	25,0	80
911.0924	T50	57,0	25,0	82
911.0933	T55	57,0	25,0	84
911.0955	T60	60,0	25,0	90
911.0956	T70	60,0	25,0	93
911.0957	T80	60,0	25,0	95

Impact bit socket set for TX screws, short

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- Includes storage rail



	mm	L mm	D mm	T mm	g
515.1107	8 pcs	T30 - T40 - T45 - T50 - T55 - T60 - T70 - T80			850

Impact socket for TX® screws, long

- TX
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



		L mm	D mm	g
911.0915	T30	75,0	25,0	100
911.0916	T40	75,0	25,0	105
911.0917	T45	75,0	25,0	110
911.0918	T50	75,0	25,0	133
911.0919	T55	75,0	25,0	145
911.0920	T60	75,0	25,0	160
911.0921	T70	75,0	25,0	180
911.0922	T80	75,0	25,0	200

Impact bit socket set for TX screws, long

- TX
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



1/2"

		L mm				D mm	g
911.0901	8 pcs	T30 - T40 - T45 - T50 - T55 - T60 - T70 - T80				1.05	

Impact socket for RIBE® screws, long

- For RIBE® screws
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1/2"

		L mm	D mm	g
911.0935	M5	75.0	25.0	90
911.0936	M6	75.0	25.0	90
911.0937	M7	75.0	25.0	90
911.0938	M8	75.0	25.0	90
911.0939	M9	75.0	25.0	90
911.0940	M10	75.0	25.0	100
911.0941	M12	75.0	25.0	110
911.0942	M13	75.0	25.0	120
911.0943	M14	75.0	25.0	130

Impact bit socket set for RIBE® screws, long

- RIBE®
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



1/2"

		L mm				D mm	g
911.0934	9 pcs	M5 - M6 - M7 - M8 - M9 - M10 - M12 - M13 - M14				1.10	

Impact bit socket for spline(XZN®) screws, long

- Spline (XZN®)
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1/2"

		L mm	D mm	T mm	g
911.0945	M4	75.0	25.0	45.0	90
911.0946	M5	75.0	25.0	45.0	90
911.0947	M6	75.0	25.0	45.0	90
911.0948	M8	75.0	25.0	45.0	90
911.0949	M9	75.0	25.0	45.0	100
911.0950	M10	75.0	25.0	45.0	100
911.0951	M12	75.0	25.0	45.0	110
911.0952	M14	75.0	25.0	45.0	130
911.0953	M16	75.0	25.0	45.0	150

Impact bit socket set for spline(XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



1/2"

		L mm				D mm	g
911.0944	9 pcs	M 4 - M 5 - M 6 - M 8 - M 9 - M10 - M12 - M14 - M16				1.14	

1/2" POWER EXTENSIONS

Impact extension

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1/2"

		L mm	D mm	g
515.1134		75.0	25.0	220
515.1135		125.0	25.0	425
515.1136		250.0	25.0	440

Torque bar extension

- Ideal for controlled loosening of wheel screws and nuts with impact wrenches
- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3120 / ISO 1174
- For machinery usage
- Colour coded identifies the max. torque
- Chrome molybdenum



1/2"

		Colour code	max N·m	L mm	D mm	g
515.1061		●	90	195.0	25.0	270
515.1062		●	100	195.0	25.0	270
515.1063		●	110	195.0	25.0	270
515.1064		●	120	195.0	25.0	270
515.1065		●	135	195.0	25.0	270

Torsion extension bar set, extra long

- Ideal for controlled loosening of wheel screws and nuts with impact wrenches
- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3120 / ISO 1174
- For machinery usage
- Colour coded identifies the max. torque
- Chrome molybdenum
- In durable plastic case



1/2"

		L mm				D mm	g
515.1060	5 pcs	90 - 100 - 110 - 120 - 135				1.37	

1/2" POWER BALL JOINTS

Impact universal ball joint

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- Suspension
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1/2"

		□	■	L mm	D mm	g
515.1133		1/2"	1/2"	67.0	28.0	170

1/2" POWER ADAPTERS

Impact adaptor

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



			L mm	D mm	
515.1143	1/2"	3/8"	38.0	25.0	72
515.1144	1/2"	3/4"	48.0	30.0	165

Impact adaptor and reducing adaptor set

- Ideal set of compilation for adaptors and ball joints
- Chrome molybdenum
- In durable plastic case



515.0100	9 pcs	Impact adaptor and reducing adaptor set	2.50
1 x		1/4" F x 3/8" M	
1 x		3/8" F x 1/4" M	
1 x		3/8" F x 1/2" M	
1 x		1/2" F x 3/8" M	
1 x		1/2" F x 3/4" M	
1 x		3/4" F x 1/2" M	
1 x		3/8"	
1 x		1/2"	
1 x		3/4"	

1/2" POWER SECURING ELEMENTS

O-Ring

- For impact drivers and impact sockets
- For safeguard



	for sockets mm	D mm	B mm	
515.1137	6-12	19.0	4.0	10
515.1138	15-32	24.0	4.0	12

Connection pin

- For impact drivers and impact sockets
- For safeguard



	for sockets mm	D mm	L mm	
515.1141	6-12	3.0	20.0	10
515.1142	15-32	3.0	26.0	14

3/4" POWER SOCKETS

Hexagon impact socket

- 6 point
- According to DIN 3129 / ISO 2725-2
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



		L mm	D1 mm	D2 mm	T mm	
515.1317	17.0	50.0	30.0	44.0	7.0	230
515.1318	18.0	50.0	31.0	44.0	7.0	230
515.1319	19.0	50.0	33.0	44.0	9.0	230
515.1320	20.0	50.0	34.0	44.0	11.0	240
515.1321	21.0	50.0	35.0	44.0	11.0	240
515.1322	22.0	50.0	36.0	44.0	14.0	250
515.1323	23.0	50.0	38.0	44.0	14.0	250
515.1324	24.0	50.0	39.0	44.0	14.0	250
515.1325	25.0	50.0	40.0	44.0	14.0	270
515.1326	26.0	50.0	41.0	44.0	14.0	270
515.1327	27.0	53.0	43.0	44.0	14.0	280
515.1328	28.0	53.0	44.0	44.0	15.0	320
515.1329	29.0	53.0	45.0	44.0	15.0	320
515.1330	30.0	53.0	46.0	44.0	15.0	370
515.1331	31.0	53.0	48.0	44.0	15.0	380
515.1332	32.0	56.0	49.0	44.0	15.0	380
515.1333	33.0	56.0	51.0	44.0	18.0	410
515.1334	34.0	56.0	51.0	44.0	18.0	410
515.1335	35.0	56.0	53.0	44.0	18.0	470
515.1336	36.0	56.0	54.0	44.0	18.0	470
515.1337	37.0	57.0	55.0	44.0	18.0	470
515.1338	38.0	57.0	57.0	44.0	18.0	470
515.1341	41.0	57.0	60.0	44.0	22.0	590
515.1346	46.0	62.0	66.0	44.0	24.0	770
515.1350	50.0	72.0	71.0	54.0	30.0	970
515.1355	55.0	74.0	78.0	54.0	30.0	1250
515.1360	60.0	75.0	84.0	54.0	30.0	1600
515.1365	65.0	78.0	88.0	54.0	33.0	1650
515.1370	70.0	83.0	96.0	54.0	35.0	1920
515.1386	13/16"	52.0	32.0	38.0	11.0	240
515.1387	7/8"	52.0	34.0	38.0	11.0	250
515.1388	15/16"	52.0	36.0	38.0	13.0	250
515.1389	1"	52.0	38.0	38.0	13.0	260
515.1390	1.1/16"	52.0	40.0	40.0	16.0	280
515.1391	1.1/8"	52.0	42.0	42.0	16.0	330
515.1392	1.1/4"	52.0	46.0	44.0	16.0	370
515.1393	1.5/16"	56.0	48.0	44.0	18.0	410
515.1394	1.3/8"	56.0	50.0	44.0	18.0	440
515.1395	1.7/16"	56.0	52.0	44.0	18.0	450
515.1396	1.1/2"	56.0	53.0	44.0	18.0	460
515.1397	1.5/8"	62.0	58.0	44.0	23.0	590
515.1398	1.11/16"	62.0	64.0	44.0	23.0	700
515.1399	1.3/4"	62.0	65.0	44.0	23.0	750
515.1401	1.7/8"	68.0	68.0	44.0	27.0	790
515.1402	2"	72.0	71.0	54.0	30.0	880

Hexagon impact socket set

- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable metal case



	8 pcs	24 - 27 - 29 - 30 - 32 - 33 - 34 - 36 mm	4.20
515.0510			

Hexagon impact socket set

- 6 point
- According to DIN 3129 / ISO 2725-2
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic case



	8 pcs	26 - 27 - 29 - 30 - 32 - 35 - 36 - 38 mm	3.50
515.0208			

Hexagon impact socket, deep

- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



		L mm	D1 mm	D2 mm	T mm	
515.1417	17.0	90.0	30.0	44.0	12.0	390
515.1418	18.0	90.0	31.0	44.0	12.0	590
515.1419	19.0	90.0	33.0	44.0	12.0	600
515.1420	20.0	90.0	34.0	44.0	12.0	610
515.1421	21.0	90.0	35.0	44.0	12.0	630
515.1422	22.0	90.0	37.0	44.0	19.0	640

	mm	L mm	D1 mm	D2 mm	T mm	g
515.1423	23,0	90,0	38,0	44,0	19,0	640
515.1424	24,0	90,0	39,0	44,0	19,0	640
515.1425	25,0	90,0	40,0	44,0	19,0	640
515.1426	26,0	90,0	41,0	44,0	19,0	650
515.1427	27,0	90,0	43,0	44,0	19,0	650
515.1428	28,0	90,0	44,0	44,0	19,0	650
515.1429	29,0	90,0	45,0	44,0	19,0	660
515.1430	30,0	90,0	46,0	44,0	19,0	680
515.1431	31,0	90,0	48,0	44,0	19,0	730
515.1432	32,0	90,0	49,0	44,0	19,0	740
515.1433	33,0	90,0	51,0	44,0	19,0	770
515.1434	34,0	90,0	51,0	44,0	19,0	790
515.1435	35,0	90,0	53,0	44,0	19,0	820
515.1436	36,0	90,0	54,0	44,0	19,0	840
515.1437	37,0	90,0	55,0	44,0	19,0	860
515.1438	38,0	90,0	56,0	44,0	19,0	880
515.1441	41,0	90,0	60,0	44,0	56,0	970
515.1443	43	90,0	63,2	44,0	56,0	1150
515.1446	46,0	90,0	66,0	44,0	56,0	1260
515.1450	50,0	90,0	71,0	54,0	56,0	1650

Hexagon impact socket, extra deep

- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Extra long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



	mm	L mm	D1 mm	D2 mm	T mm	g
515.1182	27,0	270,0	42,0	44,0	27,0	1.09
515.1183	30,0	270,0	46,0	44,0	30,0	1.14
515.1184	32,0	270,0	49,0	44,0	32,0	1.16
515.1191	27,0	400,0	42,0	44,0	27,0	1.25
515.1192	30,0	400,0	46,0	44,0	30,0	1.32
515.1193	32,0	400,0	49,0	44,0	32,0	1.36
515.1194	33,0	400,0	50,0	44,0	32,0	1.38

TX E impact socket

- TX E
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



	mm	L mm	D1 mm	D2 mm	T mm	g
455.0081	E28	90,0	33,0	42,0	25,0	556



TX E impact socket, deep

- TX E
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



		L mm	g
455.0012	E18	110,0	620
455.0013	E20	110,0	670

TX E impact socket, deep

- TX E
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



		L mm	D mm	g
450.0451	E18	140,0	44,0	672
450.0452	E20	140,0	44,0	692
450.0453	E22	140,0	44,0	700
450.0454	E24	140,0	44,0	748

3/4" POWER BIT SOCKETS

Impact bit socket, hexagon

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Matt finish
- Chrome molybdenum



	mm	L mm	D mm	g
515.0001	14,0	60,0	40,0	140
515.0002	17,0	60,0	40,0	280
515.0003	19,0	60,0	40,0	340
515.0004	21,0	60,0	40,0	340
515.0005	22,0	60,0	40,0	340
515.0006	24,0	60,0	40,0	340

Impact bit socket for hexagon screws, long

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



	mm	L mm	D mm	g
450.0461	17,0	140,0	44,0	672
450.0462	19,0	140,0	44,0	686
450.0463	22,0	140,0	44,0	710
450.0464	24,0	140,0	44,0	760

Impact bit socket for TX, short

- TX
- Square drive according to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Matt finish
- Chrome molybdenum



		L mm	D mm	g
515.0016	T70	60,0	40,0	270
515.0017	T80	60,0	40,0	270
515.0018	T90	60,0	40,0	280
515.0019	T100	60,0	40,0	290

Impact socket for TX® screws, long

- For TX screws
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



		L mm	D mm	g
450.0441	T60	140,0	44,0	630
450.0442	T70	140,0	44,0	650
450.0443	T80	140,0	44,0	656
450.0444	T90	140,0	44,0	666
450.0445	T100	140,0	44,0	680

Impact bit socket for spline(XZN®) screws

- Spline (XZN®)
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Matt finish
- Chrome molybdenum



3/4"

		L mm	D mm	g
515.0012	M16	60.0	40.0	270
515.0013	M18	60.0	40.0	270

Impact interchangeable bit set

- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic storage case



3/4" 1"

			g
450.0420	16 pcs	Impact interchangeable bit set	6.00

consists of:

		g
450.0422	Impact bit socket, hexagon, 107mm, dim 17mm	360
450.0423	Impact bit socket, hexagon, 107mm, dim 19mm	370
450.0425	Impact bit socket, hexagon, 107mm, dim 22mm	380
450.0426	Impact bit socket, hexagon, 107mm, dim 24mm	460
450.0427	Impact bit socket, TX 107mm, T60	330
450.0428	Impact bit socket, TX 107mm, T70	330
450.0429	Impact bit socket, TX 107mm, T80	340
450.0430	Impact bit socket, TX 107mm, T90	350
450.0431	Impact bit socket, TX 107mm, T100	360
450.0433	Impact bit socket, ETX, 107mm, E18	470
450.0434	Impact bit socket, ETX, 107mm, E20	340
450.0435	Impact bit socket, ETX, 107mm, E22	370
450.0436	Impact bit socket, ETX, 107mm, E24	390
450.0437	Impact bit socket adaptor, 3/4"x 22mm	260
450.0438	Impact bit socket adaptor, 1"x 22mm	500

3/4" POWER EXTENSIONS

Impact extension

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/4"

	L mm	D mm	g
515.1375	90.0	44.0	500
515.1376	100.0	44.0	540
515.1377	150.0	44.0	750
515.1378	175.0	44.0	850
515.1379	200.0	44.0	950
515.1381	250.0	44.0	1110

3/4" POWER BALL JOINTS

Impact universal ball joint

- Square drive adaptor to DIN 3121 / ISO 1174
- Internal square drive to DIN 3121 / ISO 1174
- Suspension
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/4"

	□	■	L mm	D mm	g
515.1374	3/4"	3/4"	108.0	44.0	700

3/4" POWER ADAPTERS

Impact socket adapter

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



3/4"

	□	■	L mm	D mm	g
515.1372	3/4"	1/2"	56.0	44.0	325
515.1373	3/4"	1"	63.0	44.0	450

Impact adaptor and reducing adaptor set

- Ideal set of compilation for adaptors and ball joints
- Chrome molybdenum
- In durable plastic case



1/4" 3/8" 1/2" 3/4"

			g
515.0100	9 pcs	Impact adaptor and reducing adaptor set	2.50
1 x		1/4" F x 3/8" M	
1 x		3/8" F x 1/4" M	
1 x		3/8" F x 1/2" M	
1 x		1/2" F x 3/8" M	
1 x		1/2" F x 3/4" M	
1 x		3/4" F x 1/2" M	
1 x		3/8"	
1 x		1/2"	
1 x		3/4"	

3/4" POWER SECURING ELEMENTS

O-Ring

- For impact drivers and impact sockets
- For safeguard



3/4"

	for sockets mm	D mm	B mm	g
515.1382	17 - 49	36.0	5.0	10
515.1383	50 - 70	46.0	5.0	12

Connection pin

- For impact drivers and impact sockets
- For safeguard



3/4"

	for sockets mm	D mm	L mm	g
515.1384	17 - 49	4.0	36.0	10
515.1385	50 - 70	4.0	46.0	14

1" POWER SOCKETS

Hexagon impact socket

- 6 point
- According to DIN 3129 / ISO 2725-2
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



Item No.	mm	L mm	D2 mm	D1 mm	T mm	kg
515.1722	22,0	58,0	51,0	39,0	12,0	0,51
515.1724	24,0	58,0	54,0	42,0	14,0	0,51
515.1727	27,0	58,0	54,0	46,0	14,0	0,52
515.1729	29,0	60,0	54,0	48,0	16,0	0,53
515.1730	30,0	60,0	54,0	49,0	16,0	0,53
515.1731	31,0	60,0	54,0	51,0	16,0	0,56
515.1732	32,0	61,0	54,0	60,0	19,0	0,59
515.1733	33,0	61,0	54,0	54,0	19,0	0,62
515.1734	34,0	61,0	54,0	54,0	19,0	0,64
515.1736	36,0	65,0	54,0	57,0	19,0	0,67
515.1737	37,0	65,0	54,0	58,0	19,0	0,67
515.1738	38,0	65,0	54,0	59,0	20,0	0,68
515.1740	40,0	65,0	54,0	62,0	23,0	0,87
515.1741	41,0	65,0	54,0	63,0	23,0	0,92
515.1742	42,0	65,0	54,0	63,0	23,0	0,98
515.1746	46,0	74,0	54,0	69,0	23,0	1,00
515.1750	50,0	74,0	54,0	74,0	26,0	1,07
515.1755	55,0	85,0	54,0	81,0	28,0	1,44
515.1760	60,0	89,0	54,0	87,0	31,0	1,78
515.1765	65,0	93,0	54,0	93,0	32,0	1,80
515.1770	70,0	98,0	54,0	99,0	35,0	2,04
515.1775	75,0	100,0	86,0	106,0	40,0	3,48
515.1780	80,0	100,0	86,0	112,0	47,0	4,10
515.1785	85,0	102,0	86,0	119,0	47,0	4,80
515.1790	90,0	107,0	86,0	124,0	47,0	5,10
515.1795	95,0	107,0	86,0	131,0	50,0	5,25
515.1891	1"	58,0	51,0	42,0	14,0	0,52
515.1892	1.1/4"	60,0	51,0	51,0	16,0	0,61
515.1893	1.7/16"	62,0	52,0	56,0	20,0	0,64
515.1894	1.1/2"	62,0	52,0	58,0	22,0	0,67
515.1895	1.5/8"	62,0	52,0	62,0	22,0	0,92
515.1896	1.13/16"	64,0	58,0	68,0	23,0	1,00
515.1897	1.7/8"	66,0	58,0	70,0	24,0	1,08
515.1898	2.1/4"	75,0	62,0	84,0	30,0	1,52

Hexagon impact socket set

- 6 point
- According to DIN 3129 / ISO 2725-2
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable steel storage case



Item No.	pcs	mm	kg
515.0610	8 pcs	27 - 29 - 30 - 32 - 33 - 34 - 36 - 38 mm	3,00

Hexagon impact socket

- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Extra thick walled / long centre execution
- For machinery usage
- Phosphate
- Chrome molybdenum



Item No.	mm	L mm	D1 mm	D2 mm	T mm	kg
515.2124	24,0	76,0	38,0	52,0	13,0	570
515.2127	27,0	76,0	42,0	52,0	14,0	580
515.2130	30,0	76,0	45,0	52,0	18,0	620
515.2132	32,0	76,0	48,0	52,0	18,0	640
515.2133	33,0	76,0	49,0	52,0	18,0	650
515.2134	34,0	76,0	50,0	52,0	18,0	670
515.2136	36,0	76,0	54,0	52,0	20,0	690
515.2138	38,0	76,0	56,0	52,0	23,0	710
515.2141	41,0	80,0	59,0	52,0	23,0	720



Hexagon impact socket, deep

- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



Item No.	mm	L mm	D1 mm	D2 mm	T mm	kg
515.1822	22,0	90,0	39,0	51,0	16,0	0,71
515.1824	24,0	90,0	42,0	54,0	16,0	0,72
515.1827	27,0	90,0	46,0	54,0	19,0	0,80
515.1830	30,0	90,0	49,0	54,0	19,0	0,80
515.1832	32,0	90,0	52,0	54,0	19,0	0,91
515.1833	33,0	90,0	54,0	54,0	23,0	0,91
515.1834	34,0	90,0	54,0	54,0	23,0	0,95
515.1836	36,0	90,0	57,0	54,0	23,0	0,95
515.1838	38,0	90,0	59,0	54,0	23,0	0,99
515.1841	41,0	90,0	63,0	54,0	40,0	1,20
515.1846	46,0	100,0	69,0	54,0	40,0	1,36
515.1850	50,0	100,0	74,0	54,0	40,0	1,57
515.1855	55,0	100,0	81,0	54,0	52,0	1,95
515.1860	60,0	120,0	87,0	54,0	52,0	2,82
515.1865	65,0	120,0	93,0	54,0	60,0	3,15
515.1870	70,0	125,0	99,0	54,0	60,0	3,34
515.1875	75,0	125,0	105,0	54,0	60,0	4,43
515.1880	80,0	125,0	112,0	54,0	75,0	4,76
515.1885	85,0	135,0	119,0	54,0	75,0	5,80
515.1890	90,0	135,0	124,0	54,0	75,0	6,10
515.1881	95,0	150,0	135,0	127,0	49,0	6,90
515.1882	100,0	150,0	140,0	127,0	54,0	7,20
515.1883	105,0	150,0	150,0	127,0	54,0	8,10
515.1884	110,0	160,0	155,0	127,0	62,0	8,90
515.1886	115,0	160,0	160,0	127,0	67,0	9,40
515.1887	120,0	170,0	165,0	127,0	67,0	10,10

Hexagon impact socket set, deep

- 6 point
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable steel storage case



Item No.	pcs	mm	kg
515.0308	8 pcs	24 - 27 - 30 - 32 - 33 - 34 - 36 - 38 mm	4,20

Hexagon torque impact socket, extra deep

- Ideal for controlled loosening of wheel screws and nuts with impact wrenches
- Internal square drive to DIN 3121 / ISO 1174
- Extra long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



Item No.	mm	max N-m	L mm	D mm	T mm	kg
515.1461	24,0	350	300,0	54,0	24,0	1,38
515.1462	27,0	350	300,0	54,0	27,0	1,40
515.1463	27,0	450	300,0	54,0	27,0	1,58
515.1464	30,0	500	300,0	54,0	30,0	1,56
515.1465	32,0	450	300,0	54,0	32,0	1,60
515.1466	32,0	550	300,0	54,0	32,0	1,60
515.1467	32,0	600	300,0	54,0	33,0	1,60
515.1468	33,0	550	300,0	54,0	33,0	1,64
515.1469	33,0	600	300,0	54,0	36,0	1,64

TX E impact socket, deep

- TX E
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



Item No.		L mm	D mm	kg
450.0481	E18	145,0	51,0	992
450.0482	E20	145,0	51,0	1012
450.0483	E22	145,0	51,0	1020
450.0484	E24	145,0	51,0	1068

1" POWER BIT SOCKETS

Impact bit socket, hexagon

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Short execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



	mm	L mm	D mm	kg
450.0476	17,0	75,0	54,0	620
450.0477	19,0	75,0	54,0	650
450.0478	22,0	75,0	54,0	675
450.0479	24,0	75,0	54,0	700
450.0485	27,0	75,0	54,0	730
450.0486	30,0	75,0	54,0	770
450.0487	32,0	75,0	54,0	900
450.0488	36,0	75,0	54,0	920

Impact bit socket for hexagon screws, long

- Hexagon socket
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



	mm	L mm	D mm	kg
450.0491	17,0	145,0	51,0	0.99
450.0492	19,0	145,0	51,0	1.01
450.0493	22,0	145,0	51,0	1.03
450.0494	24,0	145,0	51,0	1.08
450.0495	27,0	145,0	51,0	2.00
450.0496	30,0	145,0	51,0	2.03
450.0497	32,0	145,0	51,0	2.07
450.0498	36,0	145,0	51,0	2.11

Impact socket for TX® screws, long

- TX
- Internal square drive to DIN 3121 / ISO 1174
- Long execution
- For machinery usage
- Phosphate finish
- Chrome molybdenum



		L mm	D mm	kg
450.0471	T60	145,0	51,0	950
450.0472	T70	145,0	51,0	970
450.0473	T80	145,0	51,0	976
450.0474	T90	145,0	51,0	986
450.0475	T100	145,0	51,0	1000

Impact interchangeable bit set

- For machinery usage
- Phosphate finish
- Chrome molybdenum
- In durable plastic storage case



3/4" 1"

		kg
450.0420	16 pcs Impact interchangeable bit set	6.00


consists of:

		kg
450.0422	Impact bit socket, hexagon, 107mm, dim 17mm	360
450.0423	Impact bit socket, hexagon, 107mm, dim 19mm	370
450.0425	Impact bit socket, hexagon, 107mm, dim 22mm	380
450.0426	Impact bit socket, hexagon, 107mm, dim 24mm	460
450.0427	Impact bit socket, TX 107mm, T60	330
450.0428	Impact bit socket, TX 107mm, T70	330
450.0429	Impact bit socket, TX 107mm, T80	340
450.0430	Impact bit socket, TX 107mm, T90	350
450.0431	Impact bit socket, TX 107mm, T100	360
450.0433	Impact bit socket, ETX, 107mm, E18	470
450.0434	Impact bit socket, ETX, 107mm, E20	340
450.0435	Impact bit socket, ETX, 107mm, E22	370
450.0436	Impact bit socket, ETX, 107mm, E24	390
450.0437	Impact bit socket adaptor, 3/4"x 22mm	260
450.0438	Impact bit socket adaptor, 1"x 22mm	500

1/4" POWER EXTENSIONS

Impact extension

- Square drive adaptor to DIN 3121 / ISO 1174
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1"

	L mm	D mm	kg
515.1804	175.0	54.0	1.45
515.1806	250.0	54.0	1.58
515.1807	300.0	54.0	1.96

1" POWER BALL JOINTS

Impact universal ball joint

- Square drive adaptor to DIN 3121 / ISO 1174
- Internal square drive to DIN 3121 / ISO 1174
- Suspension
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1"

	1"	1"	L mm	D mm	kg
515.1801			130.0	54.0	1.38

1" POWER ADAPTERS

Impact adaptor

- Square drive adaptor to DIN 3121 / ISO 1174 with ball lock
- Internal square drive to DIN 3121 / ISO 1174
- For machinery usage
- Phosphate finish
- Chrome molybdenum



1"

	1"	3/4"	L mm	D mm	kg
515.1798			75.0	54.0	0.57
515.1799		1.1/2"	82.0	54.0	1.00

1" POWER SECURING ELEMENTS

O-ring

- For impact drivers and impact sockets
- For safeguard



1"

	for sockets mm	D mm	B mm	kg
515.1809	17-70	45.0	5.0	10

Connection pin

- For impact drivers and impact sockets
- For safeguard



1"

	for sockets mm	D mm	L mm	kg
515.1812	17-70	4.0	45.0	10

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
i